

Test by: Bottomline Seed Solutions, LLC Effingham, IL

2025 Corn Grain Top 30 Harvest Report

Indiana Central [INCE] MUNCIE, IN

Daniel Hiatt, Delaware County, IN

| | |
|---------------------------------|--|
| Early-Season Test | 105 - 110 Day CRM B2025INCE03a |
| Top 30 of 64 | For Gross Income (Sorted by Yield) Average of (4) Replications |
| PREV. CROP/HERB: | Soybeans / Roundup, Enlist, Liberty |
| SOIL DESCRIPTION: | Wawaka silt loam, mod. poorly drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, 6.36 pH, 3.01% OM, 6.88 CEC, low P, high K, low S, mod. B, high Zn |
| PEST MANAGEMENT: | Mesoxtra, Azoxypop |
| FERTILITY - Applied N: | 195 Sidedress |
| Applied N-P-K (units): | 195-0-0 |
| SEEDED - RATE - ROW: | May 9 36.0 /A 30" spacing |
| HARVESTED - STAND: | Oct 20 35.5 /A |
| PEST & DISEASE RISK: | Fusarium* |

TEST COMMENTS:

This no-till location was planted in early May with good emergence. The plant heights were normal to slightly below normal. The short-statured, stocky plants were healthy with no lodging. Early development of the early-season hybrids was excellent. This site had very girthy ears with large kernels. The full-season test's yields were slightly impacted by the dry August. This was a good test with a great cooperator.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------------|--------------------|-----------|-----|--------------------------------------|-------------|-----------|----------------|----------------------|------|
| AgriGold | A642-32VT2RIB GC ↗ | VT2P | 112 | 291.4 | 20.5 | 1 | 36.7 | 1042 | 1 |
| Martin | SS-384-5TRE GC ↗ | TRE | 108 | 290.5 | 20.3 | 1 | 36.0 | 1042 | 2 |
| FS InVision | FS 5947T RIB ↗ | TRE | 109 | 284.3 | 20.5 | 1 | 36.7 | 1016 | 3 |
| Integra | 5802 VT2PRIB ↗ | VT2P | 108 | 283.1 | 20.2 | 1 | 36.7 | 1016 | 4 |
| Wyckoff | 2632 SS RIB ↗ | STX | 108 | 279.2 | 20.2 | 1 | 36.7 | 1002 | 5 |
| FS InVision | FS 6042F RIB ↗ | VT4P | 110 | 279.0 | 20.8 | 1 | 35.3 | 994 | 9 |
| Wyckoff | 2582 VT2P RIB ↗ | VT2P | 108 | 278.7 | 20.5 | 1 | 37.5 | 997 | 8 |
| Dairyland | DS-5088PCE ↗ | PCE | 110 | 278.5 | 20.2 | 1 | 35.3 | 1000 | 6 |
| DeKalb | DKC108-17RIB GC ↗ | TRE | 108 | 273.8 | 19.7 | 1 | 36.8 | 990 | 10 |
| Augusta | A2356-PCE ↗ | PCE | 106 | 273.0 | 18.8 | 1 | 36.7 | 999 | 7 |
| FS InVision | FS 5949PC RA ↗ | PCE | 109 | 272.9 | 19.8 | 1 | 34.6 | 986 | 11 |
| Wyffels | W6505RIB ↗ | TRE | 110 | 272.6 | 20.0 | 1 | 36.0 | 982 | 13 |
| Ebberts | 7660PC ↗ | PCE | 110 | 272.3 | 19.7 | 1 | 37.5 | 984 | 12 |
| Martin | SS-411-5 TRE GC ↗ | TRE | 111 | 270.1 | 20.1 | 1 | 35.3 | 971 | 16 |
| Channel | 209-70TRERIB GC ↗ | TRE | 109 | 268.5 | 19.9 | 1 | 34.6 | 968 | 18 |
| AgriGold | A639-03VT2RIB GC ↗ | VT2P | 109 | 267.6 | 19.6 | 1 | 36.7 | 968 | 19 |
| Purple Ribbon | 26A07 GC ↗ | PCE | 107 | 267.3 | 18.5 | 1 | 33.9 | 982 | 14 |
| Augusta | A4057-PCE ↗ | PCE | 107 | 267.2 | 19.4 | 1 | 36.0 | 970 | 17 |
| FS InVision | FS 5559PC RA ↗ | PCE | 105 | 266.8 | 18.7 | 1 | 35.8 | 978 | 15 |
| Dairyland | DS-4664PCE ↗ | PCE | 106 | 263.0 | 19.0 | 1 | 36.8 | 960 | 23 |
| Wyffels | W5129 ↗ | STXP | 108 | 263.0 | 18.5 | 1 | 34.6 | 967 | 20 |
| Integra | 5935 PCE ↗ | PCE | 109 | 262.7 | 18.6 | 1 | 34.6 | 964 | 22 |
| Wyckoff | 2606 PCE ↗ | PCE | 108 | 260.1 | 20.5 | 1 | 37.5 | 930 | 30 |
| Augusta | A2260-AA ↗ | AA | 110 | 259.7 | 20.3 | 1 | 34.6 | 931 | 28 |
| Channel | 205-08TRERIB GC ↗ | TRE | 105 | 259.3 | 19.3 | 1 | 35.3 | 943 | 26 |
| Superior | S-8408 ↗ | PCE | 108 | 258.9 | 18.8 | 1 | 36.8 | 948 | 25 |
| Ebberts | 7557PC ↗ | PCE | 107 | 257.7 | 19.3 | 1 | 37.7 | 936 | 27 |
| Seed Genetics Direct | AGI-C 6104PWE ↗ | PCE | 105 | 257.2 | 17.8 | 1 | 34.6 | 955 | 24 |
| Ebberts | 7209TR RIB ↗ | TRE | 108 | 257.0 | 19.7 | 1 | 38.2 | 930 | 31 |
| Wyckoff | 2487 PCE ↗ | PCE | 106 | 254.5 | 18.9 | 1 | 35.3 | 931 | 29 |
| DEKALB | DKC111-35RIB CK | VT2P | 111 | 266.8 | 19.7 | 1 | 37.4 | 965 | 21 |
| | | | | Averages = 253.8 | 19.4 | 1 | 35.5 | 922 | |
| | | | | LSD (0.10) = | 18.8 | 0.8 | ns | | |
| | | | | LSD (0.25) = | 9.9 | 0.4 | ns | | |
| | | | | C.V. = | 8.2 | | | | |
| | | | | Historic yield: 224.84 bu/a, 4 yr(s) | | | | | |

Klint Tucker

Klint Tucker

klint@whatssmokin.net, (309) 712-1406

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.05

Prices: GMO = \$3.85

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Bottomline Seed Solutions, LLC Effingham, IL

2025 Corn Grain Top 30 Harvest Report

Indiana Central [INCE] MUNCIE, IN


Daniel Hiatt, Delaware County, IN

| | |
|---------------------------------|--|
| Full-Season Test | 111 - 116 Day CRM B2025INCE03b |
| Top 30 of 64 | For Gross Income (Sorted by Yield) Average of (4) Replications |
| PREV. CROP/HERB: | Soybeans / Roundup, Enlist, Liberty |
| SOIL DESCRIPTION: | Wawaka silt loam, mod. poorly drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, 6.36 pH, 3.01% OM, 6.88 CEC, low P, high K, low S, mod. B, high Zn |
| PEST MANAGEMENT: | Mesoxtra, Azoxypop |
| FERTILITY - Applied N: | 195 Sidedress |
| Applied N-P-K (units): | 195-0-0 |
| SEEDED - RATE - ROW: | May 9 36.0 /A 30" spacing |
| HARVESTED - STAND: | Oct 20 35.7 /A |
| PEST & DISEASE RISK: | Fusarium* |

TEST COMMENTS:

This no-till location was planted in early May with good emergence. The plant heights were normal to slightly below normal. The short-statured, stocky plants were healthy with no lodging. Early development of the early-season hybrids was excellent. This site had very girthy ears with large kernels. The full-season test's yields were slightly impacted by the dry August. This was a good test with a great cooperator.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------------|--------------------|-----------|-----|--------------|------------|-----------|----------------|----------------------|------|
| Wyffels | W7485RIB ↗ | TRE | 112 | 289.9 | 21.1 | 1 | 34.9 | 1028 | 1 |
| Wyffels | W7945RIB ↗ | TRE | 114 | 283.1 | 21.4 | 1 | 33.9 | 1000 | 2 |
| Channel | 215-70TRERIB GC ↗ | TRE | 115 | 282.0 | 21.4 | 1 | 36.0 | 996 | 3 |
| Wyffels | W7876RIB ↗ | VT2P | 114 | 280.0 | 21.3 | 1 | 35.3 | 990 | 4 |
| FS InVision | FS 6545V RIB ↗ | VT2P | 115 | 278.3 | 21.0 | 1 | 37.5 | 988 | 5 |
| Wyckoff | 2733 VT2P RIB ↗ | VT2P | 114 | 275.9 | 21.7 | 1 | 37.5 | 970 | 7 |
| Wyckoff | 2667 DG VT2P RIB ↗ | VT2PDG | 111 | 274.7 | 21.1 | 1 | 37.4 | 974 | 6 |
| AgriGold | A643-52VT2RIB GC ↗ | VT2P | 113 | 274.7 | 21.6 | 1 | 36.0 | 967 | 9 |
| FS InVision | FS 6447T RIB ↗ | TRE | 114 | 274.5 | 21.3 | 1 | 33.9 | 970 | 8 |
| Seed Genetics Direct | DIRECT 3111-3110 ↗ | 3110 | 111 | 271.1 | 20.9 | 1 | 35.3 | 964 | 10 |
| Integra | 6274 VT2PRIB ↗ | VT2P | 112 | 270.9 | 22.0 | 1 | 35.8 | 949 | 13 |
| Ebberts | 6883DGV2P RIB ↗ | VT2PDG | 112 | 269.9 | 21.3 | 1 | 35.8 | 955 | 11 |
| ProHarvest | 86P55 TRE ↗ | TRE | 116 | 268.4 | 22.3 | 1 | 36.7 | 935 | 16 |
| Wyckoff | 2676 TRE RIB ↗ | TRE | 112 | 267.5 | 20.8 | 1 | 35.8 | 953 | 12 |
| Purple Ribbon | 26A14 ↗ | TRE | 114 | 267.0 | 21.4 | 1 | 33.0 | 943 | 14 |
| Martin | SS-456-5 VT2P ↗ | VT2P | 115 | 264.6 | 21.0 | 1 | 36.1 | 940 | 15 |
| FS InVision | FS 6245V RIB ↗ | VT2P | 112 | 262.1 | 20.8 | 1 | 35.3 | 933 | 17 |
| Wyckoff | 2685 TRE RIB ↗ | TRE | 112 | 260.1 | 20.8 | 1 | 36.0 | 926 | 18 |
| Wyffels | W7424 ↗ | PCE | 112 | 256.2 | 21.4 | 1 | 39.6 | 904 | 19 |
| Purple Ribbon | 26A13 GC ↗ | TRE | 113 | 254.9 | 21.1 | 1 | 37.7 | 903 | 20 |
| DeKalb | DKC112-12RIB GC ↗ | TRE | 112 | 253.0 | 21.2 | 1 | 36.0 | 896 | 22 |
| DeKalb | DKC114-99RIB GC ↗ | VT4P | 114 | 252.5 | 20.8 | 1 | 35.3 | 898 | 21 |
| Martin | SS-438-5 TRE ↗ | TRE | 113 | 251.4 | 21.0 | 1 | 36.0 | 893 | 23 |
| FS InVision | FS 6349PC RA ↗ | PCE | 113 | 250.3 | 21.0 | 1 | 36.7 | 889 | 24 |
| AgriGold | A644-64VT2P GC ↗ | VT2P | 114 | 248.4 | 22.3 | 1 | 38.9 | 866 | 28 |
| Ebberts | 7442PC ↗ | PCE | 112 | 246.3 | 20.5 | 1 | 36.8 | 880 | 26 |
| Channel | 212-63VT4PRIB GC ↗ | VT4P | 112 | 243.2 | 19.9 | 1 | 36.0 | 876 | 27 |
| Seed Genetics Direct | AGI-C 4115PWE ↗ | PCE | 115 | 240.8 | 20.6 | 1 | 36.8 | 860 | 29 |
| FS InVision | FS 6157T RIB ↗ | TRE | 111 | 237.5 | 20.1 | 1 | 34.6 | 854 | 31 |
| Superior | S-8449 ↗ | PCE | 111 | 237.1 | 19.7 | 1 | 33.9 | 857 | 30 |
| DEKALB | DKC111-35RIB CK | VT2P | 111 | 250.2 | 21.2 | 1 | 36.0 | 886 | 25 |

| | | | | | |
|---|--------------------------|-------------|----------|-------------|------------|
|  | Averages = 239.5 | 20.7 | 1 | 35.7 | 855 |
| | LSD (0.10) = 30.8 | 0.8 | ns | | |
| | LSD (0.25) = 16.2 | 0.4 | ns | | |
| | C.V. = 14.1 | | | | |
| Historic yield: 224.84 bu/a, 4 yr(s) | | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.05 Prices: GMO = \$3.85

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](http://Earthoptics.com) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Indiana Central [INCE]

Weather Conditions Summary at MUNCIE, IN

Weather Data Retrieved: 10/21/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.


Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.




Macronutrients




Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Indiana Central [INCE]

Early-Season Test Products (64 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|---------------|
| AgriGold | A639-03VT2RIB | VT2P | Y | 109 | P5V |
| AgriGold | A640-16-3110 | 3110 | N | 110 | P5V |
| AgriGold | A642-32VT2RIB | VT2P | Y* | 112 | P5V |
| Augusta | A2260-AA | AA | Y* | 110 | CM,C2 |
| Augusta | A2355-PWE | PCE | N | 105 | CM,C2 |
| Augusta | A2356-PCE | PCE | N | 106 | CM,C5 |
| Augusta | A2357-V | V | N | 107 | CM,C2 |
| Augusta | A4057-PCE | PCE | N | 107 | AC,P5V |
| Channel | 205-08TRERIB | TRE | Y | 105 | AC,P5V,EDC-EL |
| Channel | 207-34SSPRIB | STXP | Y | 107 | AC,P5V,EDC-EL |
| Channel | 209-70TRERIB | TRE | Y | 109 | AC,P5V,EDC-EL |
| Dairyland | DS-4664PCE | PCE | Y | 106 | Lum, L1 |
| Dairyland | DS-4810PCE | PCE | Y | 108 | Lum, L1 |
| Dairyland | DS-5088PCE | PCE | Y | 110 | Lum, L1 |
| DeKalb | DKC102-13RIB | VT4P | Y | 102 | AC,P1V,EDC-EL |
| DeKalb | DKC108-17RIB | TRE | Y | 108 | AC,P5V,EDC-EL |
| DeKalb | DKC110-41RIB | TRE | Y | 110 | AC,P5V,EDC-EL |
| DeKalb | DKC111-35RIB | VT2P | Y* | 111 | AC,P5V |
| DeKalb | DKC56-26RIB | TRE | Y | 106 | AC,P5V |
| Ebberts | 7188PC | PCE | Y* | 108 | Ebberts |
| Ebberts | 7209TR RIB | TRE | Y | 108 | Ebberts |
| Ebberts | 7557PC | PCE | Y | 107 | Ebberts |
| Ebberts | 7660PC | PCE | Y | 110 | Ebberts |
| Ebberts | 7770PC | PCE | Y | 110 | Ebberts |
| FS InVision | FS 5552F RIB | VT4P | Y | 105 | AC,P5V,EDC-EL |
| FS InVision | FS 5559PC RA | PCE | Y | 105 | CM,C2,Vi,Va |
| FS InVision | FS 5947T RIB | TRE | Y | 109 | AC,P5V,Va |
| FS InVision | FS 5949PC RA | PCE | Y | 109 | AC,P5V,Va |
| FS InVision | FS 6042F RIB | VT4P | Y | 110 | AC,P5V,Va |
| Integra | 5775 VT2PRIB | VT2P | Y | 107 | AC,P5V,SU |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU |
| Integra | 5935 PCE | PCE | Y | 109 | AC,P5V,SU |
| Kentland | G7157 | GLY | N | 107 | CM,C2,Vi5 |
| Kentland | G7159 | GLY | N | 109 | CM,C2,Vi5 |
| Kentland | G9160 | GLY | N | 110 | CM,C2,Vi5 |
| Martin | SS-384-5TRE | TRE | U | 108 | AC,P5 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|----------------------|----------------|------------|-----|-----|-------------|
| Martin | SS-411-5 TRE | TRE | U | 111 | AC,P5 |
| Pioneer | P09312V | VE | Y | 109 | Lum |
| Pioneer | P1027AM | AM | Y | 110 | Lum |
| Pioneer | P10477V | VE | Y | 110 | Lum |
| Purple Ribbon | 26A07 | PCE | N | 107 | CM,C2,Vi,Va |
| Purple Ribbon | 26A09 | TRE | N | 109 | P5V |
| Purple Ribbon | 26A10 | TRE | Y | 110 | P5V |
| Seed Genetics Direct | AGI-C 4111PWE | PCE | N | 110 | F,I |
| Seed Genetics Direct | AGI-C 5105PWE | PCE | N | 105 | F,I |
| Seed Genetics Direct | AGI-C 6104PWE | PCE | N | 105 | F,I |
| Seed Genetics Direct | AGI-C 6108 PWE | PCE | Y | 108 | F,I |
| Seed Genetics Direct | DIRECT 5107-V | V | Y | 107 | F,I |
| Seed Genetics Direct | DIRECT 5109-AA | AA | Y | 109 | F,I |
| Seed Genetics Direct | DIRECT 9107GT | GT | N | 107 | F,I |
| Superior | S-8365 | PCE | U | 107 | CVCV |
| Superior | S-8408 | PCE | Y | 108 | CVCV |
| Superior | S-8425 | PCE | U | 109 | CVCV |
| Superior | S-8438 | PCE | U | 110 | CVCV |
| Superior | S-8440 | PCE | U | 110 | CVCV |
| Wyckoff | 2487 PCE | PCE | Y | 106 | CM,C2,Vi,Va |
| Wyckoff | 2582 VT2P RIB | VT2P | Y | 108 | AC,P5V |
| Wyckoff | 2606 PCE | PCE | Y | 108 | CM,C2,Vi,Va |
| Wyckoff | 2632 SS RIB | STX | Y | 108 | AC,P5V |
| Wyckoff | 2634 PCE | PCE | Y | 110 | CM,C2,Vi,Va |
| Wyffels | W5129 | STXP | N | 108 | P5V |
| Wyffels | W5684 | PCE | N | 108 | CM,C2,Vi,Va |
| Wyffels | W6479RIB | STXP | Y* | 110 | CM,C2,Vi,Va |
| Wyffels | W6505RIB | TRE | Y* | 110 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Indiana Central [INCE]

Full-Season Test Products (64 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------|------------------|------------|-----|-----|---------------|
| AgriGold | A643-52VT2RIB | VT2P | Y | 113 | P5V |
| AgriGold | A644-64VT2P | VT2P | N | 114 | P5V |
| Augusta | A2162-AA | AA | Y* | 112 | CM,C2 |
| Augusta | A2360-PCE | PCE | N | 110 | CM,C5 |
| Augusta | A4861-PCE | PCE | N | 111 | CM,C2 |
| Augusta | A4862-PWE | PCE | N | 112 | CM,C2 |
| Augusta | A6362-D | D | Y | 112 | CM,C2 |
| Channel | 212-63VT4PRIB | VT4P | Y | 112 | AC,P1V,EDC-EL |
| Channel | 215-25SSPRIB | STXP | Y | 115 | AC,P5V,EDC-EL |
| Channel | 215-70TRERIB | TRE | Y | 115 | AC,P5V,EDC-EL |
| Dairyland | DS-5128PCE | PCE | Y | 111 | Lum, L1 |
| Dairyland | DS-5252PCE | PCE | Y | 112 | Lum, L1 |
| Dairyland | DS-5394PCE | PCE | Y | 113 | Lum, L1 |
| DeKalb | DKC111-35RIB | VT2P | Y* | 111 | AC,P5V |
| DeKalb | DKC112-12RIB | TRE | Y | 112 | AC,P5V,EDC-EL |
| DeKalb | DKC113-83RIB | TRE | Y | 113 | AC,P5V |
| DeKalb | DKC114-99RIB | VT4P | Y | 114 | AC,P1V,EDC-EL |
| Ebberts | 6883DGV2P RIB | VT2PDG | Y | 112 | Ebberts |
| Ebberts | 7442PC | PCE | Y | 112 | Ebberts |
| Ebberts | 7993PC | PCE | Y | 112 | Ebberts |
| FS InVision | FS 6157T RIB | TRE | Y | 111 | AC,P2 |
| FS InVision | FS 6245V RIB | VT2P | Y | 112 | AC,P5V,Va |
| FS InVision | FS 6349PC RA | PCE | Y | 113 | AC,P5V,Va |
| FS InVision | FS 6447T RIB | TRE | Y | 114 | AC,P5V,Va |
| FS InVision | FS 6545V RIB | VT2P | Y | 115 | AC,P5V,Va |
| Integra | 6274 VT2PRIB | VT2P | Y | 112 | AC,P5V,SU |
| Integra | 6386 PCE | PCE | Y | 113 | AC,P5V,SU |
| Integra | 6493 VT2PRIB | VT2P | Y* | 114 | AC,P5V,SU |
| Kentland | G9162 | GLY | N | 112 | CM,C2,Vi5 |
| Martin | SS-429-5 PCE | PCE | U | 111 | CM,C2,Vi |
| Martin | SS-434-3 STAXRIB | STX | Y | 113 | AC,P5V |
| Martin | SS-438-5 TRE | TRE | Y | 113 | AC,P5V |
| Martin | SS-442-4 TRE | TRE | Y | 114 | AC,P5V |
| Martin | SS-456-5 VT2P | VT2P | U | 115 | AC,P5V,EDC-EL |
| Pioneer | P1222AM | AM | Y | 112 | Lum |
| Pioneer | P13050AM | AM | Y | 113 | Lum, L1 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|----------------------|------------------|------------|-----|-----|---------------|
| Pioneer | P14830AML | AML | Y | 114 | Lum |
| ProHarvest | 82P96 PCE | PCE | Y | 112 | CM,C2,Vi |
| ProHarvest | 83P66 VT2PRIB | VT2P | Y* | 113 | AC,P5V,EDC-EL |
| ProHarvest | 86P55 TRE | TRE | Y | 116 | AC,P5V,EDC-EL |
| Purple Ribbon | 25A12 | TRE | N | 112 | AC,P5 |
| Purple Ribbon | 25P11 | PCE | N | 111 | CM,C2,Vi5 |
| Purple Ribbon | 25P12 | PCE | N | 112 | CM,C2,Vi5 |
| Purple Ribbon | 26A13 | TRE | N | 113 | P5V |
| Purple Ribbon | 26A14 | TRE | N | 114 | AC,P5V |
| Seed Genetics Direct | AGI-C 3114PWE | PCE | N | 114 | F,I |
| Seed Genetics Direct | AGI-C 4115PWE | PCE | N | 115 | F,I |
| Seed Genetics Direct | AGI-C 6112PWE | PCE | N | 112 | F,I |
| Seed Genetics Direct | DIRECT 2111-AA | AA | Y | 111 | F,I |
| Seed Genetics Direct | DIRECT 3111-3110 | 3110 | N | 111 | F,I |
| Superior | S-8449 | PCE | Y | 111 | CVCV |
| Superior | S-8471 | PCE | U | 112 | CVCV |
| Superior | S-8501 | PCE | Y | 113 | CVCV |
| Superior | S-8521 | PCE | Y | 114 | CVCV |
| Wyckoff | 2667 DG VT2P RIB | VT2PDG | Y | 111 | AC,P2 |
| Wyckoff | 2676 TRE RIB | TRE | Y | 112 | AC,P5 |
| Wyckoff | 2685 TRE RIB | TRE | Y | 112 | AC,P5 |
| Wyckoff | 2688 PCE | PCE | Y | 112 | CM,C2,Vi,Va |
| Wyckoff | 2733 VT2P RIB | VT2P | Y | 114 | AC,P2 |
| Wyffels | W7424 | PCE | N | 112 | CM,C2,Vi,Va |
| Wyffels | W7485RIB | TRE | Y* | 112 | CM,C2,Vi,Va |
| Wyffels | W7876RIB | VT2P | Y | 114 | CM,C2,Vi,Va |
| Wyffels | W7945RIB | TRE | Y* | 114 | CM,C2,Vi,Va |
| Wyffels | W8007 | VT4P | N | 114 | P5V |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

| | |
|--------|--|
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) |
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| AML | Optimum® AcreMax® Leptra® (Vip,YGCB,HX,LL,RR2) |
| D | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122 |
| GLY | Glyphosate tolerant |
| GT | Agrisure® GT |
| PCE | PowerCore® Enlist® |
| STX | SmartStax® |
| STXP | SmartStax® Pro with RNAi Technology |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VE | Vorceed™ Enlist® |
| VT2P | VT Double PRO® |
| VT2PDG | DroughtGard® with VT Double PRO® |
| VT4P | VT4Pro™ with RNAi Technology |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|---|
| AC,P1V,EDC-EL | Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control |
| AC,P2 | Acceleron® 250 |
| AC,P5 | Acceleron® 500 |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU | Acceleron® Poncho 500/Votivo, StepUp |
| AC,P5V,Va | Acceleron® Poncho 500/Votivo, Vayantis® |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi | CruiserMaxx® 250 with Vibrance |
| CM,C2,Vi5 | CruiserMaxx® 250, Vibrance Cinco |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5 | Cruisermaxx® 500 |
| CVCV | Cruiser 250+ Vibrance+ Cinco + Vayantis |
| Ebberts | Ebberts Complete Corn (Ebberts Field Seeds) |
| F,I | Fungicide, Insecticide |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| P5V | Poncho 500/Votivo |

* Seed treatments may include unspecified plant health promoting components.