

Test by: M&D Seed Research, LLC Van Buren, IN

2025 Corn Grain Top 30 Harvest Report

Indiana North [INNO] WOLCOTT, IN

Hilltop Swine and Grain, Troy Furrer, White County, IN

| | |
|---------------------------------|--|
| Early-Season Test | 103 - 108 Day CRM B2025INNO02a |
| Top 30 of 48 | For Gross Income (Sorted by Yield) Average of (4) Replications |
| PREV. CROP/HERB: | Soybeans / Prefix, Dual, Liberty |
| SOIL DESCRIPTION: | Conover loam, mod. poorly drained, non-irrigated |
| SOIL CONDITION: | Strip-Till, 6.07 pH, 3.95% OM, 15.35 CEC, medium P, medium K, low S, high B, high Zn |
| PEST MANAGEMENT: | Storen, Atrazine, Roundup |
| FERTILITY - Applied N: | 100 Fall, 100 Sidedress |
| Applied N-P-K (units): | 200-0-70 |
| SEEDED - RATE - ROW: | Apr 29 33.6 /A 30" spacing |
| HARVESTED - STAND: | Oct 21 32.7 /A |
| PEST & DISEASE RISK: | Northern Corn Leaf Blight, Fusarium* |

TEST COMMENTS:

This is a very uniform, highly productive site with a history of having big yields. This location looked and acted healthy throughout the growing season, both in stands and weather. There were big, healthy ears at harvest with plants that were standing well. The corn was on the dry side with the heat and lack of rain the last few weeks. The plot shelled well at harvest.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------------|-----------------|-----------|-----|--------------------------|--------------------------------------|-----------|----------------|----------------------|------|
| AgVenture | AV2208AM GC ↗ | AM | 108 | 276.0 | 14.9 | 1 | 33.0 | 1104 | 1 |
| Ebberts | 7209TR RIB ↗ | TRE | 108 | 274.2 | 15.3 | 1 | 32.5 | 1092 | 3 |
| Augusta | A4057-PCE ↗ | PCE | 107 | 273.3 | 14.9 | 1 | 33.0 | 1093 | 2 |
| Wyckoff | 2487 PCE ↗ | PCE | 106 | 272.0 | 14.9 | 1 | 33.0 | 1088 | 4 |
| Dairyland | DS-4833AM ↗ | AM | 108 | 270.1 | 15.3 | 1 | 32.7 | 1077 | 6 |
| Great Heart | HT-6604PCE ↗ | PCE | 106 | 269.7 | 14.7 | 1 | 33.0 | 1079 | 5 |
| Dairyland | DS-4810PCE ↗ | PCE | 108 | 269.2 | 15.1 | 1 | 33.0 | 1076 | 7 |
| Wyckoff | 2606 PCE ↗ | PCE | 108 | 268.9 | 15.2 | 1 | 33.0 | 1074 | 8 |
| M & W Seeds | MW D108 PWR ↗ | PCE | 108 | 268.7 | 15.1 | 1 | 32.0 | 1074 | 9 |
| Renk | RK703PCE ↗ | PCE | 106 | 266.6 | 15.0 | 1 | 33.0 | 1066 | 10 |
| FS InVision | FS 5559PC RA ↗ | PCE | 105 | 265.8 | 14.8 | 1 | 33.0 | 1063 | 11 |
| Ebberts | 7335PC ↗ | PCE | 105 | 264.8 | 14.5 | 2 | 32.7 | 1059 | 12 |
| Seed Genetics Direct | AGI-C 5105PWE ↗ | PCE | 105 | 264.0 | 14.9 | 1 | 32.3 | 1056 | 13 |
| Augusta | A2356-PCE ↗ | PCE | 106 | 262.3 | 14.8 | 1 | 32.7 | 1049 | 15 |
| Wyckoff | 2582 VT2P RIB ↗ | VT2P | 108 | 261.2 | 15.6 | 1 | 32.7 | 1037 | 19 |
| AgVenture | AV3904PCE GC ↗ | PCE | 104 | 260.8 | 14.5 | 1 | 33.0 | 1043 | 16 |
| Wyffels | W5684 ↗ | PCE | 108 | 260.7 | 14.8 | 1 | 33.0 | 1043 | 17 |
| Dairyland | DS-4488PCE ↗ | PCE | 104 | 260.5 | 14.3 | 1 | 32.7 | 1042 | 18 |
| Augusta | A2058-PWE ↗ | PCE | 108 | 259.9 | 15.4 | 1 | 31.0 | 1035 | 20 |
| Integra | 5802 VT2PRIB ↗ | VT2P | 108 | 258.4 | 15.0 | 1 | 33.0 | 1033 | 21 |
| FS InVision | FS 5845P RIB ↗ | STXP | 108 | 257.4 | 15.0 | 1 | 32.7 | 1029 | 22 |
| Partners Brand | PB7896 ↗ | V | 108 | 256.9 | 15.7 | 1 | 33.0 | 1019 | 28 |
| Augusta | A2357-V ↗ | V | 107 | 256.9 | 15.3 | 1 | 32.7 | 1023 | 23 |
| Wyckoff | 2515 VT2P RIB ↗ | VT2P | 107 | 255.7 | 14.9 | 1 | 33.0 | 1023 | 24 |
| Renk | RK625DGV2P ↗ | VT2PDG | 104 | 255.4 | 14.5 | 1 | 32.7 | 1022 | 25 |
| Seed Genetics Direct | AGI-C 6104PWE ↗ | PCE | 105 | 255.2 | 14.6 | 2 | 32.7 | 1021 | 26 |
| Great Heart | HT-6532TRE ↗ | TRE | 105 | 255.2 | 14.9 | 1 | 32.7 | 1021 | 27 |
| Ebberts | 7188PC ↗ | PCE | 108 | 255.2 | 15.1 | 1 | 31.3 | 1019 | 29 |
| Ebberts | 7557PC ↗ | PCE | 107 | 254.6 | 14.8 | 1 | 33.0 | 1018 | 30 |
| Augusta | A2355-PWE ↗ | PCE | 105 | 254.5 | 14.8 | 2 | 32.7 | 1018 | 31 |
| PIONEER | P0859AM CK | AM | 108 | 262.8 | 14.8 | 1 | 32.7 | 1051 | 14 |
| | | | | Averages = 256.1 | 14.9 | 1 | 32.7 | 1024 | |
| | | | | LSD (0.10) = 12.8 | 0.2 | 1 | | | |
| | | | | LSD (0.25) = 6.7 | 0.1 | 0 | | | |
| | | | | C.V. = 5.5 | Historic yield: 214.7 bu/a, 19 yr(s) | | | | |



Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.05

Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](http://Earthoptics.com) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: M&D Seed Research, LLC Van Buren, IN

2025 Corn Grain Top 30 Harvest Report

Indiana North [INNO] WOLCOTT, IN

Hilltop Swine and Grain, Troy Furrer, White County, IN

| | |
|---------------------------------|--|
| Full-Season Test | 109 - 112 Day CRM B2025INNO02b |
| Top 30 of 48 | For Gross Income (Sorted by Yield) Average of (4) Replications |
| PREV. CROP/HERB: | Soybeans / Prefix, Dual, Liberty |
| SOIL DESCRIPTION: | Conover loam, mod. poorly drained, non-irrigated |
| SOIL CONDITION: | Strip-Till, 6.07 pH, 3.95% OM, 15.35 CEC, medium P, medium K, low S, high B, high Zn |
| PEST MANAGEMENT: | Storen, Atrazine, Roundup |
| FERTILITY - Applied N: | 100 Fall, 100 Sidedress |
| Applied N-P-K (units): | 200-0-70 |
| SEEDED - RATE - ROW: | Apr 29 33.6 /A 30" spacing |
| HARVESTED - STAND: | Oct 21 32.8 /A |
| PEST & DISEASE RISK: | Northern Corn Leaf Blight, Fusarium* |

TEST COMMENTS:

This is a very uniform, highly productive site with a history of having big yields. This location looked and acted healthy throughout the growing season, both in stands and weather. There were big, healthy ears at harvest with plants that were standing well. The corn was on the dry side with the heat and lack of rain the last few weeks. The plot shelled well at harvest.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------------|--------------------|-----------|------------|--------------------------|--------------------------------------|-----------|----------------|----------------------|-----------|
| ProHarvest | 82P96 PCE ↗ | PCE | 112 | 283.3 | 15.8 | 1 | 33.0 | 1122 | 1 |
| Wyffels | W6886RIB ↗ | VT2P | 111 | 276.0 | 17.0 | 1 | 33.0 | 1076 | 6 |
| Dairyland | DS-5128PCE ↗ | PCE | 111 | 276.0 | 15.8 | 1 | 33.0 | 1093 | 4 |
| Wyckoff | 2685 TRE RIB ↗ | TRE | 112 | 275.7 | 17.1 | 1 | 33.0 | 1075 | 8 |
| FS InVision | FS 5949PC RA ↗ | PCE | 109 | 275.5 | 15.2 | 1 | 33.0 | 1099 | 2 |
| Great Heart | HT-7210TRERIB ↗ | TRE | 112 | 274.7 | 17.5 | 1 | 32.7 | 1065 | 12 |
| ProHarvest | 80P75 PCE ↗ | PCE | 110 | 274.0 | 15.2 | 1 | 33.0 | 1094 | 3 |
| Augusta | A2160-PCE ↗ | PCE | 110 | 273.9 | 15.4 | 1 | 32.7 | 1091 | 5 |
| Wyckoff | 2676 TRE RIB ↗ | TRE | 112 | 271.9 | 16.5 | 1 | 33.0 | 1067 | 11 |
| Wyckoff | 2688 PCE ↗ | PCE | 112 | 271.4 | 15.7 | 1 | 32.7 | 1076 | 7 |
| Purple Ribbon | 25P12 ↗ | PCE | 112 | 271.1 | 15.9 | 1 | 33.0 | 1073 | 9 |
| Purple Ribbon | 25A12 ↗ | TRE | 112 | 270.9 | 16.5 | 1 | 33.0 | 1063 | 13 |
| Great Heart | HT-7151PCE ↗ | PCE | 111 | 269.7 | 15.7 | 1 | 32.7 | 1070 | 10 |
| Great Heart | HT-7256DGV2P ↗ | VT2PDG | 112 | 267.7 | 17.3 | 1 | 32.7 | 1040 | 19 |
| Purple Ribbon | 26A09 ↗ | TRE | 109 | 266.6 | 16.1 | 1 | 32.7 | 1052 | 15 |
| Purple Ribbon | 25P11 ↗ | PCE | 111 | 265.8 | 15.4 | 1 | 32.7 | 1058 | 14 |
| Wyffels | W7424 ↗ | PCE | 112 | 264.2 | 15.6 | 1 | 32.7 | 1049 | 16 |
| Channel | 212-63VT4PRIB GC ↗ | VT4P | 112 | 263.9 | 15.9 | 1 | 33.0 | 1044 | 17 |
| Augusta | A2162-AA ↗ | AA | 112 | 263.8 | 17.1 | 1 | 32.7 | 1028 | 25 |
| Ebberts | 6883DGV2P RIB ↗ | VT2PDG | 112 | 263.6 | 17.2 | 1 | 33.0 | 1025 | 26 |
| Seed Genetics Direct | AGI-C 4111PWE ↗ | PCE | 110 | 261.5 | 15.5 | 1 | 32.7 | 1039 | 20 |
| Integra | 6274 VT2PRIB ↗ | VT2P | 112 | 261.5 | 17.2 | 1 | 33.0 | 1017 | 27 |
| Seed Genetics Direct | AGI-C 6112PWE ↗ | PCE | 112 | 260.7 | 15.7 | 1 | 32.3 | 1034 | 21 |
| Ebberts | 7770PC ↗ | PCE | 110 | 260.6 | 16.0 | 1 | 33.0 | 1030 | 23 |
| Augusta | A2360-PCE ↗ | PCE | 110 | 260.6 | 15.0 | 1 | 33.0 | 1042 | 18 |
| Pioneer | P1136AM GC ↗ | AM | 111 | 258.9 | 15.1 | 1 | 33.0 | 1034 | 22 |
| Ebberts | 7660PC ↗ | PCE | 110 | 258.8 | 15.5 | 1 | 32.7 | 1029 | 24 |
| FS InVision | FS 6157T RIB ↗ | TRE | 111 | 257.6 | 16.2 | 1 | 32.7 | 1015 | 28 |
| Wyckoff | 2667 DG VT2P RIB ↗ | VT2PDG | 111 | 257.4 | 16.3 | 2 | 33.0 | 1013 | 30 |
| Partners Brand | PB7928 ↗ | VT2P | 109 | 254.5 | 15.3 | 1 | 32.7 | 1014 | 29 |
| PIONEER | P0859AM CK | AM | 108 | 249.3 | 15.0 | 1 | 33.0 | 997 | 37 |
| | | | | Averages = 260.6 | 16.1 | 1 | 32.8 | 1028 | |
| | | | | LSD (0.10) = 14.1 | 0.4 | ns | | | |
| | | | | LSD (0.25) = 7.4 | 0.2 | ns | | | |
| | | | | C.V. = 5.9 | Historic yield: 214.7 bu/a, 19 yr(s) | | | | |



Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.05

Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Indiana North [INNO]

Weather Conditions Summary at WOLCOTT, IN


Weather Data Retrieved: 10/21/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Indiana North [INNO]

Early-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------|-----------------|------------|-----|-----|---------------|
| AgVenture | AV2208AM | AM | Y | 108 | Lum, L1 |
| AgVenture | AV3904PCE | PCE | Y | 104 | Lum, L1 |
| Augusta | A2058-PWE | PCE | N | 108 | CM,C5 |
| Augusta | A2355-PWE | PCE | N | 105 | CM,C2 |
| Augusta | A2356-PCE | PCE | N | 106 | CM,C5 |
| Augusta | A2357-V | V | N | 107 | CM,C2 |
| Augusta | A4057-PCE | PCE | N | 107 | AC,P5V |
| Channel | 208-62VT2PRIB | VT2P | Y | 108 | AC,P5V,EDC-EL |
| Dairyland | DS-4488PCE | PCE | Y | 104 | Lum, L1 |
| Dairyland | DS-4664PCE | PCE | Y | 106 | Lum, L1 |
| Dairyland | DS-4810PCE | PCE | Y | 108 | Lum, L1 |
| Dairyland | DS-4833AM | AM | Y | 108 | Lum, L1 |
| Ebberts | 7188PC | PCE | Y* | 108 | Ebberts |
| Ebberts | 7209TR RIB | TRE | Y | 108 | Ebberts |
| Ebberts | 7335PC | PCE | Y | 105 | Ebberts |
| Ebberts | 7557PC | PCE | Y | 107 | Ebberts |
| Ebberts | 9779SSX RIB | STX | Y | 108 | Ebberts |
| FS InVision | FS 5552F RIB | VT4P | Y | 105 | AC,P5V,EDC-EL |
| FS InVision | FS 5555P RIB | STXP | Y | 105 | AC,P5V,EDC-EL |
| FS InVision | FS 5559PC RA | PCE | Y | 105 | CM,C2,Vi,Va |
| FS InVision | FS 5845P RIB | STXP | Y | 108 | AC,P5V,Va |
| Great Heart | HT-6532TRE | TRE | N | 105 | F,I,B |
| Great Heart | HT-6604PCE | PCE | N | 106 | F,I,B |
| Integra | 5443 DGVVT2PRIB | VT2PDG | N | 104 | AC,P5V,SU |
| Integra | 5716 PCE | PCE | Y | 107 | AC,P5V,SU |
| Integra | 5775 VT2PRIB | VT2P | Y | 107 | AC,P5V,SU |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU |
| M & W Seeds | MW C104 PWR | PCE | Y | 104 | Treated |
| M & W Seeds | MW D108 PWR | PCE | Y | 108 | Treated |
| M & W Seeds | MW F104 PWR | PCE | Y | 104 | Treated |
| Partners Brand | PB7896 | V | Y | 108 | CM,C2 |
| Pioneer | P0859AM | AM | Y | 108 | Lum, L1 |
| Renk | RK625DGVVT2P | VT2PDG | Y* | 104 | AC,P2 |
| Renk | RK703PCE | PCE | Y* | 106 | Lum |
| Renk | RK705VT4PRO | VT4P | N | 105 | AC,P5V,EDC-EL |
| Renk | RK7577TRE | TRE | N | 104 | AC,P2 |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|----------------------|---------------|------------|-----|-----|-------------|
| Seed Genetics Direct | AGI-C 5105PWE | PCE | N | 105 | F,I |
| Seed Genetics Direct | AGI-C 6104PWE | PCE | N | 105 | F,I |
| Seed Genetics Direct | DIRECT 5107-V | V | Y | 107 | F,I |
| Seed Genetics Direct | DIRECT 9107GT | GT | N | 107 | F,I |
| Wyckoff | 2487 PCE | PCE | Y | 106 | CM,C2,Vi,Va |
| Wyckoff | 2515 VT2P RIB | VT2P | Y | 107 | AC,P5 |
| Wyckoff | 2582 VT2P RIB | VT2P | Y | 108 | AC,P5V |
| Wyckoff | 2606 PCE | PCE | Y | 108 | CM,C2,Vi,Va |
| Wyckoff | 2632 SS RIB | STX | Y | 108 | AC,P5V |
| Wyffels | W4514 | PCE | N | 106 | CM,C2,Vi,Va |
| Wyffels | W5129 | STXP | N | 108 | P5V |
| Wyffels | W5684 | PCE | N | 108 | CM,C2,Vi,Va |

2025 Corn - Indiana North [INNO]

Full-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------------|---------------|------------|-----|-----|---------------|
| AgVenture | AV1009PCE | PCE | Y | 109 | Lum, L1 |
| AgVenture | AV3310PCE | PCE | Y | 110 | Lum, L1 |
| Augusta | A2160-PCE | PCE | N | 110 | CM,C2 |
| Augusta | A2162-AA | AA | Y* | 112 | CM,C2 |
| Augusta | A2260-AA | AA | Y* | 110 | CM,C2 |
| Augusta | A2360-PCE | PCE | N | 110 | CM,C5 |
| Augusta | A4961-V | V | N | 111 | CM,C2 |
| Channel | 212-63VT4PRIB | VT4P | Y | 112 | AC,P1V,EDC-EL |
| Dairyland | DS-5088PCE | PCE | Y | 110 | Lum, L1 |
| Dairyland | DS-5128PCE | PCE | Y | 111 | Lum, L1 |
| Ebberts | 6883DGV2P RIB | VT2PDG | Y | 112 | Ebberts |
| Ebberts | 7442PC | PCE | Y | 112 | Ebberts |
| Ebberts | 7660PC | PCE | Y | 110 | Ebberts |
| Ebberts | 7770PC | PCE | Y | 110 | Ebberts |
| Ebberts | 7993PC | PCE | Y | 112 | Ebberts |
| FS InVision | FS 5947T RIB | TRE | Y | 109 | AC,P5V,Va |
| FS InVision | FS 5949PC RA | PCE | Y | 109 | AC,P5V,Va |
| FS InVision | FS 6157T RIB | TRE | Y | 111 | AC,P2 |
| FS InVision | FS 6245V RIB | VT2P | Y | 112 | AC,P5V,Va |
| Great Heart | HT-7151PCE | PCE | N | 111 | F,I,B |
| Great Heart | HT-7195TRE | TRE | N | 111 | F,I,B |
| Great Heart | HT-7210TRERIB | TRE | N | 112 | F,I,B |
| Great Heart | HT-7256DGV2P | VT2PDG | Y | 112 | F,I,B |
| Integra | 6076 VT4PRIB | VT4P | Y | 110 | AC,P5V,SU |
| Integra | 6274 VT2PRIB | VT2P | Y | 112 | AC,P5V,SU |
| Partners Brand | PB7928 | VT2P | Y | 109 | AL2500 |
| Pioneer | P0859AM | AM | Y | 108 | Lum, L1 |
| Pioneer | P1136AM | AM | Y | 111 | Lum, L1 |
| ProHarvest | 80P75 PCE | PCE | Y | 110 | CM,C2,Vi |
| ProHarvest | 81P45 TRE | TRE | Y | 111 | AC,P5V,EDC-B |
| ProHarvest | 82P96 PCE | PCE | Y | 112 | CM,C2,Vi |
| Purple Ribbon | 25A12 | TRE | N | 112 | AC,P5 |
| Purple Ribbon | 25P11 | PCE | N | 111 | CM,C2,Vi5 |
| Purple Ribbon | 25P12 | PCE | N | 112 | CM,C2,Vi5 |
| Purple Ribbon | 26A09 | TRE | N | 109 | P5V |
| Seed Genetics Direct | AGI-C 4111PWE | PCE | N | 110 | F,I |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|----------------------|------------------|------------|-----|-----|-------------|
| Seed Genetics Direct | AGI-C 6112PWE | PCE | N | 112 | F,I |
| Seed Genetics Direct | DIRECT 2111-AA | AA | Y | 111 | F,I |
| Seed Genetics Direct | DIRECT 3111-3110 | 3110 | N | 111 | F,I |
| Wyckoff | 2664 PCE | PCE | Y | 111 | CM,C2,Vi,Va |
| Wyckoff | 2667 DG VT2P RIB | VT2PDG | Y | 111 | AC,P2 |
| Wyckoff | 2676 TRE RIB | TRE | Y | 112 | AC,P5 |
| Wyckoff | 2685 TRE RIB | TRE | Y | 112 | AC,P5 |
| Wyckoff | 2688 PCE | PCE | Y | 112 | CM,C2,Vi,Va |
| Wyffels | W6505RIB | TRE | Y* | 110 | CM,C2,Vi,Va |
| Wyffels | W6886RIB | VT2P | Y* | 111 | CM,C2,Vi,Va |
| Wyffels | W7424 | PCE | N | 112 | CM,C2,Vi,Va |
| Wyffels | W7485RIB | TRE | Y* | 112 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

-
- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

| | |
|--------|---|
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) |
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| GT | Agrisure® GT |
| PCE | PowerCore® Enlist® |
| RR2 | Roundup Ready® 2 Corn |
| STX | SmartStax® |
| STXP | SmartStax® Pro with RNAi Technology |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VE | Vorceed™ Enlist® |
| VT2P | VT Double PRO® |
| VT2PDG | DroughtGard® with VT Double PRO® |
| VT4P | VT4Pro™ with RNAi Technology |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|---|
| AC,P1V,EDC-EL | Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control |
| AC,P2 | Acceleron® 250 |
| AC,P5 | Acceleron® 500 |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,EDC-B | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU | Acceleron® Poncho 500/Votivo, StepUp |
| AC,P5V,Va | Acceleron® Poncho 500/Votivo, Vayantis® |
| AL2500 | Alert 2500 (Partners Brand Seed) |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi | CruiserMaxx® 250 with Vibrance |
| CM,C2,Vi5 | CruiserMaxx® 250, Vibrance Cinco |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5 | Cruisermaxx® 500 |
| Ebberts | Ebberts Complete Corn (Ebberts Field Seeds) |
| F,I | Fungicide, Insecticide |
| F,I,B | Fungicide, Insecticide, Biological |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| P5V | Poncho 500/Votivo |
| Treated | Treated seed, unspecified |

* Seed treatments may include unspecified plant health promoting components.