

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NEW RICHLAND, MN
Leon Schoenrock, Waseca County, MN 56072

Ultra Early-Season Test	92 - 96 Day CRM B2025MNSE07u
Top 24 of 24	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Enlist, Roundup, Liberty, Clethodim
SOIL DESCRIPTION:	Kingston silty clay loam, moderately drained, non- irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 5.71 pH, 5.84% OM, 14.97 CEC, low P, low K, low S, mod. B, low Zn
PEST MANAGEMENT:	Aztec, Impact, Atrazine
FERTILITY - Applied N:	170 Fall, Sulfur 15
Applied N-P-K (units):	170-100-100
SEEDED - RATE - ROW:	May 5 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 20 33.4 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

The soil conditions at planting were excellent. Weed control here was exceptional, despite the June rains making post-emergent spraying challenging. Season rainfall was just above average, and 4.5" of rain fell on Aug 18, which may have sparked a bit more disease pressure at this site. The average yields of all 3 tests were almost identical, which is unusual compared to many other locations in southern MN. Leon reported that his corn yields this year were above average, but disappointing, because the crop looked so good before harvest. The plants stood well at harvest, with a few exceptions.

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Anderson	4595PCE GC ↗	PCE	95	237.7	14.8	0	33.4	951	1
Enestvedt	E654 ↗	CONV	96	237.1	14.5	0	34.4	948	2
Augusta	A2246-CONV ↗	CONV	96	228.0	14.3	0	32.9	912	3
Titan Pro	41-96 SSP ↗	STXP	96	227.9	14.6	0	34.3	912	4
Brevant	B96M56V GC ↗	V	96	227.2	14.3	0	34.3	909	5
Cornelius	C5527 GC ↗	CONV	95	226.7	14.5	1	33.4	907	6
Augusta	A3044-V-EZ ↗	V	94	226.2	14.5	0	35.3	905	7
Prairie Hybrids	591 ↗	CONV	95	225.5	14.6	0	32.9	902	8
Renk	RK4545AV ↗	V	93	222.4	14.4	3	32.4	890	9
Wyffels	W1599 ↗	STXP	96	217.9	14.2	0	33.9	872	10
Jacobsen	JS9635 ↗	STXP	96	217.7	14.4	0	33.9	871	11
Jacobsen	JS9762 CONV ↗	CONV	96	216.7	14.7	3	32.9	867	12
Renk	RK5522SSPRO ↗	STXP	96	213.8	14.4	0	34.3	855	13
Dairyland	DS-3548PCE ↗	PCE	95	213.7	14.3	0	32.4	855	14
Augusta	A4143-3110 ↗	3110	93	213.1	14.7	7	28.9	852	15
Enestvedt	E664 ↗	CONV	96	205.7	14.5	0	34.4	823	16
Pioneer	P9193AM GC ↗	AM	91	204.6	14.8	0	33.9	818	17
Augusta	A2244-DV ↗	DV	94	203.4	15.0	3	31.9	814	18
Renk	RK444SSTX ↗	STX	95	201.0	14.8	0	35.3	804	19
Pioneer	P9211AM GC ↗	AM	92	198.5	14.3	1	32.4	794	20
Renk	RK485DGV2P ↗	VT2PDG	94	195.4	14.6	0	32.9	782	21
Renk	RK561DGV2P ↗	VT2PDG	95	187.6	14.4	0	34.8	750	22
Wyffels	W1676RIB ↗	VT2P	96	186.8	14.7	0	32.9	747	23
Dyna-Gro	D34SS93RIB GC ↗	STX	94	185.6	14.5	0	33.4	742	24
				Averages = 213.3	14.5	1	33.4	853	
				LSD (0.10) = 13.5	ns	2			
				LSD (0.25) = 7.1	ns	1			
				C.V. = 6.0	Historic yield: 205.81 bu/a, 24 yr(s)				

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NEW RICHLAND, MN
Leon Schoenrock, Waseca County, MN 56072

Early-Season Test	97 - 102 Day CRM B2025MNSE07a
Top 30 of 36	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Enlist, Roundup, Liberty, Clethodim
SOIL DESCRIPTION:	Kingston silty clay loam, moderately drained, non- irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 5.71 pH, 5.84% OM, 14.97 CEC, low P, low K, low S, mod. B, low Zn
PEST MANAGEMENT:	Aztec, Impact, Atrazine
FERTILITY - Applied N:	170 Fall, Sulfur 15
Applied N-P-K (units):	170-100-100
SEEDING - RATE - ROW:	May 5 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 20 33.0 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

The soil conditions at planting were excellent. Weed control here was exceptional, despite the June rains making post-emergent spraying challenging. Season rainfall was just above average, and 4.5" of rain fell on Aug 18, which may have sparked a bit more disease pressure at this site. The average yields of all 3 tests were almost identical, which is unusual compared to many other locations in southern MN. Leon reported that his corn yields this year were above average, but disappointing, because the crop looked so good before harvest. The plants stood well at harvest, with a few exceptions.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Wyffels	W2674 ↗	PCE	101	239.9	15.3	1	31.4	956	1
Titan Pro	57-01 PCE ↗	PCE	101	228.9	14.9	1	32.4	916	2
Titan Pro	50-98 SSP ↗	STXP	98	227.2	15.1	0	32.9	908	3
Integra	4845 PCE ↗	PCE	98	226.2	15.1	0	31.4	904	4
Renk	RK630TRE ↗	TRE	102	226.0	15.0	2	32.4	904	5
Wyffels	W2557 ↗	VT4P	101	224.4	14.7	0	33.4	898	6
Wyffels	W1869RIB ↗	STXP	97	222.9	15.1	0	34.8	891	8
Renk	RK6555VT4PRO ↗	VT4P	102	222.5	14.7	0	33.4	890	9
Cornelius	C6204 GC ↗	CONV	102	219.5	14.9	0	32.9	878	10
Integra	5055 VT4PRIB ↗	VT4P	100	219.3	15.3	0	33.9	874	11
Viking Blue River	73-97 ↗	CONV	97	218.5	14.7	0	32.9	874	12
Viking Blue River	24-99 ↗	CONV	99	218.1	15.4	0	31.9	869	13
Brevant	B01X44V GC ↗	VE	101	216.8	15.8	0	34.4	860	14
Renk	RK6545PCE ↗	PCE	102	216.1	15.9	0	33.4	856	16
Titan Pro	51-01 SSP ↗	STXP	101	215.9	15.4	0	32.9	860	15
Rob-See-Co	RC5263-PCE ↗	PCE	102	214.5	15.2	0	32.4	856	17
Titan Pro	48-99 PCE ↗	PCE	99	214.3	15.8	0	30.9	851	18
Titan Pro	41-02 SSP ↗	STXP	102	213.0	15.5	0	33.9	847	19
Renk	RK583PCE ↗	PCE	99	211.7	15.6	0	33.9	841	20
Augusta	A3152-PWE ↗	PCE	102	209.2	15.1	0	33.4	836	21
Anderson	5072 ↗	CONV	102	207.8	15.0	0	34.8	831	22
DeKalb	DKC101-35RIB GC ↗	VT2P	101	207.0	15.0	1	32.9	828	23
DeKalb	DKC098-88RIB GC ↗	VT4P	98	206.8	15.4	0	32.9	824	24
Augusta	A2252-D ↗	D	102	204.9	15.7	0	33.4	814	25
Enestvedt	E539 ↗	CONV	102	202.9	14.8	0	33.9	812	26
Rob-See-Co	RC4829-PCE ↗	PCE	98	200.5	14.9	3	31.4	802	27
Augusta	A2351-AA-EZ ↗	AA	101	198.9	16.0	0	32.4	788	30
Integra	5225 TRERIB ↗	TRE	102	198.2	15.2	0	33.9	791	28
Renk	RK586VT4PRO ↗	VT4P	99	197.6	14.9	3	31.4	790	29
Augusta	A3350-DV ↗	DV	100	196.2	15.7	0	33.4	779	31
PIONEER	P01851V CK	VE	101	224.4	15.6	0	34.8	892	7

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **211.2** **15.3** **1** **33.0** **842**

LSD (0.10) = 13.1 0.4 ns

LSD (0.25) = 6.8 0.2 ns

C.V. = 5.8

Historic yield: 205.81 bu/a, 24 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NEW RICHLAND, MN
Leon Schoenrock, Waseca County, MN 56072

Full-Season Test	103 - 107 Day CRM B2025MNSE07b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Enlist, Roundup, Liberty, Clethodim
SOIL DESCRIPTION:	Kingston silty clay loam, moderately drained, non- irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 5.71 pH, 5.84% OM, 14.97 CEC, low P, low K, low S, mod. B, low Zn
PEST MANAGEMENT:	Aztec, Impact, Atrazine
FERTILITY - Applied N:	170 Fall, Sulfur 15
Applied N-P-K (units):	170-100-100
SEEDED - RATE - ROW:	May 5 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 20 33.7 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

The soil conditions at planting were excellent. Weed control here was exceptional, despite the June rains making post-emergent spraying challenging. Season rainfall was just above average, and 4.5" of rain fell on Aug 18, which may have sparked a bit more disease pressure at this site. The average yields of all 3 tests were almost identical, which is unusual compared to many other locations in southern MN. Leon reported that his corn yields this year were above average, but disappointing, because the crop looked so good before harvest. The plants stood well at harvest, with a few exceptions.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Rob-See-Co	RC5768-VT2P ↗	VT2P	107	244.4	15.4	0	32.9	974	1
Mustang	55V04 PCE RA ↗	PCE	105	244.4	16.1	0	35.3	967	2
Enestvedt	E595 ↗	CONV	106	238.0	16.3	0	33.4	939	4
Viking Blue River	75-07 ↗	CONV	107	237.9	16.2	1	32.4	940	3
Integra	5716 PCE ↗	PCE	107	235.1	16.6	0	34.4	926	7
Epley	E1450 ↗	CONV	104	234.4	15.0	0	35.3	938	5
Epley	E1540 ↗	CONV	105	233.8	15.1	0	34.4	934	6
Augusta	A2356-CONV ↗	CONV	106	231.5	16.4	0	34.8	913	8
Pioneer	P05466V GC ↗	VE	105	226.2	15.9	1	32.4	896	9
Integra	5584 PCE ↗	PCE	105	225.6	16.5	0	32.9	889	12
Augusta	A2355-CONV ↗	CONV	105	224.1	15.2	0	34.8	894	10
Cornelius	C6523 GC ↗	CONV	105	223.9	15.2	0	34.4	894	11
Dairyland	DS-4664PCE ↗	PCE	106	223.4	16.9	0	33.9	877	15
Epley	E1340 ↗	CONV	103	223.3	15.6	0	32.4	888	13
Enestvedt	E523 ↗	CONV	107	223.2	16.8	0	33.9	877	16
Viking Blue River	49-05 ↗	CONV	105	222.5	15.3	1	32.4	888	14
Enestvedt	E541 ↗	CONV	106	222.1	16.4	1	32.4	876	18
Mustang	55L02 PCE RA ↗	PCE	103	221.3	16.0	0	34.4	877	17
DeKalb	DKC56-26RIB GC ↗	TRE	106	219.8	15.9	0	32.9	871	19
Augusta	A3255-D-EZ ↗	D	105	218.6	16.2	0	34.8	864	21
Viking Blue River	72-06 ↗	CONV	106	218.4	16.7	0	32.9	859	23
Renk	RK705VT4PRO ↗	VT4P	105	216.2	15.3	0	32.9	862	22
Wyffels	W4514 ↗	PCE	106	215.9	15.7	0	34.8	858	24
Augusta	A2357-V ↗	V	107	214.0	16.9	0	35.3	840	29
Wyffels	W4487 ↗	VT4P	106	213.2	15.6	0	32.9	848	25
Rob-See-Co	RC5509-PCE ↗	PCE	105	212.6	16.0	0	33.9	842	26
Titan Pro	46-03 PCE ↗	PCE	103	212.5	16.1	0	33.4	841	28
Augusta	A2254-CONV ↗	CONV	104	211.4	15.5	0	35.3	842	27
Mustang	65K06 PCE RA ↗	PCE	106	209.6	16.2	0	33.4	828	31
Titan Pro	52-04 SSP ↗	STXP	104	209.2	15.3	0	33.4	834	30
PIONEER	P01851V CK	VE	101	219.4	15.8	0	34.3	871	20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **216.6** **15.8** **0** **33.7** **859**

LSD (0.10) = 15.7 0.4 ns

LSD (0.25) = 8.2 0.2 ns

C.V. = 6.9

Historic yield: 205.81 bu/a, 24 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Minnesota Southeast [MNSE]

Weather Conditions Summary at NEW RICHLAND, MN


Weather Data Retrieved: 10/21/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Minnesota Southeast [MNSE]

Ultra Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595PCE	PCE	Y	95	Treated
Augusta	A2244-DV	DV	Y	94	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A3044-V-EZ	V	Y	94	CM,C2
Augusta	A4143-3110	3110	N	93	CM,C5
Brevant	B96M56V	V	Y	96	Lum, L1
Cornelius	C5527	CONV	N	95	CM,C2,Vi,Va
Dairyland	DS-3548PCE	PCE	Y	95	Lum, L1
Dyna-Gro	D34SS93RIB	STX	Y	94	AC,P5V
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Jacobsen	JS9635	STXP	N	96	F,I
Jacobsen	JS9762 CONV	CONV	N	96	F,I
Pioneer	P9193AM	AM	Y	91	Lum, L1
Pioneer	P9211AM	AM	Y	92	Lum, L1
Prairie Hybrids	591	CONV	N	95	LumPro P2
Renk	RK444SSTX	STX	Y	95	AC,P5V,EDC-EL
Renk	RK4545AV	V	N	93	CM,C2
Renk	RK485DGV2P	VT2PDG	Y*	94	AC,P2
Renk	RK5522SSPRO	STXP	N	96	AC,P5V,EDC-EL
Renk	RK561DGV2P	VT2PDG	Y*	95	AC,P2
Titan Pro	41-96 SSP	STXP	Y	96	CM,C2,Vi,Va
Wyffels	W1599	STXP	N	96	P5V
Wyffels	W1676RIB	VT2P	Y*	96	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southeast [MNSE]

Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	5072	CONV	N	102	Treated
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A3350-DV	DV	Y	100	CM,C5
Brevant	B01X44V	VE	Y	101	Lum, L1
Cornelius	C6204	CONV	N	102	CM,C2,Vi,Va
DeKalb	DKC098-88RIB	VT4P	Y	98	AC,P1V,EDC-EL
DeKalb	DKC101-35RIB	VT2P	Y	101	AC,P5V,EDC-EL
Dyna-Gro	D39VT75RIB	VT4P	Y	99	AC,P5V
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Integra	4845 PCE	PCE	Y	98	AC,P5V,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,SU
NK Brand	NK0252-D	D	N*	102	NA
Pioneer	P01851V	VE	Y	101	Lum, L1
Renk	RK583PCE	PCE	Y	99	Lum
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5V,EDC-EL
Rob-See-Co	RC4829-PCE	PCE	Y	98	CM,C2,Vi,Va
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Titan Pro	41-02 SSP	STXP	Y	102	CM,C2,Vi,Va
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Titan Pro	50-98 SSP	STXP	Y	98	CM,C2,Vi,Va
Titan Pro	51-01 SSP	STXP	Y	101	CM,C2,Vi,Va
Titan Pro	57-01 PCE	PCE	Y	101	CM,C2,Vi,Va
Viking Blue River	24-01	CONV	N	101	CM,C2
Viking Blue River	24-99	CONV	N	99	CM,C2
Viking Blue River	73-97	CONV	N	97	CM,C2
Wyffels	W1869RIB	STXP	Y*	97	CM,C2,Vi,Va
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2557	VT4P	N	101	P5V
Wyffels	W2674	PCE	N	101	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southeast [MNSE]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4505PCE	PCE	Y	104	Treated
Anderson	454SRC	STX	Y	105	Treated
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C5
Augusta	A2356-CONV	CONV	N	106	CM,C5
Augusta	A2357-V	V	N	107	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Dairyland	DS-4664PCE	PCE	Y	106	Lum, L1
DeKalb	DKC105-35RIB	VT2P	Y	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y	106	AC,P5V
Dyna-Gro	D455P33RIB	STXP	Y	105	AC,P5V
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E595	CONV	N	106	AC,P5V
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Epley	E1540	CONV	N	105	Vi5
Integra	5443 DGVT2PRIB	VT2PDG	N	104	AC,P5V,SU
Integra	5584 PCE	PCE	Y*	105	AC,P5V,SU+Zn
Integra	5716 PCE	PCE	Y	107	AC,P5V,SU
Mustang	55L02 PCE RA	PCE	Y	103	F,I
Mustang	55V04 PCE RA	PCE	N	105	F,I
Mustang	65K06 PCE RA	PCE	Y	106	F,I
Pioneer	P01851V	VE	Y	101	Lum, L1
Pioneer	P05466V	VE	Y	105	Lum, L1
Renk	RK625DGVT2P	VT2PDG	Y*	104	AC,P2
Renk	RK703PCE	PCE	Y*	106	Lum
Renk	RK705VT4PRO	VT4P	N	105	AC,P5V,EDC-EL
Renk	RK7577TRE	TRE	N	104	AC,P2
Rob-See-Co	RC5509-PCE	PCE	Y	105	CM,C2,Vi,Va
Rob-See-Co	RC5768-VT2P	VT2P	Y	107	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Titan Pro	52-04 SSP	STXP	Y	104	CM,C2,Vi,Va
Viking Blue River	49-05	CONV	U	105	CM,C2
Viking Blue River	72-06	CONV	N	106	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Viking Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3579RIB	STXP	Y*	105	CM,C2,Vi,Va
Wyffels	W3654	PCE	N	104	CM,C2,Vi,Va
Wyffels	W4487	VT4P	N	106	CM,C2,Vi,Va
Wyffels	W4514	PCE	N	106	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

-
- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AC,P5V,SU+Zn	Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematocide
P5V	Poncho 500/Votivo
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.