

Test by: Southern MN FIRST New Richland, MN

## 2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] KASSON, MN

Brian Herbst, Dodge County, MN 55944

<b>Ultra Early-Season Test</b>	<b>92 - 96 Day CRM</b> B2025MNSE09u
<b>Top 24 of 24</b>	For Gross Income (Sorted by Yield) Average of <b>(3)</b> Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Dual, Metribuzin, Liberty, Enlist
<b>SOIL DESCRIPTION:</b>	Tripoli clay loam, mod. poorly drained, non-irrigated
<b>SOIL CONDITION:</b>	Conventional W/ Fall Till, 7.11 pH, 4.65% OM, 22.37 CEC, high P, high K, mod. S, high B, high Zn
<b>PEST MANAGEMENT:</b>	Aztec, Dual, Callisto, Atrazine, Laudis
<b>FERTILITY - Applied N:</b>	109 Fall, 50 Spring, 29.2 lbs Sulfur
<b>Applied N-P-K (units):</b>	159-88-144
<b>SEEDED - RATE - ROW:</b>	May 7 34.3 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 14 32.1 /A
<b>PEST &amp; DISEASE RISK:</b>	Diplodia Ear Rot, Maize White Spot*

### TEST COMMENTS:

Brian noted that this growing season might be one of the best he has experienced in 47 years of farming. Planted May 7th, a wind event at VT stage did not affect the plants, despite damage to early planted corn next to the plot. Rainfall was ideal all season, although the site got 5" less than average. Brian also stated that delaying fungicide application to R2 stage allowed the plants to stay green until black layer. Almost all leaves were still on the plants at harvest. Smoke from Canada wildfires may have lowered the test weights of Brian's corn to 53-54 lbs. Hog manure was incorporated in fall 2024, and 50 lbs N was applied in spring as 32%.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Augusta	A2244-DV ↗	DV	94	<b>253.1</b>	16.5	0	32.9	997	2
Augusta	A2246-CONV ↗	CONV	96	<b>253.0</b>	15.8	0	31.4	1004	1
Brevant	B96M56V GC ↗	V	96	<b>252.8</b>	16.9	0	32.4	992	3
Dairyland	DS-3548PCE ↗	PCE	95	249.1	15.8	0	32.9	989	4
Jacobsen	JS9762 CONV ↗	CONV	96	247.1	15.8	0	33.4	981	5
Renk	RK5522SSPRO ↗	STXP	96	245.4	15.4	0	32.4	978	6
Anderson	4595PCE GC ↗	PCE	95	245.0	16.0	0	30.4	970	7
Enestvedt	E664 ↗	CONV	96	239.8	16.6	0	31.9	944	10
Renk	RK4545AV ↗	V	93	239.4	15.2	0	31.9	956	8
Titan Pro	41-96 SSP ↗	STXP	96	237.1	15.3	0	31.9	945	9
Augusta	A3044-V-EZ ↗	V	94	234.5	15.3	0	32.4	935	11
Renk	RK485DGV2P ↗	VT2PDG	94	233.1	15.5	0	30.9	927	12
Cornelius	C5527 GC ↗	CONV	95	229.1	17.0	0	32.9	898	14
Renk	RK444SSTX ↗	STX	95	228.1	15.8	0	33.4	905	13
Enestvedt	E654 ↗	CONV	96	224.9	15.6	0	30.9	894	15
Dyna-Gro	D34SS93RIB GC ↗	STX	94	222.9	15.9	0	32.9	884	16
Jacobsen	JS9635 ↗	STXP	96	222.6	15.8	0	32.9	884	17
Pioneer	P9193AM GC ↗	AM	91	219.2	15.0	0	31.9	877	18
Augusta	A4143-3110 ↗	3110	93	219.1	15.2	0	30.4	875	19
Wyffels	W1676RIB ↗	VT2P	96	218.7	15.4	0	31.9	871	20
Renk	RK561DGV2P ↗	VT2PDG	95	214.0	14.9	0	32.4	856	21
Wyffels	W1599 ↗	STXP	96	213.2	15.8	0	32.4	846	22
Pioneer	P9211AM GC ↗	AM	92	209.1	15.3	0	30.9	834	23
Prairie Hybrids	591 ↗	CONV	95	206.6	15.7	0	32.9	821	24

*Mark Querna*

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **231.9** **15.7** **32.1** **919**

LSD (0.10) = 17.7 0.5 ns

LSD (0.25) = 9.3 0.3 ns

C.V. = 7.2

Historic yield: 222.19 bu/a, 24 yr(s)

### Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/16/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

## 2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] KASSON, MN

Brian Herbst, Dodge County, MN 55944

<b>Early-Season Test</b>	97 - 102 Day CRM B2025MNSE09a
<b>Top 30 of 36</b>	For Gross Income (Sorted by Yield) Average of (3) Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Dual, Metribuzin, Liberty, Enlist
<b>SOIL DESCRIPTION:</b>	Tripoli clay loam, mod. poorly drained, non-irrigated
<b>SOIL CONDITION:</b>	Conventional W/ Fall Till, 7.11 pH, 4.65% OM, 22.37 CEC, high P, high K, mod. S, high B, high Zn
<b>PEST MANAGEMENT:</b>	Aztec, Dual, Callisto, Atrazine, Laudis
<b>FERTILITY - Applied N:</b>	109 Fall, 50 Spring, 29.2 lbs Sulfur
<b>Applied N-P-K (units):</b>	159-88-144
<b>SEEDED - RATE - ROW:</b>	May 7 34.3 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 14 31.8 /A
<b>PEST &amp; DISEASE RISK:</b>	Diplodia Ear Rot, Maize White Spot*

### TEST COMMENTS:

Brian noted that this growing season might be one of the best he has experienced in 47 years of farming. Planted May 7th, a wind event at VT stage did not affect the plants, despite damage to early planted corn next to the plot. Rainfall was ideal all season, although the site got 5" less than average. Brian also stated that delaying fungicide application to R2 stage allowed the plants to stay green until black layer. Almost all leaves were still on the plants at harvest. Smoke from Canada wildfires may have lowered the test weights of Brian's corn to 53-54 lbs. Hog manure was incorporated in fall 2024, and 50 lbs N was applied in spring as 32%.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Wyffels	W2674 ↗	PCE	101	<b>273.1</b>	17.2	0	32.4	1069	1
Titan Pro	51-01 SSP ↗	STXP	101	<b>270.5</b>	17.0	0	31.9	1060	2
Renk	RK6545PCE ↗	PCE	102	<b>261.5</b>	17.7	0	31.9	1017	3
Titan Pro	48-99 PCE ↗	PCE	99	258.6	17.7	0	33.4	1007	4
Titan Pro	57-01 PCE ↗	PCE	101	258.1	18.1	0	31.9	1000	7
Augusta	A2252-D ↗	D	102	256.3	17.0	0	32.9	1004	5
Augusta	A3152-PWE ↗	PCE	102	255.6	17.0	0	30.9	1002	6
Brevant	B01X44V GC ↗	VE	101	252.3	17.9	0	32.4	980	11
Rob-See-Co	RC5263-PCE ↗	PCE	102	251.8	16.8	0	32.4	989	8
NK Brand	NK0252-D GC ↗	D	102	251.3	17.3	0	33.4	982	9
DeKalb	DKC101-35RIB GC ↗	VT2P	101	249.7	16.7	0	30.9	982	10
Wyffels	W2557 ↗	VT4P	101	247.5	16.7	0	32.4	973	13
Wyffels	W1869RIB ↗	STXP	97	246.3	15.7	0	31.9	978	12
Titan Pro	50-98 SSP ↗	STXP	98	243.9	17.5	0	32.4	952	16
Renk	RK630TRE ↗	TRE	102	243.4	16.8	0	30.9	956	14
Enestvedt	E539 ↗	CONV	102	242.7	16.6	0	31.9	955	15
Viking   Blue River	24-99 ↗	CONV	99	241.7	16.9	0	32.4	948	17
Viking   Blue River	24-01 ↗	CONV	101	240.1	18.4	0	32.4	928	22
DeKalb	DKC098-88RIB GC ↗	VT4P	98	238.9	17.2	0	32.4	935	19
Integra	5055 VT4PRIB ↗	VT4P	100	237.6	16.4	0	32.9	937	18
Augusta	A3350-DV ↗	DV	100	236.8	17.2	0	33.4	926	23
Rob-See-Co	RC4829-PCE ↗	PCE	98	235.7	16.5	0	31.4	929	21
Cornelius	C6204 GC ↗	CONV	102	235.2	15.9	0	31.4	932	20
Titan Pro	41-02 SSP ↗	STXP	102	234.7	17.6	0	32.4	915	28
Renk	RK583PCE ↗	PCE	99	234.5	17.5	0	32.4	915	29
Integra	5225 TRERIB ↗	TRE	102	233.1	15.7	0	29.9	926	24
Integra	4845 PCE ↗	PCE	98	233.1	16.7	0	31.9	917	27
Renk	RK6555VT4PRO ↗	VT4P	102	232.7	16.9	0	34.9	913	30
Viking   Blue River	73-97 ↗	CONV	97	232.5	16.3	0	28.9	918	26
Augusta	A3048-AA-EZ ↗	AA	98	231.2	16.5	0	30.9	911	31
PIONEER	P01851V CK	VE	101	237.1	17.7	0	32.4	923	25
				<b>Averages =</b>	<b>242.4</b>	<b>17.0</b>	<b>0</b>	<b>31.8</b>	<b>950</b>
				<b>LSD (0.10) =</b>	17.6	0.7	ns		
				<b>LSD (0.25) =</b>	9.2	0.4	ns		
				<b>C.V. =</b>	6.9				
				Historic yield: 222.19 bu/a, 24 yr(s)					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.4 Drying = \$0.04 Prices: GMO = \$4.00

Report Date: 10/16/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

## 2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] KASSON, MN

Brian Herbst, Dodge County, MN 55944

<b>Full-Season Test</b>	<b>103 - 107</b> Day CRM B2025MNSE09b
<b>Top 30 of 42</b>	For Gross Income (Sorted by Yield) Average of <b>(3)</b> Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Dual, Metribuzin, Liberty, Enlist
<b>SOIL DESCRIPTION:</b>	Tripoli clay loam, mod. poorly drained, non-irrigated
<b>SOIL CONDITION:</b>	Conventional W/ Fall Till, 7.11 pH, 4.65% OM, 22.37 CEC, high P, high K, mod. S, high B, high Zn
<b>PEST MANAGEMENT:</b>	Aztec, Dual, Callisto, Atrazine, Laudis
<b>FERTILITY - Applied N:</b>	109 Fall, 50 Spring, 29.2 lbs Sulfur
<b>Applied N-P-K (units):</b>	159-88-144
<b>SEEDED - RATE - ROW:</b>	May 7 34.3 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 14 32.5 /A
<b>PEST &amp; DISEASE RISK:</b>	Diplodia Ear Rot, Maize White Spot*

### TEST COMMENTS:

Brian noted that this growing season might be one of the best he has experienced in 47 years of farming. Planted May 7th, a wind event at VT stage did not affect the plants, despite damage to early planted corn next to the plot. Rainfall was ideal all season, although the site got 5" less than average. Brian also stated that delaying fungicide application to R2 stage allowed the plants to stay green until black layer. Almost all leaves were still on the plants at harvest. Smoke from Canada wildfires may have lowered the test weights of Brian's corn to 53-54 lbs. Hog manure was incorporated in fall 2024, and 50 lbs N was applied in spring as 32%.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Mustang	55V04 PCE RA ↗	PCE	105	<b>273.8</b>	19.2	0	32.4	1050	4
Cornelius	C6523 GC ↗	CONV	105	<b>273.3</b>	17.7	0	32.9	1064	1
Pioneer	P05466V GC ↗	VE	105	<b>272.1</b>	18.0	0	32.4	1056	2
Augusta	A2355-CONV ↗	CONV	105	<b>270.5</b>	17.5	0	32.9	1055	3
Dairyland	DS-4664PCE ↗	PCE	106	<b>270.4</b>	19.7	0	32.4	1031	6
Enestvedt	E523 ↗	CONV	107	<b>268.7</b>	19.6	0	32.9	1026	7
Epley	E1540 ↗	CONV	105	<b>265.2</b>	17.7	0	31.9	1033	5
Viking   Blue River	72-06 ↗	CONV	106	<b>265.0</b>	18.9	0	32.4	1019	10
Wyffels	W4514 ↗	PCE	106	<b>264.5</b>	18.5	0	31.9	1021	8
Enestvedt	E595 ↗	CONV	106	<b>260.6</b>	18.9	0	32.9	1002	11
Wyffels	W3579RIB ↗	STXP	105	259.9	16.9	0	32.9	1020	9
Titan Pro	46-03 PCE ↗	PCE	103	259.1	18.4	0	32.9	1001	12
Mustang	65K06 PCE RA ↗	PCE	106	259.0	18.7	0	32.9	997	14
Integra	5716 PCE ↗	PCE	107	257.9	19.1	0	32.4	989	17
Augusta	A2356-CONV ↗	CONV	106	257.3	18.2	0	32.4	996	15
Epley	E1450 ↗	CONV	104	256.3	17.5	0	32.9	1000	13
Rob-See-Co	RC5509-PCE ↗	PCE	105	255.7	18.8	0	33.4	984	20
Viking   Blue River	49-05 ↗	CONV	105	253.7	17.1	0	33.4	994	16
Epley	E1340 ↗	CONV	103	252.6	17.5	0	32.4	985	19
Wyffels	W3309RIB ↗	STXP	103	252.6	17.4	0	31.9	986	18
Anderson	4505PCE ↗	PCE	104	250.8	18.3	0	30.9	970	23
Mustang	55L02 PCE RA ↗	PCE	103	249.8	18.3	0	33.4	966	25
Rob-See-Co	RC5768-VT2P ↗	VT2P	107	249.7	17.2	0	32.4	976	21
Dyna-Gro	D455P33RIB GC ↗	STXP	105	249.6	17.5	0	31.9	974	22
Enestvedt	E541 ↗	CONV	106	246.1	18.1	0	31.9	954	26
Augusta	A2254-CONV ↗	CONV	104	245.7	18.3	0	33.4	950	27
Wyffels	W3654 ↗	PCE	104	242.9	17.8	0	30.4	944	28
Viking   Blue River	75-07 ↗	CONV	107	242.6	18.4	0	31.9	938	30
Renk	RK705VT4PRO ↗	VT4P	105	241.2	17.3	0	32.9	942	29
Renk	RK703PCE ↗	PCE	106	240.0	19.1	0	33.4	920	31
PIONEER	P01851V CK	VE	101	249.1	17.8	0	31.9	968	24
				<b>Averages =</b>	<b>247.5</b>	<b>18.0</b>	<b>0</b>	<b>32.5</b>	<b>960</b>
				<b>LSD (0.10) =</b>	12.9	0.8	ns		
				<b>LSD (0.25) =</b>	6.7	0.4	ns		
				<b>C.V. =</b>	4.9				
				Historic yield: 222.19 bu/a, 24 yr(s)					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

### Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/16/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Minnesota Southeast [ MNSE ]

Weather Conditions Summary at KASSON, MN

Weather Data Retrieved: 10/16/2025




\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.


Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.




### Macronutrients




### Micronutrients




### Biofertility Analytics



### Below Ground Pest & Disease - Corn



### Above Ground Pest & Disease - Corn



### More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

## 2025 Corn - Minnesota Southeast [ MNSE ]

### Ultra Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595PCE	PCE	Y	95	Treated
Augusta	A2244-DV	DV	Y	94	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A3044-V-EZ	V	Y	94	CM,C2
Augusta	A4143-3110	3110	N	93	CM,C5
Brevant	B96M56V	V	Y	96	Lum, L1
Cornelius	C5527	CONV	N	95	CM,C2,Vi,Va
Dairyland	DS-3548PCE	PCE	Y	95	Lum, L1
Dyna-Gro	D34SS93RIB	STX	Y	94	AC,P5V
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Jacobsen	JS9635	STXP	N	96	F,I
Jacobsen	JS9762 CONV	CONV	N	96	F,I
Pioneer	P9193AM	AM	Y	91	Lum, L1
Pioneer	P9211AM	AM	Y	92	Lum, L1
Prairie Hybrids	591	CONV	N	95	LumPro P2
Renk	RK444SSTX	STX	Y	95	AC,P5V,EDC-EL
Renk	RK4545AV	V	N	93	CM,C2
Renk	RK485DGV2P	VT2PDG	Y*	94	AC,P2
Renk	RK5522SSPRO	STXP	N	96	AC,P5V,EDC-EL
Renk	RK561DGV2P	VT2PDG	Y*	95	AC,P2
Titan Pro	41-96 SSP	STXP	Y	96	CM,C2,Vi,Va
Wyffels	W1599	STXP	N	96	P5V
Wyffels	W1676RIB	VT2P	Y*	96	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2025 Corn - Minnesota Southeast [ MNSE ]

### Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	5072	CONV	N	102	Treated
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A3350-DV	DV	Y	100	CM,C5
Brevant	B01X44V	VE	Y	101	Lum, L1
Cornelius	C6204	CONV	N	102	CM,C2,Vi,Va
DeKalb	DKC098-88RIB	VT4P	Y	98	AC,P1V,EDC-EL
DeKalb	DKC101-35RIB	VT2P	Y	101	AC,P5V,EDC-EL
Dyna-Gro	D39VT75RIB	VT4P	Y	99	AC,P5V
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Integra	4845 PCE	PCE	Y	98	AC,P5V,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,SU
NK Brand	NK0252-D	D	N*	102	NA
Pioneer	P01851V	VE	Y	101	Lum, L1
Renk	RK583PCE	PCE	Y	99	Lum
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5V,EDC-EL
Rob-See-Co	RC4829-PCE	PCE	Y	98	CM,C2,Vi,Va
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Titan Pro	41-02 SSP	STXP	Y	102	CM,C2,Vi,Va
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Titan Pro	50-98 SSP	STXP	Y	98	CM,C2,Vi,Va
Titan Pro	51-01 SSP	STXP	Y	101	CM,C2,Vi,Va
Titan Pro	57-01 PCE	PCE	Y	101	CM,C2,Vi,Va
Viking   Blue River	24-01	CONV	N	101	CM,C2
Viking   Blue River	24-99	CONV	N	99	CM,C2
Viking   Blue River	73-97	CONV	N	97	CM,C2
Wyffels	W1869RIB	STXP	Y*	97	CM,C2,Vi,Va
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2557	VT4P	N	101	P5V
Wyffels	W2674	PCE	N	101	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.



## 2025 Corn - Minnesota Southeast [ MNSE ]

### Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4505PCE	PCE	Y	104	Treated
Anderson	454SRC	STX	Y	105	Treated
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C5
Augusta	A2356-CONV	CONV	N	106	CM,C5
Augusta	A2357-V	V	N	107	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Dairyland	DS-4664PCE	PCE	Y	106	Lum, L1
DeKalb	DKC105-35RIB	VT2P	Y	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y	106	AC,P5V
Dyna-Gro	D455P33RIB	STXP	Y	105	AC,P5V
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E595	CONV	N	106	AC,P5V
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Epley	E1540	CONV	N	105	Vi5
Integra	5443 DGVT2PRIB	VT2PDG	N	104	AC,P5V,SU
Integra	5584 PCE	PCE	Y*	105	AC,P5V,SU+Zn
Integra	5716 PCE	PCE	Y	107	AC,P5V,SU
Mustang	55L02 PCE RA	PCE	Y	103	F,I
Mustang	55V04 PCE RA	PCE	N	105	F,I
Mustang	65K06 PCE RA	PCE	Y	106	F,I
Pioneer	P01851V	VE	Y	101	Lum, L1
Pioneer	P05466V	VE	Y	105	Lum, L1
Renk	RK625DGV2P	VT2PDG	Y*	104	AC,P2
Renk	RK703PCE	PCE	Y*	106	Lum
Renk	RK705VT4PRO	VT4P	N	105	AC,P5V,EDC-EL
Renk	RK7577TRE	TRE	N	104	AC,P2
Rob-See-Co	RC5509-PCE	PCE	Y	105	CM,C2,Vi,Va
Rob-See-Co	RC5768-VT2P	VT2P	Y	107	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Titan Pro	52-04 SSP	STXP	Y	104	CM,C2,Vi,Va
Viking   Blue River	49-05	CONV	U	105	CM,C2
Viking   Blue River	72-06	CONV	N	106	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Viking   Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3579RIB	STXP	Y*	105	CM,C2,Vi,Va
Wyffels	W3654	PCE	N	104	CM,C2,Vi,Va
Wyffels	W4487	VT4P	N	106	CM,C2,Vi,Va
Wyffels	W4514	PCE	N	106	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.



## Footnotes and Abbreviations Descriptions

### Brand Footnotes

- 
- CK Identifies a check product included in early- and full-season tests.  
GC Grower Comparison product included by FIRST when space permits.  
^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Technologies

---

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Seed Treatments\*

---

AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AC,P5V,SU+Zn	Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematocide
P5V	Poncho 500/Votivo
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

---

\* Seed treatments may include unspecified plant health promoting components.