

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NERSTRAND, MN
Schrader Grain, Rice County, MN

| | |
|---------------------------------|---|
| Ultra Early-Season Test | 92 - 96 Day CRM B2025MNSE10u |
| Top 24 of 24 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Zidua Pro, Roundup, Enlist One, Dual, Select, Approach Prima |
| SOIL DESCRIPTION: | Joy silt loam, moderately drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, 6.94 pH, 5.38% OM, 15.2 CEC, high P, high K, low S, high B, high Zn |
| PEST MANAGEMENT: | Surestart, Aztec, Kyro, Atrazine |
| FERTILITY - Applied N: | 80 Spring, 120 Sidedress, 12 gal Sulfur |
| Applied N-P-K (units): | 200-0-0 |
| SEEDED - RATE - ROW: | May 6 34.3 /A 30" spacing |
| HARVESTED - STAND: | Oct 22 33.2 /A |
| PEST & DISEASE RISK: | Rootworm, Goss Wilt, Fusarium, Anthracnose, Rhizoctonia, Diplodia Ear Rot* |

TEST COMMENTS:

Brian stated that this plot had good growing conditions and moisture. Southern rust and northern corn leaf blight appeared in August, and tar spot was not as severe here this season. Fungicides paid off this year on the fields they sprayed. This corn plot was NOT sprayed with fungicide, as the Schraders wanted to see how each hybrid tolerated the diseases. Despite the fact that the entire plot looked sickly at harvest (stalk lodging was more common here), these plants did a great job of putting every last bit of energy into these good yields.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|-----------------|-----------------|-----------|----|-----------------|---------------|--------------|-------------------|-------------------------|------|
| Anderson | 4595PCE GC ↗ | PCE | 95 | 266.4 | 15.9 | 5 | 32.4 | 1056 | 1 |
| Enestvedt | E654 ↗ | CONV | 96 | 265.6 | 16.0 | 2 | 33.9 | 1052 | 2 |
| Prairie Hybrids | 591 ↗ | CONV | 95 | 262.5 | 15.7 | 2 | 33.4 | 1043 | 3 |
| Cornelius | C5527 GC ↗ | CONV | 95 | 260.4 | 16.0 | 1 | 33.4 | 1031 | 4 |
| Augusta | A2246-CONV ↗ | CONV | 96 | 258.6 | 16.0 | 3 | 33.4 | 1024 | 5 |
| Brevant | B96M56V GC ↗ | V | 96 | 252.4 | 15.6 | 2 | 32.4 | 1004 | 6 |
| Augusta | A4143-3110 ↗ | 3110 | 93 | 248.3 | 15.3 | 4 | 32.4 | 990 | 7 |
| Renk | RK4545AV ↗ | V | 93 | 248.0 | 15.2 | 6 | 31.4 | 990 | 8 |
| Enestvedt | E664 ↗ | CONV | 96 | 243.1 | 15.0 | 0 | 34.3 | 972 | 9 |
| Jacobsen | JS9762 CONV ↗ | CONV | 96 | 236.7 | 15.7 | 9 | 32.4 | 940 | 10 |
| Dairyland | DS-3548PCE ↗ | PCE | 95 | 232.9 | 15.8 | 11 | 31.5 | 924 | 11 |
| Renk | RK5522SSPRO ↗ | STXP | 96 | 231.6 | 15.7 | 14 | 33.8 | 920 | 13 |
| Titan Pro | 41-96 SSP ↗ | STXP | 96 | 230.8 | 15.0 | 5 | 33.4 | 923 | 12 |
| Renk | RK485DGV2P ↗ | VT2PDG | 94 | 228.9 | 15.5 | 5 | 32.9 | 911 | 14 |
| Jacobsen | JS9635 ↗ | STXP | 96 | 225.7 | 15.2 | 0 | 34.3 | 901 | 15 |
| Dyna-Gro | D34SS93RIB GC ↗ | STX | 94 | 225.2 | 15.4 | 1 | 34.3 | 897 | 16 |
| Augusta | A3044-V-EZ ↗ | V | 94 | 224.3 | 15.6 | 3 | 33.4 | 892 | 17 |
| Wyffels | W1599 ↗ | STXP | 96 | 222.5 | 14.8 | 1 | 33.4 | 890 | 18 |
| Pioneer | P9211AM GC ↗ | AM | 92 | 219.7 | 15.3 | 3 | 34.3 | 876 | 19 |
| Renk | RK444SSTX ↗ | STX | 95 | 216.7 | 15.5 | 1 | 34.8 | 862 | 20 |
| Augusta | A2244-DV ↗ | DV | 94 | 216.7 | 16.3 | 17 | 31.9 | 855 | 21 |
| Pioneer | P9193AM GC ↗ | AM | 91 | 210.9 | 15.2 | 4 | 32.9 | 842 | 22 |
| Wyffels | W1676RIB ↗ | VT2P | 96 | 210.4 | 15.4 | 3 | 33.4 | 838 | 23 |
| Renk | RK561DGV2P ↗ | VT2PDG | 95 | 197.9 | 14.9 | 2 | 32.9 | 792 | 24 |

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **234.8** **15.5** **4** **33.2** **934**

LSD (0.10) = 13.3 0.3 4

LSD (0.25) = 6.9 0.2 2

C.V. = 5.3

Historic yield: 220.2 bu/a, 5 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/25/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NERSTRAND, MN
Schrader Grain, Rice County, MN

| | |
|---------------------------------|---|
| Early-Season Test | 97 - 102 Day CRM B2025MNSE10a |
| Top 30 of 36 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Zidua Pro, Roundup, Enlist One, Dual, Select, Approach Prima |
| SOIL DESCRIPTION: | Joy silt loam, moderately drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, 6.94 pH, 5.38% OM, 15.2 CEC, high P, high K, low S, high B, high Zn |
| PEST MANAGEMENT: | Surestart, Aztec, Kyro, Atrazine |
| FERTILITY - Applied N: | 80 Spring, 120 Sidedress, 12 gal Sulfur |
| Applied N-P-K (units): | 200-0-0 |
| SEEDED - RATE - ROW: | May 6 34.3 /A 30" spacing |
| HARVESTED - STAND: | Oct 22 33.3 /A |
| PEST & DISEASE RISK: | Rootworm, Goss Wilt, Fusarium, Anthracnose, Rhizoctonia, Diplodia Ear Rot* |

TEST COMMENTS:

Brian stated that this plot had good growing conditions and moisture. Southern rust and northern corn leaf blight appeared in August, and tar spot was not as severe here this season. Fungicides paid off this year on the fields they sprayed. This corn plot was NOT sprayed with fungicide, as the Schraders wanted to see how each hybrid tolerated the diseases. Despite the fact that the entire plot looked sickly at harvest (stalk lodging was more common here), these plants did a great job of putting every last bit of energy into these good yields.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------------|-------------------|-----------|-----|-------------------------------------|------------|-----------|----------------|----------------------|------|
| Augusta | A3152-PWE ↗ | PCE | 102 | 279.6 | 16.5 | 1 | 34.3 | 1101 | 1 |
| Wyffels | W2674 ↗ | PCE | 101 | 277.6 | 16.5 | 0 | 33.9 | 1094 | 2 |
| Brevant | B01X44V GC ↗ | VE | 101 | 276.5 | 16.4 | 0 | 34.3 | 1090 | 3 |
| Viking Blue River | 73-97 ↗ | CONV | 97 | 271.1 | 15.7 | 0 | 33.4 | 1077 | 5 |
| Rob-See-Co | RC5263-PCE ↗ | PCE | 102 | 268.7 | 16.1 | 0 | 33.8 | 1063 | 6 |
| Viking Blue River | 24-99 ↗ | CONV | 99 | 266.4 | 16.7 | 0 | 34.3 | 1048 | 8 |
| Titan Pro | 57-01 PCE ↗ | PCE | 101 | 266.3 | 16.1 | 0 | 33.8 | 1054 | 7 |
| Integra | 4845 PCE ↗ | PCE | 98 | 262.6 | 16.4 | 1 | 32.9 | 1036 | 9 |
| Renk | RK6545PCE ↗ | PCE | 102 | 262.2 | 16.5 | 2 | 33.8 | 1033 | 10 |
| Titan Pro | 48-99 PCE ↗ | PCE | 99 | 259.9 | 16.4 | 2 | 32.4 | 1025 | 11 |
| Titan Pro | 41-02 SSP ↗ | STXP | 102 | 258.2 | 16.1 | 1 | 33.9 | 1022 | 12 |
| Titan Pro | 50-98 SSP ↗ | STXP | 98 | 251.6 | 15.8 | 2 | 32.9 | 999 | 13 |
| Wyffels | W2557 ↗ | VT4P | 101 | 250.7 | 15.5 | 1 | 32.9 | 997 | 14 |
| Augusta | A3350-DV ↗ | DV | 100 | 249.6 | 16.7 | 1 | 34.3 | 981 | 15 |
| Renk | RK583PCE ↗ | PCE | 99 | 247.7 | 17.0 | 0 | 34.3 | 971 | 16 |
| Augusta | A2252-D ↗ | D | 102 | 244.8 | 16.4 | 6 | 32.9 | 966 | 18 |
| Renk | RK586VT4PRO ↗ | VT4P | 99 | 243.4 | 15.5 | 2 | 32.4 | 968 | 17 |
| Viking Blue River | 24-01 ↗ | CONV | 101 | 242.8 | 16.9 | 0 | 33.4 | 953 | 23 |
| Enestvedt | E539 ↗ | CONV | 102 | 241.7 | 15.3 | 3 | 32.9 | 964 | 19 |
| Augusta | A2351-AA-EZ ↗ | AA | 101 | 241.4 | 16.7 | 7 | 31.9 | 950 | 24 |
| Integra | 5225 TRERIB ↗ | TRE | 102 | 240.4 | 15.7 | 4 | 31.9 | 955 | 20 |
| Rob-See-Co | RC4829-PCE ↗ | PCE | 98 | 239.9 | 15.5 | 3 | 32.9 | 955 | 21 |
| Wyffels | W1996RIB ↗ | VT2P | 98 | 238.4 | 14.9 | 1 | 33.4 | 954 | 22 |
| Titan Pro | 51-01 SSP ↗ | STXP | 101 | 238.0 | 16.2 | 3 | 33.4 | 941 | 28 |
| Integra | 5055 VT4PRIB ↗ | VT4P | 100 | 237.5 | 15.3 | 7 | 32.4 | 947 | 25 |
| Cornelius | C6204 GC ↗ | CONV | 102 | 237.5 | 15.6 | 6 | 31.9 | 944 | 26 |
| NK Brand | NK0252-D GC ↗ | D | 102 | 237.3 | 15.7 | 9 | 31.5 | 943 | 27 |
| DeKalb | DKC101-35RIB GC ↗ | VT2P | 101 | 235.5 | 15.2 | 2 | 32.9 | 940 | 29 |
| Dyna-Gro | D39VT75RIB GC ↗ | VT4P | 99 | 234.0 | 15.1 | 0 | 33.9 | 935 | 30 |
| Renk | RK6555VT4PRO ↗ | VT4P | 102 | 232.6 | 15.2 | 1 | 33.4 | 929 | 31 |
| PIONEER | P01851V CK | VE | 101 | 273.6 | 16.5 | 0 | 34.8 | 1078 | 4 |
| | | | | Averages = | 247.9 | 16.0 | 3 | 33.3 | 982 |
| | | | | LSD (0.10) = | 13.7 | 0.4 | 4 | | |
| | | | | LSD (0.25) = | 7.2 | 0.2 | 2 | | |
| | | | | C.V. = | 5.2 | | | | |
| | | | | Historic yield: 220.2 bu/a, 5 yr(s) | | | | | |

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/25/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] NERSTRAND, MN
Schrader Grain, Rice County, MN

| | |
|---------------------------------|---|
| Full-Season Test | 103 - 107 Day CRM B2025MNSE10b |
| Top 30 of 42 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Zidua Pro, Roundup, Enlist One, Dual, Select, Approach Prima |
| SOIL DESCRIPTION: | Joy silt loam, moderately drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, 6.94 pH, 5.38% OM, 15.2 CEC, high P, high K, low S, high B, high Zn |
| PEST MANAGEMENT: | Surestart, Aztec, Kyro, Atrazine |
| FERTILITY - Applied N: | 80 Spring, 120 Sidedress, 12 gal Sulfur |
| Applied N-P-K (units): | 200-0-0 |
| SEEDED - RATE - ROW: | May 6 34.3 /A 30" spacing |
| HARVESTED - STAND: | Oct 22 33.9 /A |
| PEST & DISEASE RISK: | Rootworm, Goss Wilt, Fusarium, Anthracnose, Rhizoctonia, Diplodia Ear Rot* |

TEST COMMENTS:

Brian stated that this plot had good growing conditions and moisture. Southern rust and northern corn leaf blight appeared in August, and tar spot was not as severe here this season. Fungicides paid off this year on the fields they sprayed. This corn plot was NOT sprayed with fungicide, as the Schraders wanted to see how each hybrid tolerated the diseases. Despite the fact that the entire plot looked sickly at harvest (stalk lodging was more common here), these plants did a great job of putting every last bit of energy into these good yields.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------------|----------------|-----------|-----|-------------------------------------|---------------|--------------|-------------------|-------------------------|------------|
| Augusta | A2356-CONV ↗ | CONV | 106 | 294.9 | 18.0 | 0 | 34.8 | 1144 | 1 |
| Viking Blue River | 75-07 ↗ | CONV | 107 | 286.6 | 17.9 | 0 | 34.3 | 1114 | 2 |
| Enestvedt | E523 ↗ | CONV | 107 | 286.5 | 18.2 | 0 | 33.8 | 1109 | 3 |
| Mustang | 65K06 PCE RA ↗ | PCE | 106 | 275.9 | 17.9 | 0 | 34.8 | 1072 | 6 |
| Enestvedt | E595 ↗ | CONV | 106 | 275.4 | 17.2 | 0 | 34.3 | 1077 | 4 |
| Mustang | 55L02 PCE RA ↗ | PCE | 103 | 274.9 | 17.3 | 0 | 34.8 | 1074 | 5 |
| Rob-See-Co | RC5509-PCE ↗ | PCE | 105 | 268.5 | 16.8 | 0 | 33.4 | 1055 | 7 |
| Integra | 5716 PCE ↗ | PCE | 107 | 267.2 | 17.7 | 0 | 34.8 | 1040 | 8 |
| Cornelius | C6523 GC ↗ | CONV | 105 | 266.0 | 17.4 | 1 | 33.8 | 1039 | 9 |
| Epley | E1450 ↗ | CONV | 104 | 261.3 | 16.7 | 0 | 33.9 | 1027 | 10 |
| Titan Pro | 46-03 PCE ↗ | PCE | 103 | 257.4 | 16.4 | 0 | 32.9 | 1015 | 11 |
| Mustang | 55V04 PCE RA ↗ | PCE | 105 | 256.8 | 17.0 | 0 | 34.3 | 1007 | 12 |
| Rob-See-Co | RC5768-VT2P ↗ | VT2P | 107 | 256.5 | 17.0 | 0 | 33.9 | 1005 | 13 |
| Dairyland | DS-4664PCE ↗ | PCE | 106 | 255.8 | 17.8 | 0 | 34.8 | 995 | 16 |
| Enestvedt | E541 ↗ | CONV | 106 | 255.8 | 17.9 | 0 | 34.3 | 994 | 17 |
| Wyffels | W4514 ↗ | PCE | 106 | 255.3 | 17.1 | 0 | 34.3 | 1000 | 14 |
| Augusta | A2254-CONV ↗ | CONV | 104 | 254.6 | 17.1 | 0 | 34.3 | 997 | 15 |
| Augusta | A2355-CONV ↗ | CONV | 105 | 252.9 | 17.2 | 0 | 34.3 | 989 | 20 |
| Anderson | 4505PCE ↗ | PCE | 104 | 252.1 | 16.7 | 0 | 32.9 | 992 | 18 |
| Viking Blue River | 72-06 ↗ | CONV | 106 | 251.6 | 17.5 | 0 | 33.4 | 981 | 22 |
| Titan Pro | 52-04 SSP ↗ | STXP | 104 | 251.3 | 16.5 | 0 | 33.4 | 990 | 19 |
| Epley | E1340 ↗ | CONV | 103 | 249.5 | 16.3 | 0 | 32.4 | 985 | 21 |
| Wyffels | W3654 ↗ | PCE | 104 | 246.7 | 17.5 | 0 | 34.3 | 962 | 25 |
| Augusta | A2357-V ↗ | V | 107 | 246.4 | 18.5 | 0 | 34.8 | 951 | 29 |
| Pioneer | P05466V GC ↗ | VE | 105 | 244.8 | 16.8 | 0 | 34.3 | 962 | 26 |
| Epley | E1540 ↗ | CONV | 105 | 244.0 | 16.6 | 0 | 34.3 | 961 | 27 |
| Viking Blue River | 49-05 ↗ | CONV | 105 | 243.7 | 16.6 | 0 | 32.9 | 959 | 28 |
| Wyffels | W3309RIB ↗ | STXP | 103 | 243.6 | 16.2 | 0 | 33.9 | 963 | 24 |
| Integra | 5584 PCE ↗ | PCE | 105 | 238.2 | 17.4 | 0 | 33.9 | 930 | 30 |
| Renk | RK703PCE ↗ | PCE | 106 | 235.5 | 17.5 | 0 | 34.3 | 918 | 31 |
| PIONEER | P01851V CK | VE | 101 | 249.9 | 17.2 | 0 | 34.8 | 978 | 23 |
| | | | | Averages = | 246.9 | 17.0 | 0 | 33.9 | 967 |
| | | | | LSD (0.10) = | 15.7 | 0.6 | ns | | |
| | | | | LSD (0.25) = | 8.2 | 0.3 | ns | | |
| | | | | C.V. = | 6.0 | | | | |
| | | | | Historic yield: 220.2 bu/a, 5 yr(s) | | | | | |

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/25/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Minnesota Southeast [MNSE]

Weather Conditions Summary at NERSTRAND, MN


Weather Data Retrieved: 10/25/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Minnesota Southeast [MNSE]

Ultra Early-Season Test Products (24 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|-----------------|---------------|------------|-----|----|---------------|
| Anderson | 4595PCE | PCE | Y | 95 | Treated |
| Augusta | A2244-DV | DV | Y | 94 | CM,C2 |
| Augusta | A2246-CONV | CONV | N | 96 | CM,C5 |
| Augusta | A3044-V-EZ | V | Y | 94 | CM,C2 |
| Augusta | A4143-3110 | 3110 | N | 93 | CM,C5 |
| Brevant | B96M56V | V | Y | 96 | Lum, L1 |
| Cornelius | C5527 | CONV | N | 95 | CM,C2,Vi,Va |
| Dairyland | DS-3548PCE | PCE | Y | 95 | Lum, L1 |
| Dyna-Gro | D34SS93RIB | STX | Y | 94 | AC,P5V |
| Enestvedt | E654 | CONV | N | 96 | CM,C2,Vi,Va |
| Enestvedt | E664 | CONV | N | 96 | CM,C2,Vi,Va |
| Jacobsen | JS9635 | STXP | N | 96 | F,I |
| Jacobsen | JS9762 CONV | CONV | N | 96 | F,I |
| Pioneer | P9193AM | AM | Y | 91 | Lum, L1 |
| Pioneer | P9211AM | AM | Y | 92 | Lum, L1 |
| Prairie Hybrids | 591 | CONV | N | 95 | LumPro P2 |
| Renk | RK444SSTX | STX | Y | 95 | AC,P5V,EDC-EL |
| Renk | RK4545AV | V | N | 93 | CM,C2 |
| Renk | RK485DGV2P | VT2PDG | Y* | 94 | AC,P2 |
| Renk | RK5522SSPRO | STXP | N | 96 | AC,P5V,EDC-EL |
| Renk | RK561DGV2P | VT2PDG | Y* | 95 | AC,P2 |
| Titan Pro | 41-96 SSP | STXP | Y | 96 | CM,C2,Vi,Va |
| Wyffels | W1599 | STXP | N | 96 | P5V |
| Wyffels | W1676RIB | VT2P | Y* | 96 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southeast [MNSE]

Early-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------------|---------------|------------|-----|-----|---------------|
| Anderson | 5072 | CONV | N | 102 | Treated |
| Augusta | A2252-D | D | Y* | 102 | CM,C2 |
| Augusta | A2351-AA-EZ | AA | Y | 101 | CM,C2 |
| Augusta | A3048-AA-EZ | AA | Y | 98 | CM,C5 |
| Augusta | A3152-PWE | PCE | N | 102 | CM,C5 |
| Augusta | A3350-DV | DV | Y | 100 | CM,C5 |
| Brevant | B01X44V | VE | Y | 101 | Lum, L1 |
| Cornelius | C6204 | CONV | N | 102 | CM,C2,Vi,Va |
| DeKalb | DKC098-88RIB | VT4P | Y | 98 | AC,P1V,EDC-EL |
| DeKalb | DKC101-35RIB | VT2P | Y | 101 | AC,P5V,EDC-EL |
| Dyna-Gro | D39VT75RIB | VT4P | Y | 99 | AC,P5V |
| Enestvedt | E539 | CONV | N | 102 | CM,C2,Vi,Va |
| Integra | 4845 PCE | PCE | Y | 98 | AC,P5V,SU |
| Integra | 5055 VT4PRIB | VT4P | Y | 100 | AC,P5V,SU |
| Integra | 5225 TRERIB | TRE | Y | 102 | AC,P5V,SU |
| NK Brand | NK0252-D | D | N* | 102 | NA |
| Pioneer | P01851V | VE | Y | 101 | Lum, L1 |
| Renk | RK583PCE | PCE | Y | 99 | Lum |
| Renk | RK586VT4PRO | VT4P | N | 99 | AC,P5V,EDC-EL |
| Renk | RK630TRE | TRE | N | 102 | AC,P2 |
| Renk | RK6545PCE | PCE | N | 102 | Lum |
| Renk | RK6555VT4PRO | VT4P | N | 102 | AC,P5V,EDC-EL |
| Rob-See-Co | RC4829-PCE | PCE | Y | 98 | CM,C2,Vi,Va |
| Rob-See-Co | RC5263-PCE | PCE | Y | 102 | CM,C2,Vi,Va |
| Titan Pro | 41-02 SSP | STXP | Y | 102 | CM,C2,Vi,Va |
| Titan Pro | 48-99 PCE | PCE | Y | 99 | CM,C2,Vi,Va |
| Titan Pro | 50-98 SSP | STXP | Y | 98 | CM,C2,Vi,Va |
| Titan Pro | 51-01 SSP | STXP | Y | 101 | CM,C2,Vi,Va |
| Titan Pro | 57-01 PCE | PCE | Y | 101 | CM,C2,Vi,Va |
| Viking Blue River | 24-01 | CONV | N | 101 | CM,C2 |
| Viking Blue River | 24-99 | CONV | N | 99 | CM,C2 |
| Viking Blue River | 73-97 | CONV | N | 97 | CM,C2 |
| Wyffels | W1869RIB | STXP | Y* | 97 | CM,C2,Vi,Va |
| Wyffels | W1996RIB | VT2P | Y* | 98 | CM,C2,Vi,Va |
| Wyffels | W2557 | VT4P | N | 101 | P5V |
| Wyffels | W2674 | PCE | N | 101 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southeast [MNSE]

Full-Season Test Products (42 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------------|----------------|------------|-----|-----|---------------|
| Anderson | 4505PCE | PCE | Y | 104 | Treated |
| Anderson | 454SRC | STX | Y | 105 | Treated |
| Augusta | A2254-CONV | CONV | N | 104 | AC,P5V |
| Augusta | A2355-CONV | CONV | N | 105 | CM,C5 |
| Augusta | A2356-CONV | CONV | N | 106 | CM,C5 |
| Augusta | A2357-V | V | N | 107 | CM,C2 |
| Augusta | A3255-D-EZ | D | Y | 105 | CM,C5 |
| Cornelius | C6523 | CONV | N | 105 | CM,C2,Vi,Va |
| Dairyland | DS-4664PCE | PCE | Y | 106 | Lum, L1 |
| DeKalb | DKC105-35RIB | VT2P | Y | 105 | AC,P5V,EDC-EL |
| DeKalb | DKC56-26RIB | TRE | Y | 106 | AC,P5V |
| Dyna-Gro | D455P33RIB | STXP | Y | 105 | AC,P5V |
| Enestvedt | E523 | CONV | N | 107 | CM,C2,Vi,Va |
| Enestvedt | E541 | CONV | N | 106 | CM,C2,Vi,Va |
| Enestvedt | E595 | CONV | N | 106 | AC,P5V |
| Epley | E1340 | CONV | N | 103 | Vi5 |
| Epley | E1450 | CONV | N | 104 | Vi5 |
| Epley | E1540 | CONV | N | 105 | Vi5 |
| Integra | 5443 DGVT2PRIB | VT2PDG | N | 104 | AC,P5V,SU |
| Integra | 5584 PCE | PCE | Y* | 105 | AC,P5V,SU+Zn |
| Integra | 5716 PCE | PCE | Y | 107 | AC,P5V,SU |
| Mustang | 55L02 PCE RA | PCE | Y | 103 | F,I |
| Mustang | 55V04 PCE RA | PCE | N | 105 | F,I |
| Mustang | 65K06 PCE RA | PCE | Y | 106 | F,I |
| Pioneer | P01851V | VE | Y | 101 | Lum, L1 |
| Pioneer | P05466V | VE | Y | 105 | Lum, L1 |
| Renk | RK625DGV2P | VT2PDG | Y* | 104 | AC,P2 |
| Renk | RK703PCE | PCE | Y* | 106 | Lum |
| Renk | RK705VT4PRO | VT4P | N | 105 | AC,P5V,EDC-EL |
| Renk | RK7577TRE | TRE | N | 104 | AC,P2 |
| Rob-See-Co | RC5509-PCE | PCE | Y | 105 | CM,C2,Vi,Va |
| Rob-See-Co | RC5768-VT2P | VT2P | Y | 107 | CM,C2,Vi,Va |
| Titan Pro | 46-03 PCE | PCE | Y | 103 | CM,C2,Vi,Va |
| Titan Pro | 52-04 SSP | STXP | Y | 104 | CM,C2,Vi,Va |
| Viking Blue River | 49-05 | CONV | U | 105 | CM,C2 |
| Viking Blue River | 72-06 | CONV | N | 106 | CM,C2 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------------|---------------|------------|-----|-----|-------------|
| Viking Blue River | 75-07 | CONV | N | 107 | CM,C2 |
| Wyffels | W3309RIB | STXP | Y* | 103 | CM,C2,Vi,Va |
| Wyffels | W3579RIB | STXP | Y* | 105 | CM,C2,Vi,Va |
| Wyffels | W3654 | PCE | N | 104 | CM,C2,Vi,Va |
| Wyffels | W4487 | VT4P | N | 106 | CM,C2,Vi,Va |
| Wyffels | W4514 | PCE | N | 106 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

-
- CK Identifies a check product included in early- and full-season tests.
GC Grower Comparison product included by FIRST when space permits.
^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

| | |
|--------|---|
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) |
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| CONV | Conventional |
| D | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122 |
| DV | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| PCE | PowerCore® Enlist® |
| STX | SmartStax® |
| STXP | SmartStax® Pro with RNAi Technology |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VE | Vorceed™ Enlist® |
| VT2P | VT Double PRO® |
| VT2PDG | DroughtGard® with VT Double PRO® |
| VT4P | VT4Pro™ with RNAi Technology |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|--|
| AC,P1V,EDC-EL | Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control |
| AC,P2 | Acceleron® 250 |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU | Acceleron® Poncho 500/Votivo, StepUp |
| AC,P5V,SU+Zn | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5 | Cruisermaxx® 500 |
| F,I | Fungicide, Insecticide |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| LumPro P2 | Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematocide |
| P5V | Poncho 500/Votivo |
| Treated | Treated seed, unspecified |
| Vi5 | Vibrance® Cinco |

* Seed treatments may include unspecified plant health promoting components.