

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] CANNON FALLS, MN

Hernke Inc., Marc Hernke, Goodhue County, MN 55009

Ultra Early-Season Test 92 - 96 Day CRM
B2025MNSE11u

Top 24 of 24 For Gross Income
(Sorted by Yield)
Average of (3) Replications

PREV. CROP/HERB: Soybeans / Sonic, Roundup
SOIL DESCRIPTION: Joy silt loam, mod. poorly
drained, non-irrigated
SOIL CONDITION: Conventional W/ Fall Till, 7.07
pH, 3.88% OM, 18.9 CEC, high
P, high K, mod. S, high B, high
Zn
PEST MANAGEMENT: Aztec, Atrazine, Impact, No
Fungicide
FERTILITY - Applied N: 130 Spring, 120 Sidedress, 20
lbs Sulfur
Applied N-P-K (units): 250-0-60
SEEDED - RATE - ROW: May 10 34.3 /A 30" spacing
HARVESTED - STAND: Oct 25 34.0 /A
PEST & DISEASE RISK: Pythium, Rhizoctonia, Maize
White Spot*

TEST COMMENTS:

Soil was in great condition at planting. Daytime and nighttime temperatures were warm most of the summer, even into October. Rains were spaced well all year (see graph on page 4 of this report). Corn stood tall with no lodging at harvest. Marc told me he sprayed many corn fields with fungicide, but did not spray this plot. The stalks and leaves looked visually healthy at harvest time. Corn moisture was a bit higher here at harvest than at other locations. Many years of applying dairy manure has helped make this soil very productive. The ultra-early season test was rejected due to yield variability among the replicates.

Report Date: 10/26/2025

Additional reports available at www.firstseedtests.com

Company/Brand	Product/Brand	Tested T	HR	Yield Bu/a	Moisture %	Lodging %	Stand 2x 2000	Gross Income \$/a	Rank
Anderson	488PCE GC #	PCE	96	270.0	18.4	0	32.2	1091	1
Augusta	AG43-5220 #	5220	96	267.8	17.9	0	33.9	1091	2
Jacobson	208762 COMV #	COMV	96	264.4	17.9	0	33.9	989	3
Jacobson	208635 #	574P	96	263.9	18.5	0	34.4	989	5
Rank	REAGRAM #	V	96	262.9	17.6	0	34.5	989	4
Cornelius	CR627 GC #	COMV	96	262.2	18.1	0	34.4	989	6
Wayles	W64788B #	V73P	96	260.2	17.9	0	34.5	989	7
Augusta	AG43-5220 #	574P	96	258.7	18.5	0	34.9	947	10
Cornelius	CR627 GC #	574P	96	258.4	17.9	0	33.9	949	8
Everhood	5884 #	574P	96	257.5	18.5	0	33.9	949	9
Augusta	AG43-5220 #	574P	96	257.5	18.5	0	34.9	932	11
Stewart	5884 #	574P	96	256.4	18.4	0	34.4	931	12
Augusta	AG43-5220 #	COMV	96	256.3	18.9	0	33.9	924	14
Prime Hybrids	5884 #	574P	96	256.4	18.7	0	32.9	923	15
Prosser	PR6388B GC #	574P	96	256.4	17.9	0	33.9	921	13
Everhood	5884 #	574P	96	256.0	18.5	0	33.4	918	17
Rank	REAGRAM #	574P	96	257.5	18.9	0	33.4	921	16
Rank	REAGRAM #	V73PDS	96	255.9	17.2	0	33.4	907	18
Rank	REAGRAM #	574P	96	255.5	17.9	0	34.9	899	19
True-Pro	5884 #	574P	96	255.3	18.3	0	34.4	899	20
Prosser	PR6388B GC #	588	96	254.9	17.7	0	33.9	893	21
Prime-Gro	PR6388B GC #	574P	96	252.7	18.5	0	33.9	890	22
Rank	REAGRAM #	V73PDS	96	252.7	17.6	0	33.9	890	23
Wayles	W64788B #	574P	96	251.4	18.1	0	33.9	838	24

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Averages = 240.6 18.1 34.0 934

LSD (0.10) = ns 0.6 ns

LSD (0.25) = ns 0.3 ns

C.V. = 7.1

Historic yield: 221.66 bu/a, 21 yr(s)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] CANNON FALLS, MN

Hernke Inc., Marc Hernke, Goodhue County, MN 55009

Early-Season Test	97 - 102 Day CRM B2025MNSE11a
Top 30 of 36	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Roundup
SOIL DESCRIPTION:	Joy silt loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 7.07 pH, 3.88% OM, 18.9 CEC, high P, high K, mod. S, high B, high Zn
PEST MANAGEMENT:	Aztec, Atrazine, Impact, No Fungicide
FERTILITY - Applied N:	130 Spring, 120 Sidedress, 20 lbs Sulfur
Applied N-P-K (units):	250-0-60
SEEDED - RATE - ROW:	May 10 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 25 34.3 /A
PEST & DISEASE RISK:	Pythium, Rhizoctonia, Maize White Spot*

TEST COMMENTS:

Soil was in great condition at planting. Daytime and nighttime temperatures were warm most of the summer, even into October. Rains were spaced well all year (see graph on page 4 of this report). Corn stood tall with no lodging at harvest. Marc told me he sprayed many corn fields with fungicide, but did not spray this plot. The stalks and leaves looked visually healthy at harvest time. Corn moisture was a bit higher here at harvest than at other locations. Many years of applying dairy manure has helped make this soil very productive. The ultra-early season test was rejected due to yield variability among the replicates.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Titan Pro	57-01 PCE ↗	PCE	101	258.2	20.3	0	32.4	978	1
Renk	RK6545PCE ↗	PCE	102	256.8	20.6	0	34.9	970	3
Wyffels	W2674 ↗	PCE	101	255.1	19.7	0	34.9	972	2
Titan Pro	48-99 PCE ↗	PCE	99	253.7	19.8	0	33.4	966	4
Augusta	A3152-PWE ↗	PCE	102	251.9	19.9	0	34.4	959	6
Viking Blue River	73-97 ↗	CONV	97	250.6	18.8	0	32.9	965	5
Rob-See-Co	RC5263-PCE ↗	PCE	102	249.5	19.5	0	35.3	953	7
Brevant	B01X44V GC ↗	VE	101	249.1	19.5	0	34.4	951	8
NK Brand	NK0252-D GC ↗	D	102	247.7	19.8	0	33.9	943	10
DeKalb	DKC101-35RIB GC ↗	VT2P	101	246.8	18.7	0	33.4	950	9
Integra	5055 VT4PRIB ↗	VT4P	100	246.2	19.4	0	34.9	941	11
Augusta	A2252-D ↗	D	102	245.1	19.5	0	34.4	936	12
Viking Blue River	24-99 ↗	CONV	99	244.7	19.8	0	35.3	931	13
Rob-See-Co	RC4829-PCE ↗	PCE	98	243.9	19.5	0	34.8	931	14
Renk	RK630TRE ↗	TRE	102	243.5	19.7	0	34.4	928	15
Augusta	A2351-AA-EZ ↗	AA	101	242.8	20.7	0	34.8	916	19
Enestvedt	E539 ↗	CONV	102	242.5	19.3	0	34.9	928	16
Integra	4845 PCE ↗	PCE	98	240.3	19.5	0	34.9	918	18
Integra	5225 TRERIB ↗	TRE	102	239.7	19.0	0	34.3	920	17
Renk	RK583PCE ↗	PCE	99	239.4	19.9	0	34.9	911	21
Anderson	5072 ↗	CONV	102	238.7	19.8	0	32.9	909	22
Titan Pro	51-01 SSP ↗	STXP	101	238.5	20.0	0	34.8	906	23
Titan Pro	41-02 SSP ↗	STXP	102	235.3	19.7	0	34.9	897	24
Titan Pro	50-98 SSP ↗	STXP	98	235.1	20.1	0	33.9	893	25
Renk	RK6555VT4PRO ↗	VT4P	102	231.9	18.9	0	33.4	892	26
Viking Blue River	24-01 ↗	CONV	101	231.2	21.3	0	34.8	867	31
Wyffels	W2557 ↗	VT4P	101	228.7	19.8	0	33.4	871	29
Wyffels	W1996RIB ↗	VT2P	98	228.2	18.1	0	33.9	884	27
Wyffels	W1869RIB ↗	STXP	97	227.5	18.9	0	33.4	874	28
Augusta	A3048-AA-EZ ↗	AA	98	227.3	19.4	0	35.3	869	30
PIONEER	P01851V CK	VE	101	242.6	20.6	0	35.3	916	20

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **239.7** **19.6** **34.3** **914**

LSD (0.10) = 11.8 0.6 ns

LSD (0.25) = 6.2 0.3 ns

C.V. = 4.7

Historic yield: 221.66 bu/a, 21 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.4 Drying = \$0.04 Prices: GMO = \$4.00

Report Date: 10/26/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] CANNON FALLS, MN

Hernke Inc., Marc Hernke, Goodhue County, MN 55009

Full-Season Test	103 - 107 Day CRM B2025MNSE11b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Roundup
SOIL DESCRIPTION:	Joy silt loam, mod. poorly drained, non-irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 7.07 pH, 3.88% OM, 18.9 CEC, high P, high K, mod. S, high B, high Zn
PEST MANAGEMENT:	Aztec, Atrazine, Impact, No Fungicide
FERTILITY - Applied N:	130 Spring, 120 Sidedress, 20 lbs Sulfur
Applied N-P-K (units):	250-0-60
SEEDED - RATE - ROW:	May 10 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 25 34.5 /A
PEST & DISEASE RISK:	Pythium, Rhizoctonia, Maize White Spot*

TEST COMMENTS:

Soil was in great condition at planting. Daytime and nighttime temperatures were warm most of the summer, even into October. Rains were spaced well all year (see graph on page 4 of this report). Corn stood tall with no lodging at harvest. Marc told me he sprayed many corn fields with fungicide, but did not spray this plot. The stalks and leaves looked visually healthy at harvest time. Corn moisture was a bit higher here at harvest than at other locations. Many years of applying dairy manure has helped make this soil very productive. The ultra-early season test was rejected due to yield variability among the replicates.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Enestvedt	E523 ↗	CONV	107	281.7	22.1	0	33.9	1047	4
Mustang	65K06 PCE RA ↗	PCE	106	280.7	20.7	0	34.8	1058	1
Viking Blue River	75-07 ↗	CONV	107	279.2	20.9	0	35.3	1051	2
Augusta	A2356-CONV ↗	CONV	106	277.7	20.6	0	34.8	1048	3
Epley	E1540 ↗	CONV	105	275.9	21.4	0	35.3	1033	5
Anderson	4505PCE ↗	PCE	104	274.9	21.2	0	34.4	1032	6
Rob-See-Co	RC5768-VT2P ↗	VT2P	107	274.5	21.3	0	33.9	1029	7
Titan Pro	46-03 PCE ↗	PCE	103	273.9	22.0	0	34.9	1019	9
Mustang	55L02 PCE RA ↗	PCE	103	272.5	20.7	0	34.9	1028	8
Integra	5716 PCE ↗	PCE	107	269.6	20.6	0	35.3	1018	10
Augusta	A2254-CONV ↗	CONV	104	268.9	20.4	0	34.8	1018	11
Epley	E1340 ↗	CONV	103	266.8	20.8	0	33.9	1005	15
Augusta	A2355-CONV ↗	CONV	105	266.1	20.1	0	34.4	1010	12
Rob-See-Co	RC5509-PCE ↗	PCE	105	265.9	21.7	0	34.4	992	19
Enestvedt	E541 ↗	CONV	106	265.1	20.6	0	35.3	1001	17
Viking Blue River	49-05 ↗	CONV	105	264.8	19.9	0	34.9	1008	13
DeKalb	DKC56-26RIB GC ↗	TRE	106	264.0	19.9	0	34.4	1004	16
Renk	RK7577TRE ↗	TRE	104	263.5	19.4	0	34.4	1007	14
Epley	E1450 ↗	CONV	104	261.4	21.0	0	34.4	983	20
Titan Pro	52-04 SSP ↗	STXP	104	261.3	21.3	0	35.3	980	21
Enestvedt	E595 ↗	CONV	106	260.8	19.7	0	34.4	994	18
Augusta	A2357-V ↗	V	107	259.8	21.5	0	34.9	971	25
Dairyland	DS-4664PCE ↗	PCE	106	259.6	21.1	0	35.3	975	24
Dyna-Gro	D455P33RIB GC ↗	STXP	105	258.5	20.3	0	34.9	979	22
Viking Blue River	72-06 ↗	CONV	106	258.0	20.3	0	34.4	977	23
Renk	RK703PCE ↗	PCE	106	257.9	21.3	0	34.4	967	27
DeKalb	DKC105-35RIB GC ↗	VT2P	105	254.9	20.0	0	34.4	969	26
Wyffels	W3309RIB ↗	STXP	103	253.0	20.5	0	34.4	956	28
Wyffels	W4514 ↗	PCE	106	252.1	21.2	0	35.3	946	29
Wyffels	W3579RIB ↗	STXP	105	251.9	21.3	0	33.9	944	30
PIONEER	P01851V CK	VE	101	247.5	20.7	0	34.4	934	31
				Averages =	258.5	20.8	0	34.5	972
				LSD (0.10) =	16.9	0.9	ns		
				LSD (0.25) =	8.9	0.5	ns		
				C.V. =	6.2				
				Historic yield: 221.66 bu/a, 21 yr(s)					

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/26/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Minnesota Southeast [MNSE]

Weather Conditions Summary at CANNON FALLS, MN


Weather Data Retrieved: 10/26/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Minnesota Southeast [MNSE]

Ultra Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595PCE	PCE	Y	95	Treated
Augusta	A2244-DV	DV	Y	94	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A3044-V-EZ	V	Y	94	CM,C2
Augusta	A4143-3110	3110	N	93	CM,C5
Brevant	B96M56V	V	Y	96	Lum, L1
Cornelius	C5527	CONV	N	95	CM,C2,Vi,Va
Dairyland	DS-3548PCE	PCE	Y	95	Lum, L1
Dyna-Gro	D34SS93RIB	STX	Y	94	AC,P5V
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Jacobsen	JS9635	STXP	N	96	F,I
Jacobsen	JS9762 CONV	CONV	N	96	F,I
Pioneer	P9193AM	AM	Y	91	Lum, L1
Pioneer	P9211AM	AM	Y	92	Lum, L1
Prairie Hybrids	591	CONV	N	95	LumPro P2
Renk	RK444SSTX	STX	Y	95	AC,P5V,EDC-EL
Renk	RK4545AV	V	N	93	CM,C2
Renk	RK485DGV2P	VT2PDG	Y*	94	AC,P2
Renk	RK5522SSPRO	STXP	N	96	AC,P5V,EDC-EL
Renk	RK561DGV2P	VT2PDG	Y*	95	AC,P2
Titan Pro	41-96 SSP	STXP	Y	96	CM,C2,Vi,Va
Wyffels	W1599	STXP	N	96	P5V
Wyffels	W1676RIB	VT2P	Y*	96	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southeast [MNSE]

Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	5072	CONV	N	102	Treated
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A3350-DV	DV	Y	100	CM,C5
Brevant	B01X44V	VE	Y	101	Lum, L1
Cornelius	C6204	CONV	N	102	CM,C2,Vi,Va
DeKalb	DKC098-88RIB	VT4P	Y	98	AC,P1V,EDC-EL
DeKalb	DKC101-35RIB	VT2P	Y	101	AC,P5V,EDC-EL
Dyna-Gro	D39VT75RIB	VT4P	Y	99	AC,P5V
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Integra	4845 PCE	PCE	Y	98	AC,P5V,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,SU
NK Brand	NK0252-D	D	N*	102	NA
Pioneer	P01851V	VE	Y	101	Lum, L1
Renk	RK583PCE	PCE	Y	99	Lum
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5V,EDC-EL
Rob-See-Co	RC4829-PCE	PCE	Y	98	CM,C2,Vi,Va
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Titan Pro	41-02 SSP	STXP	Y	102	CM,C2,Vi,Va
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Titan Pro	50-98 SSP	STXP	Y	98	CM,C2,Vi,Va
Titan Pro	51-01 SSP	STXP	Y	101	CM,C2,Vi,Va
Titan Pro	57-01 PCE	PCE	Y	101	CM,C2,Vi,Va
Viking Blue River	24-01	CONV	N	101	CM,C2
Viking Blue River	24-99	CONV	N	99	CM,C2
Viking Blue River	73-97	CONV	N	97	CM,C2
Wyffels	W1869RIB	STXP	Y*	97	CM,C2,Vi,Va
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2557	VT4P	N	101	P5V
Wyffels	W2674	PCE	N	101	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southeast [MNSE]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4505PCE	PCE	Y	104	Treated
Anderson	454SRC	STX	Y	105	Treated
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C5
Augusta	A2356-CONV	CONV	N	106	CM,C5
Augusta	A2357-V	V	N	107	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Dairyland	DS-4664PCE	PCE	Y	106	Lum, L1
DeKalb	DKC105-35RIB	VT2P	Y	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y	106	AC,P5V
Dyna-Gro	D455P33RIB	STXP	Y	105	AC,P5V
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E595	CONV	N	106	AC,P5V
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Epley	E1540	CONV	N	105	Vi5
Integra	5443 DGVT2PRIB	VT2PDG	N	104	AC,P5V,SU
Integra	5584 PCE	PCE	Y*	105	AC,P5V,SU+Zn
Integra	5716 PCE	PCE	Y	107	AC,P5V,SU
Mustang	55L02 PCE RA	PCE	Y	103	F,I
Mustang	55V04 PCE RA	PCE	N	105	F,I
Mustang	65K06 PCE RA	PCE	Y	106	F,I
Pioneer	P01851V	VE	Y	101	Lum, L1
Pioneer	P05466V	VE	Y	105	Lum, L1
Renk	RK625DGV2P	VT2PDG	Y*	104	AC,P2
Renk	RK703PCE	PCE	Y*	106	Lum
Renk	RK705VT4PRO	VT4P	N	105	AC,P5V,EDC-EL
Renk	RK7577TRE	TRE	N	104	AC,P2
Rob-See-Co	RC5509-PCE	PCE	Y	105	CM,C2,Vi,Va
Rob-See-Co	RC5768-VT2P	VT2P	Y	107	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Titan Pro	52-04 SSP	STXP	Y	104	CM,C2,Vi,Va
Viking Blue River	49-05	CONV	U	105	CM,C2
Viking Blue River	72-06	CONV	N	106	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Viking Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3579RIB	STXP	Y*	105	CM,C2,Vi,Va
Wyffels	W3654	PCE	N	104	CM,C2,Vi,Va
Wyffels	W4487	VT4P	N	106	CM,C2,Vi,Va
Wyffels	W4514	PCE	N	106	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

-
- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AC,P5V,SU+Zn	Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
P5V	Poncho 500/Votivo
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.