

Test by: Southern MN FIRST New Richland, MN

## 2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] EYOTA, MN

Arthur & Paul Wendt, Olmsted County, MN 55934

<b>Ultra Early-Season Test</b>	<b>92 - 96 Day CRM</b> B2025MNSE12u
<b>Top 24 of 24</b>	For Gross Income (Sorted by Yield) Average of <b>(3)</b> Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Zidua Pro, Liberty, Enlist, Dual, Fusilade
<b>SOIL DESCRIPTION:</b>	Clyde silty clay loam, mod. poorly drained, non-irrigated
<b>SOIL CONDITION:</b>	Minimum W/ Fall Till, 6.06 pH, 5.56% OM, 20.33 CEC, high P, medium K, low S, high B, high Zn
<b>PEST MANAGEMENT:</b>	Verdict, Aztec, Impact, Atrazine, Veltyma
<b>FERTILITY - Applied N:</b>	180 Spring, 20 lbs Sulfur
<b>Applied N-P-K (units):</b>	180-60-60
<b>SEEDED - RATE - ROW:</b>	May 10 34.3 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 24 34.9 /A
<b>PEST &amp; DISEASE RISK:</b>	Gibberella, Pythium*

### TEST COMMENTS:

*This site looked healthy at harvest, with strong, tall stalks. Lodging was very rare. Rain fell at the right time; 25.1" here, just below the long-term average of 27.5" during the growing season. Paul sprayed Veltyma fungicide when tassels emerged, and it worked well here. Paul told me the field surrounding this plot averaged 249 bu/acre.*

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Enestvedt	E654 ↗	CONV	96	<b>258.5</b>	18.9	0	34.9	994	1
Anderson	4595PCE GC ↗	PCE	95	<b>254.6</b>	19.4	0	33.9	974	2
Prairie Hybrids	591 ↗	CONV	95	<b>252.0</b>	19.2	0	35.3	966	3
Renk	RK5522SSPRO ↗	STXP	96	<b>250.0</b>	18.4	0	35.3	966	4
Augusta	A2246-CONV ↗	CONV	96	<b>248.0</b>	19.6	0	34.9	946	5
Cornelius	C5527 GC ↗	CONV	95	245.9	19.0	0	35.3	944	6
Enestvedt	E664 ↗	CONV	96	244.4	19.5	0	35.8	934	7
Jacobsen	JS9762 CONV ↗	CONV	96	242.0	18.7	0	34.9	932	8
Renk	RK4545AV ↗	V	93	238.9	18.6	0	34.4	921	9
Augusta	A4143-3110 ↗	3110	93	238.6	19.0	0	34.9	916	10
Brevant	B96M56V GC ↗	V	96	238.3	19.2	0	34.9	913	11
Augusta	A3044-V-EZ ↗	V	94	234.6	18.3	0	34.4	907	12
Titan Pro	41-96 SSP ↗	STXP	96	233.3	19.1	0	34.8	895	13
Jacobsen	JS9635 ↗	STXP	96	232.3	19.0	0	33.9	892	14
Renk	RK485DGV2P ↗	VT2PDG	94	227.1	18.7	0	34.9	875	15
Pioneer	P9193AM GC ↗	AM	91	224.6	18.6	0	35.3	866	16
Wyffels	W1599 ↗	STXP	96	223.3	19.4	0	34.9	854	18
Renk	RK561DGV2P ↗	VT2PDG	95	222.4	18.3	0	34.8	861	17
Pioneer	P9211AM GC ↗	AM	92	220.9	18.8	0	34.8	850	19
Dairyland	DS-3548PCE ↗	PCE	95	219.0	18.3	0	35.3	847	20
Augusta	A2244-DV ↗	DV	94	214.4	19.1	0	34.9	823	21
Renk	RK444SSTX ↗	STX	95	208.3	19.1	0	34.9	799	22
Dyna-Gro	D34SS93RIB GC ↗	STX	94	204.8	18.7	0	34.8	789	23
Wyffels	W1676RIB ↗	VT2P	96	204.7	18.9	0	34.4	787	24

*Mark Querna*

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **232.5** **18.9** **34.9** **894**

LSD (0.10) = 15.4 ns ns

LSD (0.25) = 8.1 ns ns

C.V. = 6.3

Historic yield: 214.78 bu/a, 23 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.4 Drying = \$0.04 Prices: GMO = \$4.00

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: 10/26/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

Test by: Southern MN FIRST New Richland, MN

## 2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] EYOTA, MN

Arthur & Paul Wendt, Olmsted County, MN 55934

<b>Early-Season Test</b>	97 - 102 Day CRM B2025MNSE12a
<b>Top 30 of 36</b>	For Gross Income (Sorted by Yield) Average of (3) Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Zidua Pro, Liberty, Enlist, Dual, Fusilade
<b>SOIL DESCRIPTION:</b>	Clyde silty clay loam, mod. poorly drained, non-irrigated
<b>SOIL CONDITION:</b>	Minimum W/ Fall Till, 6.06 pH, 5.56% OM, 20.33 CEC, high P, medium K, low S, high B, high Zn
<b>PEST MANAGEMENT:</b>	Verdict, Aztec, Impact, Atrazine, Veltyma
<b>FERTILITY - Applied N:</b>	180 Spring, 20 lbs Sulfur
<b>Applied N-P-K (units):</b>	180-60-60
<b>SEEDING - RATE - ROW:</b>	May 10 34.3 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 24 34.9 /A
<b>PEST &amp; DISEASE RISK:</b>	Gibberella, Pythium*

### TEST COMMENTS:

*This site looked healthy at harvest, with strong, tall stalks. Lodging was very rare. Rain fell at the right time; 25.1" here, just below the long-term average of 27.5" during the growing season. Paul sprayed Veltyma fungicide when tassels emerged, and it worked well here. Paul told me the field surrounding this plot averaged 249 bu/acre.*

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
DeKalb	DKC101-35RIB GC ↗	VT2P	101	<b>269.2</b>	18.5	0	34.9	1039	1
Renk	RK6545PCE ↗	PCE	102	<b>268.4</b>	20.2	0	33.4	1018	3
Rob-See-Co	RC5263-PCE ↗	PCE	102	<b>264.7</b>	19.5	0	33.9	1012	4
Wyffels	W2674 ↗	PCE	101	<b>261.1</b>	19.8	0	34.9	995	6
Renk	RK630TRE ↗	TRE	102	260.2	18.9	0	35.8	1000	5
Titan Pro	57-01 PCE ↗	PCE	101	256.3	20.0	0	35.3	974	8
Viking   Blue River	73-97 ↗	CONV	97	255.8	18.6	0	34.9	987	7
Brevant	B01X44V GC ↗	VE	101	254.5	19.6	0	35.3	972	9
Titan Pro	50-98 SSP ↗	STXP	98	253.0	19.5	0	35.3	966	10
Titan Pro	48-99 PCE ↗	PCE	99	252.1	19.6	0	34.8	962	11
Augusta	A3152-PWE ↗	PCE	102	251.6	19.8	0	34.9	958	13
Integra	5055 VT4PRIB ↗	VT4P	100	251.0	19.2	0	35.8	962	12
DeKalb	DKC098-88RIB GC ↗	VT4P	98	248.7	19.1	0	35.3	954	14
Titan Pro	41-02 SSP ↗	STXP	102	247.7	19.9	0	35.3	942	18
Wyffels	W1869RIB ↗	STXP	97	247.7	18.7	0	34.9	954	15
Enestvedt	E539 ↗	CONV	102	247.6	19.2	0	34.9	948	17
Integra	4845 PCE ↗	PCE	98	247.5	19.2	0	35.3	949	16
Rob-See-Co	RC4829-PCE ↗	PCE	98	244.4	19.1	0	34.8	937	19
Viking   Blue River	24-01 ↗	CONV	101	244.2	20.4	0	35.3	924	23
Renk	RK6555VT4PRO ↗	VT4P	102	244.1	19.3	0	35.3	934	20
Augusta	A3048-AA-EZ ↗	AA	98	243.3	19.3	0	34.9	932	21
Cornelius	C6204 GC ↗	CONV	102	243.3	19.4	0	34.9	930	22
Titan Pro	51-01 SSP ↗	STXP	101	240.7	20.3	0	35.3	912	26
Wyffels	W1996RIB ↗	VT2P	98	240.4	18.9	0	35.3	924	24
Augusta	A2252-D ↗	D	102	238.3	19.9	0	34.9	906	28
Renk	RK583PCE ↗	PCE	99	237.7	19.9	0	33.9	904	29
Viking   Blue River	24-99 ↗	CONV	99	237.6	18.8	0	34.9	914	25
Renk	RK586VT4PRO ↗	VT4P	99	235.3	18.6	0	35.3	907	27
Wyffels	W2557 ↗	VT4P	101	233.8	19.3	0	35.8	895	30
Integra	5225 TRERIB ↗	TRE	102	233.6	19.2	0	34.4	895	31
PIONEER	P01851V CK	VE	101	267.7	19.8	0	34.4	1019	2
				<b>Averages = 246.5</b>	<b>19.5</b>		<b>34.9</b>	<b>942</b>	
				<b>LSD (0.10) = 14.2</b>	0.6	ns			
				<b>LSD (0.25) = 7.4</b>	0.3	ns			
				<b>C.V. = 5.4</b>					
				Historic yield: 214.78 bu/a, 23 yr(s)					



Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

### Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/26/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

## 2025 Corn Grain Top 30 Harvest Report

Minnesota Southeast [MNSE] EYOTA, MN

Arthur & Paul Wendt, Olmsted County, MN 55934

<b>Full-Season Test</b>	<b>103 - 107</b> Day CRM B2025MNSE12b
<b>Top 30 of 42</b>	For Gross Income (Sorted by Yield) Average of <b>(3)</b> Replications
<b>PREV. CROP/HERB:</b>	Soybeans / Zidua Pro, Liberty, Enlist, Dual, Fusilade
<b>SOIL DESCRIPTION:</b>	Clyde silty clay loam, mod. poorly drained, non-irrigated
<b>SOIL CONDITION:</b>	Minimum W/ Fall Till, 6.06 pH, 5.56% OM, 20.33 CEC, high P, medium K, low S, high B, high Zn
<b>PEST MANAGEMENT:</b>	Verdict, Aztec, Impact, Atrazine, Veltyma
<b>FERTILITY - Applied N:</b>	180 Spring, 20 lbs Sulfur
<b>Applied N-P-K (units):</b>	180-60-60
<b>SEEDED - RATE - ROW:</b>	May 10 34.3 /A 30" spacing
<b>HARVESTED - STAND:</b>	Oct 24 34.8 /A
<b>PEST &amp; DISEASE RISK:</b>	Gibberella, Pythium*

### TEST COMMENTS:

*This site looked healthy at harvest, with strong, tall stalks. Lodging was very rare. Rain fell at the right time; 25.1" here, just below the long-term average of 27.5" during the growing season. Paul sprayed Veltyma fungicide when tassels emerged, and it worked well here. Paul told me the field surrounding this plot averaged 249 bu/acre.*

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Enestvedt	E523 ↗	CONV	107	<b>272.8</b>	21.2	0	34.4	1024	3
Viking   Blue River	75-07 ↗	CONV	107	<b>272.6</b>	20.7	0	35.3	1029	1
Enestvedt	E595 ↗	CONV	106	<b>271.1</b>	20.2	0	35.3	1028	2
Epley	E1340 ↗	CONV	103	<b>267.3</b>	20.0	0	35.3	1016	4
Viking   Blue River	72-06 ↗	CONV	106	<b>266.3</b>	20.6	0	34.9	1006	6
Augusta	A2254-CONV ↗	CONV	104	<b>266.2</b>	20.3	0	34.9	1008	5
Mustang	65K06 PCE RA ↗	PCE	106	<b>264.5</b>	20.6	0	34.9	999	7
Titan Pro	46-03 PCE ↗	PCE	103	<b>263.3</b>	20.5	0	34.8	995	8
Rob-See-Co	RC5509-PCE ↗	PCE	105	<b>263.3</b>	20.9	0	34.9	991	9
Mustang	55L02 PCE RA ↗	PCE	103	260.8	20.6	0	34.9	985	11
Wyffels	W4487 ↗	VT4P	106	259.5	19.8	0	35.3	988	10
Integra	5716 PCE ↗	PCE	107	258.5	20.8	0	34.9	974	13
Cornelius	C6523 GC ↗	CONV	105	257.9	19.9	0	34.8	981	12
Wyffels	W3309RIB ↗	STXP	103	257.5	20.7	0	34.4	972	14
Epley	E1450 ↗	CONV	104	256.9	20.8	0	35.3	968	16
DeKalb	DKC105-35RIB GC ↗	VT2P	105	255.8	20.9	0	33.9	963	17
Enestvedt	E541 ↗	CONV	106	254.1	20.7	0	35.3	958	19
Wyffels	W3579RIB ↗	STXP	105	252.6	20.3	0	35.8	957	20
Augusta	A2355-CONV ↗	CONV	105	252.2	20.0	0	33.4	959	18
Epley	E1540 ↗	CONV	105	250.4	20.3	0	35.8	949	21
Pioneer	P05466V GC ↗	VE	105	250.4	21.2	0	34.9	940	23
Dairyland	DS-4664PCE ↗	PCE	106	250.0	21.4	0	35.3	936	27
Wyffels	W4514 ↗	PCE	106	249.7	20.4	0	33.4	945	22
Anderson	4505PCE ↗	PCE	104	249.2	20.8	0	34.9	939	24
Wyffels	W3654 ↗	PCE	104	247.4	20.3	0	34.4	937	26
Mustang	55V04 PCE RA ↗	PCE	105	247.2	20.8	0	34.9	932	28
Dyna-Gro	D455P33RIB GC ↗	STXP	105	245.3	20.2	0	35.3	931	29
Renk	RK7577TRE ↗	TRE	104	245.2	19.3	0	35.3	938	25
Titan Pro	52-04 SSP ↗	STXP	104	245.1	21.2	0	33.9	920	31
Renk	RK705VT4PRO ↗	VT4P	105	243.9	20.2	0	34.4	925	30
PIONEER	P01851V CK	VE	101	256.6	20.6	0	34.9	969	15

*Mark Querna*

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **250.3** **20.5** **34.8** **946**

LSD (0.10) = 11.5 0.7 ns

LSD (0.25) = 6.0 0.4 ns

C.V. = 4.3

Historic yield: 214.78 bu/a, 23 yr(s)

**Yield & Income Factors:**

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/26/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Minnesota Southeast [ MNSE ]

Weather Conditions Summary at EYOTA, MN


Weather Data Retrieved: 10/26/2025




\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


### Macronutrients




### Micronutrients



### Biofertility Analytics



### Below Ground Pest & Disease - Corn



### Above Ground Pest & Disease - Corn



### More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

## 2025 Corn - Minnesota Southeast [ MNSE ]

### Ultra Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4595PCE	PCE	Y	95	Treated
Augusta	A2244-DV	DV	Y	94	CM,C2
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A3044-V-EZ	V	Y	94	CM,C2
Augusta	A4143-3110	3110	N	93	CM,C5
Brevant	B96M56V	V	Y	96	Lum, L1
Cornelius	C5527	CONV	N	95	CM,C2,Vi,Va
Dairyland	DS-3548PCE	PCE	Y	95	Lum, L1
Dyna-Gro	D34SS93RIB	STX	Y	94	AC,P5V
Enestvedt	E654	CONV	N	96	CM,C2,Vi,Va
Enestvedt	E664	CONV	N	96	CM,C2,Vi,Va
Jacobsen	JS9635	STXP	N	96	F,I
Jacobsen	JS9762 CONV	CONV	N	96	F,I
Pioneer	P9193AM	AM	Y	91	Lum, L1
Pioneer	P9211AM	AM	Y	92	Lum, L1
Prairie Hybrids	591	CONV	N	95	LumPro P2
Renk	RK444SSTX	STX	Y	95	AC,P5V,EDC-EL
Renk	RK4545AV	V	N	93	CM,C2
Renk	RK485DGV2P	VT2PDG	Y*	94	AC,P2
Renk	RK5522SSPRO	STXP	N	96	AC,P5V,EDC-EL
Renk	RK561DGV2P	VT2PDG	Y*	95	AC,P2
Titan Pro	41-96 SSP	STXP	Y	96	CM,C2,Vi,Va
Wyffels	W1599	STXP	N	96	P5V
Wyffels	W1676RIB	VT2P	Y*	96	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2025 Corn - Minnesota Southeast [ MNSE ]

### Early-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	5072	CONV	N	102	Treated
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A3350-DV	DV	Y	100	CM,C5
Brevant	B01X44V	VE	Y	101	Lum, L1
Cornelius	C6204	CONV	N	102	CM,C2,Vi,Va
DeKalb	DKC098-88RIB	VT4P	Y	98	AC,P1V,EDC-EL
DeKalb	DKC101-35RIB	VT2P	Y	101	AC,P5V,EDC-EL
Dyna-Gro	D39VT75RIB	VT4P	Y	99	AC,P5V
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Integra	4845 PCE	PCE	Y	98	AC,P5V,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,SU
NK Brand	NK0252-D	D	N*	102	NA
Pioneer	P01851V	VE	Y	101	Lum, L1
Renk	RK583PCE	PCE	Y	99	Lum
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5V,EDC-EL
Rob-See-Co	RC4829-PCE	PCE	Y	98	CM,C2,Vi,Va
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Titan Pro	41-02 SSP	STXP	Y	102	CM,C2,Vi,Va
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Titan Pro	50-98 SSP	STXP	Y	98	CM,C2,Vi,Va
Titan Pro	51-01 SSP	STXP	Y	101	CM,C2,Vi,Va
Titan Pro	57-01 PCE	PCE	Y	101	CM,C2,Vi,Va
Viking   Blue River	24-01	CONV	N	101	CM,C2
Viking   Blue River	24-99	CONV	N	99	CM,C2
Viking   Blue River	73-97	CONV	N	97	CM,C2
Wyffels	W1869RIB	STXP	Y*	97	CM,C2,Vi,Va
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2557	VT4P	N	101	P5V
Wyffels	W2674	PCE	N	101	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.



## 2025 Corn - Minnesota Southeast [ MNSE ]

### Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4505PCE	PCE	Y	104	Treated
Anderson	454SRC	STX	Y	105	Treated
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C5
Augusta	A2356-CONV	CONV	N	106	CM,C5
Augusta	A2357-V	V	N	107	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6523	CONV	N	105	CM,C2,Vi,Va
Dairyland	DS-4664PCE	PCE	Y	106	Lum, L1
DeKalb	DKC105-35RIB	VT2P	Y	105	AC,P5V,EDC-EL
DeKalb	DKC56-26RIB	TRE	Y	106	AC,P5V
Dyna-Gro	D455P33RIB	STXP	Y	105	AC,P5V
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E595	CONV	N	106	AC,P5V
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Epley	E1540	CONV	N	105	Vi5
Integra	5443 DGVT2PRIB	VT2PDG	N	104	AC,P5V,SU
Integra	5584 PCE	PCE	Y*	105	AC,P5V,SU+Zn
Integra	5716 PCE	PCE	Y	107	AC,P5V,SU
Mustang	55L02 PCE RA	PCE	Y	103	F,I
Mustang	55V04 PCE RA	PCE	N	105	F,I
Mustang	65K06 PCE RA	PCE	Y	106	F,I
Pioneer	P01851V	VE	Y	101	Lum, L1
Pioneer	P05466V	VE	Y	105	Lum, L1
Renk	RK625DGV2P	VT2PDG	Y*	104	AC,P2
Renk	RK703PCE	PCE	Y*	106	Lum
Renk	RK705VT4PRO	VT4P	N	105	AC,P5V,EDC-EL
Renk	RK7577TRE	TRE	N	104	AC,P2
Rob-See-Co	RC5509-PCE	PCE	Y	105	CM,C2,Vi,Va
Rob-See-Co	RC5768-VT2P	VT2P	Y	107	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Titan Pro	52-04 SSP	STXP	Y	104	CM,C2,Vi,Va
Viking   Blue River	49-05	CONV	U	105	CM,C2
Viking   Blue River	72-06	CONV	N	106	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Viking   Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3579RIB	STXP	Y*	105	CM,C2,Vi,Va
Wyffels	W3654	PCE	N	104	CM,C2,Vi,Va
Wyffels	W4487	VT4P	N	106	CM,C2,Vi,Va
Wyffels	W4514	PCE	N	106	CM,C2,Vi,Va

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.



## Footnotes and Abbreviations Descriptions

### Brand Footnotes

- 
- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Technologies

---

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Seed Treatments\*

---

AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AC,P5V,SU+Zn	Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematocide
P5V	Poncho 500/Votivo
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

---

\* Seed treatments may include unspecified plant health promoting components.