

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] EASTON, MN
Dru Martin, Faribault County, MN 56025

Early-Season Test	97 - 102 Day CRM B2025MNSW06a
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Liberty, Clethodim
SOIL DESCRIPTION:	Guckeen silty clay loam, moderately drained, non- irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 5.18 pH, 6.44% OM, 24.38 CEC, high P, medium K, mod. S, high B, high Zn
PEST MANAGEMENT:	Harness, Aztec, Impact, Atrazine
FERTILITY - Applied N:	160 Spring, 31 Sidedress, 2 gal Sulfur, spring fert was hog manure
Applied N-P-K (units):	191-168-120
SEEDED - RATE - ROW:	May 8 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 21 34.2 /A
PEST & DISEASE RISK:	Rootworm, Pythium*

TEST COMMENTS:

This plot was planted a week earlier than Dru's field surrounding it. Dru told me the earlier planting date meant 15 bu/acre advantage this year. He also stated that Southern Rust showed up in August, and fields that were sprayed with fungicide were returning a 25 bu/acre advantage in yield. This FIRST plot was NOT sprayed with fungicide. Stalk lodging was evident on several plots. I noticed that fewer leaves were still attached to all stalks than at other sites harvested so far this autumn.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Titan Pro	57-01 PCE ↗	PCE	101	272.1	15.7	0	35.3	1081	1
Wyffels	W2674 ↗	PCE	101	266.1	15.5	0	34.4	1059	2
Brevant	B01X44V GC ↗	VE	101	251.6	15.6	0	34.4	1001	4
Integra	5055 VT4PRIB ↗	VT4P	100	249.8	15.6	3	35.8	993	5
Rob-See-Co	RC5263-PCE ↗	PCE	102	243.2	15.2	0	34.9	971	6
Viking Blue River	73-97 ↗	CONV	97	237.7	15.2	2	33.4	949	7
Heine	7053VT2PRIB ↗	VT2P	100	235.9	15.2	0	34.8	942	8
Integra	4845 PCE ↗	PCE	98	234.1	15.1	0	33.9	935	9
Augusta	A2351-AA-EZ ↗	AA	101	233.8	15.7	6	32.9	929	12
Anderson	4501PCE ↗	PCE	100	233.7	15.9	0	34.9	926	14
Titan Pro	48-99 PCE ↗	PCE	99	233.6	15.5	3	34.4	930	11
Titan Pro	50-98 SSP ↗	STXP	98	232.9	14.7	0	34.8	932	10
Jacobsen	JS0114 ↗	VT2P	100	232.4	15.1	0	35.3	929	13
DeKalb	DKC101-35RIB GC ↗	VT2P	101	229.5	14.6	0	34.4	918	15
Jacobsen	JS0223VT2P ↗	VT2P	102	228.8	15.0	1	34.4	915	16
Heine	7141TRE ↗	TRE	101	227.1	15.3	1	33.9	905	18
Wyffels	W1996RIB ↗	VT2P	98	227.0	14.8	0	34.8	908	17
DeKalb	DKC098-88RIB GC ↗	VT4P	98	226.9	15.5	0	34.4	903	19
Renk	RK630TRE ↗	TRE	102	226.5	15.4	1	33.4	902	20
Heine	7480DGV2PRIB ↗	VT2PDG	102	225.5	14.7	0	34.8	902	21
Renk	RK6545PCE ↗	PCE	102	224.1	15.3	0	34.4	894	22
Renk	RK5518TRE ↗	TRE	97	222.0	15.3	0	34.4	885	23
Heine	7291PCE ↗	PCE	102	221.2	15.5	0	34.4	881	24
Enestvedt	E539 ↗	CONV	102	219.8	14.9	0	34.9	879	25
Augusta	A3350-DV ↗	DV	100	219.1	16.3	0	33.9	865	28
Jacobsen	JS0342DGV2P ↗	VT2PDG	102	218.2	15.2	0	34.4	871	26
Heine	7126PCE ↗	PCE	101	217.5	15.5	1	32.9	866	27
Renk	RK586VT4PRO ↗	VT4P	99	215.2	15.4	0	34.4	857	30
Cornelius	C6204 GC ↗	CONV	102	215.0	15.3	0	34.9	858	29
Enestvedt	E535SS RIB ↗	STX	102	211.9	15.0	1	33.4	848	31
PIONEER	P01851V CK	VE	101	255.6	15.2	0	35.3	1020	3

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **223.6** **15.3** **2** **34.2** **891**

LSD (0.10) = 15.0 0.4 ns

LSD (0.25) = 7.8 0.2 ns

C.V. = 6.3

Historic yield: 209.59 bu/a, 22 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] EASTON, MN
Dru Martin, Faribault County, MN 56025

Full-Season Test	103 - 107 Day CRM B2025MNSW06b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Liberty, Clethodim
SOIL DESCRIPTION:	Guckeen silty clay loam, moderately drained, non- irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 5.18 pH, 6.44% OM, 24.38 CEC, high P, medium K, mod. S, high B, high Zn
PEST MANAGEMENT:	Harness, Aztec, Impact, Atrazine
FERTILITY - Applied N:	160 Spring, 31 Sidedress, 2 gal Sulfur, spring fert was hog manure
Applied N-P-K (units):	191-168-120
SEEDED - RATE - ROW:	May 8 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 21 34.4 /A
PEST & DISEASE RISK:	Rootworm, Pythium*

TEST COMMENTS:

This plot was planted a week earlier than Dru's field surrounding it. Dru told me the earlier planting date meant 15 bu/acre advantage this year. He also stated that Southern Rust showed up in August, and fields that were sprayed with fungicide were returning a 25 bu/acre advantage in yield. This FIRST plot was NOT sprayed with fungicide. Stalk lodging was evident on several plots. I noticed that fewer leaves were still attached to all stalks than at other sites harvested so far this autumn.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Heine	7810TRE ↗	TRE	107	272.9	16.7	0	35.3	1073	1
Titan Pro	24-04 ↗	CONV	104	252.1	16.2	0	34.4	996	2
Dairyland	DS-4664PCE ↗	PCE	106	244.4	16.0	0	34.9	968	3
Enestvedt	E523 ↗	CONV	107	243.2	16.4	0	33.9	959	7
Jacobsen	JS0593 ↗	CONV	105	243.2	16.2	0	34.9	961	4
Augusta	A2356-CONV ↗	CONV	106	242.7	16.0	0	34.9	961	5
Augusta	A2254-CONV ↗	CONV	104	241.0	15.4	0	34.9	960	6
Augusta	A3255-D-EZ ↗	D	105	240.7	16.8	0	35.8	946	11
Epley	E1450 ↗	CONV	104	239.5	15.5	0	34.9	953	8
Integra	5775 VT2PRIB ↗	VT2P	107	239.4	16.1	0	33.9	947	10
Enestvedt	E541 ↗	CONV	106	239.3	16.3	0	34.9	945	12
Wyffels	W3654 ↗	PCE	104	237.3	15.0	0	33.9	949	9
Rob-See-Co	RC5509-PCE ↗	PCE	105	235.9	15.5	2	32.9	939	13
Augusta	A2355-CONV ↗	CONV	105	232.9	15.1	0	35.8	931	14
Rob-See-Co	RC5768-VT2P ↗	VT2P	107	230.3	15.3	0	34.4	919	16
Titan Pro	44-06 PCE ↗	PCE	106	230.1	15.9	1	34.3	912	17
Augusta	A2357-V ↗	V	107	229.5	17.6	0	34.4	894	23
Heine	7429PCE ↗	PCE	104	228.1	16.0	0	34.4	903	19
DeKalb	DKC57-45RIB GC ↗	VT2P	107	227.6	15.9	3	33.4	903	20
Titan Pro	46-03 PCE ↗	PCE	103	226.9	15.3	0	34.4	905	18
Enestvedt	E595 ↗	CONV	106	225.7	16.8	0	33.9	887	25
Renk	RK705VT4PRO ↗	VT4P	105	225.0	15.6	0	34.8	895	22
Pioneer	P05737PCE GC ↗	PCE	105	224.3	15.1	0	35.3	896	21
Wyffels	W4487 ↗	VT4P	106	223.3	15.5	5	34.9	889	24
Epley	E1540 ↗	CONV	105	222.6	15.6	0	34.8	885	26
Viking Blue River	72-06 ↗	CONV	106	222.2	16.3	0	34.4	877	28
Wyffels	W3309RIB ↗	STXP	103	220.5	15.5	0	33.4	878	27
Wyffels	W4514 ↗	PCE	106	219.7	16.1	0	33.9	869	29
Heine	7759PCE ↗	PCE	107	219.0	15.8	0	33.9	869	30
Viking Blue River	75-07 ↗	CONV	107	218.5	15.8	0	34.3	867	31
PIONEER	P01851V CK	VE	101	233.5	15.8	0	35.3	926	15
				Averages =	226.5	15.8	1	34.4	899
				LSD (0.10) =	19.1	0.5	ns		
				LSD (0.25) =	10.0	0.2	ns		
				C.V. =	8.0				
				Historic yield: 209.59 bu/a, 22 yr(s)					

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Southern MN FIRST New Richland, MN

2025 Corn Grain Top 30 Harvest Report

Minnesota Southwest [MNSW] EASTON, MN
Dru Martin, Faribault County, MN 56025

Ultra Late-Season Test	108 - 112 Day CRM B2025MNSW06I
Top 24 of 24	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Sonic, Liberty, Clethodim
SOIL DESCRIPTION:	Guckeen silty clay loam, moderately drained, non- irrigated
SOIL CONDITION:	Conventional W/ Fall Till, 5.18 pH, 6.44% OM, 24.38 CEC, high P, medium K, mod. S, high B, high Zn
PEST MANAGEMENT:	Harness, Aztec, Impact, Atrazine
FERTILITY - Applied N:	160 Spring, 31 Sidedress, 2 gal Sulfur, spring fert was hog manure
Applied N-P-K (units):	191-168-120
SEEDED - RATE - ROW:	May 8 34.3 /A 30" spacing
HARVESTED - STAND:	Oct 21 34.8 /A
PEST & DISEASE RISK:	Rootworm, Pythium*

TEST COMMENTS:

This plot was planted a week earlier than Dru's field surrounding it. Dru told me the earlier planting date meant 15 bu/acre advantage this year. He also stated that Southern Rust showed up in August, and fields that were sprayed with fungicide were returning a 25 bu/acre advantage in yield. This FIRST plot was NOT sprayed with fungicide. Stalk lodging was evident on several plots. I noticed that fewer leaves were still attached to all stalks than at other sites harvested so far this autumn.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Dairyland	DS-5252PCE ↗	PCE	112	265.8	17.1	0	34.4	1041	1
Integra	5935 PCE ↗	PCE	109	265.5	17.0	0	33.9	1041	2
Pioneer	P1027AM GC ↗	AM	110	258.6	17.7	0	34.4	1006	3
Augusta	A4862-CONV ↗	CONV	112	250.3	17.8	0	35.3	974	4
Augusta	A2162-AA ↗	AA	112	244.5	18.3	0	35.3	946	5
Dairyland	DS-4973V ↗	VE	109	239.4	17.2	0	34.9	937	6
Augusta	A2060-PWE GC ↗	PCE	110	233.3	17.0	0	35.8	914	7
Renk	RK832SSPRO ↗	STXP	113	231.7	16.8	0	35.3	910	8
Integra	6076 VT4PRIB ↗	VT4P	110	231.4	16.8	0	33.9	909	9
Wyffels	W5684 ↗	PCE	108	228.6	16.5	0	34.9	900	10
Dairyland	DS-5088PCE ↗	PCE	110	225.6	17.2	0	33.9	882	12
Dairyland	DS-4810PCE ↗	PCE	108	225.2	17.0	0	35.3	883	11
Renk	RK7590SSPRO ↗	STXP	109	223.5	16.4	0	34.8	881	13
Renk	RK785PCE ↗	PCE	109	221.7	16.7	0	35.3	872	14
Renk	RK825VT4PRO ↗	VT4P	112	218.1	17.3	0	34.4	852	15
Augusta	A2360-PCE ↗	PCE	110	215.1	17.3	0	33.9	841	17
DeKalb	DKC108-64RIB GC ↗	STXP	108	214.7	16.0	0	35.3	850	16
Titan Pro	31-10 PCE ↗	PCE	110	212.6	16.9	0	34.9	834	18
Renk	RK800VT4PRO ↗	VT4P	110	210.6	16.6	0	34.4	829	19
Titan Pro	59-08 PCE ↗	PCE	108	210.4	16.9	0	35.8	825	20
Augusta	A2058-PWE ↗	PCE	108	208.4	16.9	0	34.4	817	22
Pioneer	P1151AM GC ↗	AM,AQ	111	208.1	17.1	0	34.4	815	23
Wyffels	W6505RIB ↗	TRE	110	207.6	16.5	0	34.9	818	21
Dairyland	HIDF-5212V ↗	VE	112	204.4	17.6	0	34.9	797	24

Mark Querna

Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages = **227.3** **17.0** **34.8** **891**

LSD (0.10) = 12.9 ns ns

LSD (0.25) = 6.7 ns ns

C.V. = 5.3

Historic yield: 209.59 bu/a, 22 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.4 Drying = \$0.04 Prices: GMO = \$4.00

Report Date: 10/21/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](http://Earthoptics.com) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Minnesota Southwest [MNSW]

Weather Conditions Summary at EASTON, MN


Weather Data Retrieved: 10/21/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Minnesota Southwest [MNSW]

Early-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Anderson	4501PCE	PCE	Y	100	Treated
Anderson	507SRC	STX	Y*	102	Treated
Anderson	6398	CONV	Y	98	Treated
Anderson	747SSP	STXP	N	98	Treated
Augusta	A2150-DV	DV	Y*	100	CM,C2
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A3350-DV	DV	Y	100	CM,C5
Brevant	B01X44V	VE	Y	101	Lum, L1
Cornelius	C6204	CONV	N	102	CM,C2,Vi,Va
DeKalb	DKC098-88RIB	VT4P	Y	98	AC,P1V,EDC-EL
DeKalb	DKC101-35RIB	VT2P	Y	101	AC,P5V,EDC-EL
Enestvedt	E535SS RIB	STX	Y	102	AC,P2
Enestvedt	E539	CONV	N	102	CM,C2,Vi,Va
Heine	7053VT2PRIB	VT2P	Y	100	AC,P2
Heine	7126PCE	PCE	Y	101	CM,C2
Heine	7141TRE	TRE	Y	101	AC,P5
Heine	7291PCE	PCE	Y	102	CM,C2
Heine	7480DGV2PRIB	VT2PDG	Y	102	AC,P2
Integra	4845 PCE	PCE	Y	98	AC,P5V,SU
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Jacobsen	JS0114	VT2P	Y	100	F,I
Jacobsen	JS0223VT2P	VT2P	Y	102	F,I
Jacobsen	JS0342DGV2P	VT2PDG	Y	102	F,I
NK Brand	NK0252-D	D	N*	102	NA
Pioneer	P01851V	VE	Y	101	Lum, L1
Renk	RK5518TRE	TRE	N	97	AC,P2
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5V,EDC-EL
Rob-See-Co	RC5209-D	D	Y	102	CM,C2,Vi,Va
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Titan Pro	50-98 SSP	STXP	Y	98	CM,C2,Vi,Va

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Titan Pro	51-01 SSP	STXP	Y	101	CM,C2,Vi,Va
Titan Pro	57-01 PCE	PCE	Y	101	CM,C2,Vi,Va
Viking Blue River	73-97	CONV	N	97	CM,C2
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2557	VT4P	N	101	P5V
Wyffels	W2674	PCE	N	101	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southwest [MNSW]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2254-CONV	CONV	N	104	AC,P5V
Augusta	A2355-CONV	CONV	N	105	CM,C5
Augusta	A2356-CONV	CONV	N	106	CM,C5
Augusta	A2357-V	V	N	107	CM,C2
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Dairyland	DS-4664PCE	PCE	Y	106	Lum, L1
DeKalb	DKC57-45RIB	VT2P	Y	107	AC,P5V,EDC-EL
Enestvedt	E514	CONV	N	103	CM,C2,Vi,Va
Enestvedt	E523	CONV	N	107	CM,C2,Vi,Va
Enestvedt	E541	CONV	N	106	CM,C2,Vi,Va
Enestvedt	E595	CONV	N	106	AC,P5V
Epley	E1450	CONV	N	104	Vi5
Epley	E1540	CONV	N	105	Vi5
Heine	7429PCE	PCE	Y	104	CM,C2
Heine	7688PCE	PCE	Y	106	CM,C2
Heine	7759PCE	PCE	Y	107	CM,C2
Heine	7761VT2PRIB	VT2P	Y	107	AC,P2
Heine	7810TRE	TRE	Y	107	AC,P2
Integra	5443 DGV2PRIB	VT2PDG	N	104	AC,P5V,SU
Integra	5775 VT2PRIB	VT2P	Y	107	AC,P5V,SU
Jacobsen	JS0414	CONV	N	104	F,I
Jacobsen	JS0593	CONV	Y	105	F,I
Jacobsen	JS0792VT2P	VT2P	Y	107	F,I
Pioneer	P01851V	VE	Y	101	Lum, L1
Pioneer	P05737PCE	PCE	Y	105	Lum, L1
Renk	RK625DGV2P	VT2PDG	Y*	104	AC,P2
Renk	RK703PCE	PCE	Y*	106	Lum
Renk	RK705VT4PRO	VT4P	N	105	AC,P5V,EDC-EL
Renk	RK7577TRE	TRE	N	104	AC,P2
Rob-See-Co	RC5509-PCE	PCE	Y	105	CM,C2,Vi,Va
Rob-See-Co	RC5768-VT2P	VT2P	Y	107	CM,C2,Vi,Va
Titan Pro	24-04	CONV	N	104	CM,C2,Vi,Va
Titan Pro	44-06 PCE	PCE	Y	106	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Titan Pro	52-04 SSP	STXP	Y	104	CM,C2,Vi,Va
Viking Blue River	49-05	CONV	U	105	CM,C2

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Viking Blue River	72-06	CONV	N	106	CM,C2
Viking Blue River	75-07	CONV	N	107	CM,C2
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3654	PCE	N	104	CM,C2,Vi,Va
Wyffels	W4487	VT4P	N	106	CM,C2,Vi,Va
Wyffels	W4514	PCE	N	106	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Minnesota Southwest [MNSW]

Ultra Late-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2058-PWE	PCE	N	108	CM,C5
Augusta	A2060-PWE	PCE	N*	110	CM,C2
Augusta	A2162-AA	AA	Y*	112	CM,C2
Augusta	A2360-PCE	PCE	N	110	CM,C5
Augusta	A4862-CONV	CONV	N	112	CM,C5
Dairyland	DS-4810PCE	PCE	Y	108	Lum, L1
Dairyland	DS-4973V	VE	Y	109	Lum, L1
Dairyland	DS-5088PCE	PCE	Y	110	Lum, L1
Dairyland	DS-5252PCE	PCE	Y	112	Lum, L1
Dairyland	HIDF-5212V	VE	Y	112	Lum, L1
DeKalb	DKC108-64RIB	STXP	Y	108	AC,P5V,EDC-EL
Integra	5935 PCE	PCE	Y	109	AC,P5V,SU
Integra	6076 VT4PRIB	VT4P	Y	110	AC,P5V,SU
Pioneer	P1027AM	AM	Y	110	Lum, L1
Pioneer	P1151AM	AM,AQ	Y	111	Lum, L1
Renk	RK7590SSPRO	STXP	N	109	AC,P5V,EDC-EL
Renk	RK785PCE	PCE	N	109	Lum
Renk	RK800VT4PRO	VT4P	N	110	AC,P5V,EDC-EL
Renk	RK825VT4PRO	VT4P	N	112	AC,P5V,EDC-EL
Renk	RK832SSPRO	STXP	Y*	113	AC,P5V,EDC-EL
Titan Pro	31-10 PCE	PCE	N	110	CM,C2,Vi,Va
Titan Pro	59-08 PCE	PCE	Y	108	CM,C2,Vi,Va
Wyffels	W5684	PCE	N	108	CM,C2,Vi,Va
Wyffels	W6505RIB	TRE	Y*	110	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
AQ	Optimum® AQUAmax®
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5	Acceleron® 500
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum, L1	LumiGEN, Lumisure 1250
P5V	Poncho 500/Votivo
Treated	Treated seed, unspecified
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.