

## All-Season Test

82 - 92 Day CRM

B2025RRCE

Top 30 of 30

For Gross Income (Sorted by Yield), (19) Replication Average

| Company/Brand | Product/Brand     | Technol.† | RM | Yield Bu/A   | Moisture % | Lodging % | Gross Income \$/Acre | Rank | Buffalo      | Colgate      | Mahnomen     | McIntosh     | Valley City  |
|---------------|-------------------|-----------|----|--------------|------------|-----------|----------------------|------|--------------|--------------|--------------|--------------|--------------|
| THUNDER       | T6591 PC ↗        | PCE       | 91 | <b>218.4</b> | 21.1       | 0         | 820                  | 1    | <b>227.5</b> | <b>210.6</b> | 200.8        | <b>229.5</b> | <b>224.0</b> |
| DAIRYLAND     | DS-3087PWE ↗      | PCE       | 90 | <b>213.8</b> | 20.5       | 7         | 808                  | 2    | 214.0        | <b>198.0</b> | <b>211.7</b> | <b>250.7</b> | 194.8        |
| THUNDER       | T6592 VT2P ↗      | VT2P      | 92 | <b>212.1</b> | 20.9       | 4         | 799                  | 3    | <b>228.6</b> | 176.8        | <b>212.8</b> | 224.1        | <b>218.4</b> |
| RENK          | RK4502VT2P ↗      | VT2P      | 91 | <b>211.0</b> | 20.8       | 3         | 796                  | 4    | <b>227.8</b> | <b>196.9</b> | 209.8        | <b>242.5</b> | 178.0        |
| PIONEER       | P92399PCE GC ↗    | PCE       | 92 | 209.5        | 21.1       | 2         | 786                  | 6    | <b>227.3</b> | 185.5        | 200.8        | 213.5        | <b>220.5</b> |
| THUNDER       | T6685 PC ↗        | PCE       | 85 | 208.5        | 20.6       | 2         | 787                  | 5    | 221.6        | 163.0        | 210.9        | 210.9        | <b>236.4</b> |
| THUNDER       | TEX86_25 ↗        | VT2P      | 86 | 208.5        | 20.7       | 4         | 786                  | 7    | 221.9        | 189.0        | 196.9        | 217.6        | <b>217.3</b> |
| PIONEER       | P9193AM GC ↗      | AM        | 91 | 207.5        | 20.8       | 4         | 782                  | 8    | 221.4        | 196.0        | 203.0        | 212.4        | 205.0        |
| JACOBSEN      | JS8994 ↗          | PCE       | 89 | 207.3        | 20.9       | 3         | 781                  | 9    | 222.0        | 175.8        | 209.0        | <b>236.1</b> | 193.6        |
| THUNDER       | T6490 VT2P ↗      | VT2P      | 90 | 205.9        | 20.6       | 5         | 778                  | 10   | 220.5        | 178.3        | <b>214.7</b> | 219.3        | 196.6        |
| DEKALB        | DKC092-13RIB GC ↗ | STXP      | 92 | 205.3        | 21.6       | 2         | 767                  | 13   | 223.7        | 193.0        | 208.5        | 217.1        | 184.0        |
| PIONEER       | P9211AM GC ↗      | AM        | 92 | 204.5        | 21.1       | 2         | 769                  | 11   | <b>228.6</b> | 175.7        | 198.0        | <b>227.9</b> | 192.3        |
| RENK          | RK2577PCE ↗       | PCE       | 84 | 202.7        | 20.3       | 2         | 768                  | 12   | 218.8        | 191.7        | 198.1        | 212.2        | 192.8        |
| JACOBSEN      | JS9053VT2P ↗      | VT2P      | 90 | 202.0        | 20.5       | 6         | 763                  | 14   | 210.3        | 190.1        | 204.1        | 216.8        | 188.6        |
| ENESTVEDT     | E612RR ↗          | RR2       | 92 | 202.0        | 21.4       | 2         | 756                  | 18   | 216.9        | 184.6        | 195.0        | 217.9        | 195.4        |
| RENK          | RK304VT2P ↗       | VT2P      | 90 | 201.6        | 21.0       | 5         | 759                  | 17   | 208.5        | 181.6        | 201.6        | 208.7        | <b>207.8</b> |
| AUGUSTA       | A2140-AA-EZ ↗     | D         | 90 | 201.2        | 21.4       | 7         | 754                  | 20   | 211.8        | <b>216.5</b> | 192.0        | <b>226.9</b> | 158.6        |
| THUNDER       | T6185 VT2P ↗      | VT2P      | 85 | 201.1        | 20.6       | 4         | 759                  | 15   | 201.1        | 192.5        | 200.7        | 207.3        | 203.9        |
| DAIRYLAND     | DS-2620AM ↗       | AM        | 86 | 200.0        | 20.5       | 4         | 756                  | 19   | 202.2        | 187.6        | 202.1        | 209.8        | 198.3        |
| DAIRYLAND     | DS-2541PCE ↗      | PCE       | 85 | 199.9        | 20.1       | 6         | 759                  | 16   | 213.8        | 191.6        | 197.1        | 211.9        | 185.2        |
| THUNDER       | T6389 VT2P ↗      | VT2P      | 89 | 198.9        | 20.4       | 4         | 753                  | 21   | 212.9        | 180.5        | 192.0        | 209.8        | 199.4        |
| AUGUSTA       | A2037-V ↗         | V         | 87 | 198.1        | 20.7       | 13        | 748                  | 22   | 214.8        | 188.4        | 198.0        | <b>233.0</b> | 156.2        |
| AUGUSTA       | A2039-D GC ↗      | D         | 89 | 192.0        | 21.1       | 8         | 722                  | 23   | 197.4        | 172.9        | 198.2        | 224.9        | 166.9        |
| THUNDER       | T6588 AV ↗        | V         | 88 | 187.7        | 20.9       | 6         | 708                  | 25   | 199.4        | 194.1        | 197.8        | 221.4        | 125.9        |
| RENK          | RK258PCE ↗        | PCE       | 85 | 187.5        | 20.7       | 7         | 708                  | 26   | 197.5        | 170.1        | 202.1        | 193.5        | 174.4        |
| THUNDER       | T6983 VT2P ↗      | VT2P      | 83 | 187.0        | 20.2       | 3         | 710                  | 24   | 209.9        | 188.4        | 203.8        | 186.4        | 146.3        |
| JACOBSEN      | JS9065VT2P ↗      | VT2P      | 90 | 186.9        | 20.7       | 7         | 706                  | 27   | 204.8        | 165.6        | 194.0        | 194.7        | 175.4        |
| AUGUSTA       | A2541-DV GC ↗     | DV        | 91 | 179.6        | 21.7       | 5         | 671                  | 28   | 217.8        | 177.3        | 184.0        | 182.9        | 135.9        |
| THUNDER       | T6987 VT2P ↗      | VT2P      | 87 | 172.1        | 20.6       | 7         | 650                  | 29   | 181.1        | 135.4        | 180.8        | 197.2        | 166.0        |
| AUGUSTA       | 2034-3110GT GC ↗  | 3110      | 84 | 171.1        | 20.3       | 3         | 648                  | 30   | 174.4        | 158.7        | 181.1        | 177.3        | 164.0        |



Mark Querna

mark.querna@firstseedtests.com, (507) 380-9920

Averages =

LSD (0.10) =

LSD (0.25) =

199.5

11.4

6.0

20.8

0.3

0.1

5

5

2

752

212.6

11.2

5.9

183.5

13.1

6.9

200.0

11.0

5.8

214.5

12.4

6.5

187.4

19.4

10.1

Prev. years average yield for region: 171.23 bu/a, 7 yr(s)

## Yield &amp; Income Factors:

Base Moisture = 15.0%

Shrink = 1.4

Drying = \$0.04

Prices: GMO = \$4.00

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to product's results at [www.firstseedtests.com](http://www.firstseedtests.com). \* 3 reps for the site.

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: 11/05/2025

## 2025 Corn Grain - Red River Central North Dakota & Minnesota [ RRCE ]

### All-Season Test Products (30 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat.   |
|---------------|---------------|------------|-----|----|---------------|
| Augusta       | 2034-3110GT   | 3110       | N   | 84 | CM,Vi         |
| Augusta       | A2037-V       | V          | N   | 87 | CM,C5         |
| Augusta       | A2039-D       | D          | N   | 89 | CM,C2         |
| Augusta       | A2140-AA-EZ   | D          | N   | 90 | CM,C2         |
| Augusta       | A2541-DV      | DV         | Y   | 91 | CM,C2         |
| Dairyland     | DS-2541PCE    | PCE        | Y   | 85 | Lum, L1       |
| Dairyland     | DS-2620AM     | AM         | Y   | 86 | Lum, L1       |
| Dairyland     | DS-3087PWE    | PCE        | N   | 90 | Lum, L1       |
| DeKalb        | DKC092-13RIB  | STXP       | Y   | 92 | AC,P5V,EDC-EL |
| Enestvedt     | E612RR        | RR2        | N   | 92 | AC,P2         |
| Jacobsen      | JS8994        | PCE        | Y   | 89 | F,I           |
| Jacobsen      | JS9053VT2P    | VT2P       | Y   | 90 | F,I           |
| Jacobsen      | JS9065VT2P    | VT2P       | Y   | 90 | F,I           |
| Pioneer       | P9193AM       | AM         | Y   | 91 | Lum, L1       |
| Pioneer       | P9211AM       | AM         | Y   | 92 | Lum, L1       |
| Pioneer       | P92399PCE     | PCE        | Y   | 92 | Lum, L1       |
| Renk          | RK2577PCE     | PCE        | N   | 84 | Lum           |
| Renk          | RK258PCE      | PCE        | N   | 85 | Lum           |
| Renk          | RK304VT2P     | VT2P       | N   | 90 | AC,P2         |
| Renk          | RK4502VT2P    | VT2P       | N   | 91 | AC,P2         |
| Thunder       | T6185 VT2P    | VT2P       | Y   | 85 | F,I           |
| Thunder       | T6389 VT2P    | VT2P       | Y   | 89 | F,I           |
| Thunder       | T6490 VT2P    | VT2P       | Y   | 90 | F,I           |
| Thunder       | T6588 AV      | V          | Y   | 88 | F,I           |
| Thunder       | T6591 PC      | PCE        | Y   | 91 | F,I           |
| Thunder       | T6592 VT2P    | VT2P       | Y   | 92 | F,I           |
| Thunder       | T6685 PC      | PCE        | Y   | 85 | F,I           |
| Thunder       | T6983 VT2P    | VT2P       | Y   | 83 | F,I           |
| Thunder       | T6987 VT2P    | VT2P       | Y   | 87 | F,I           |
| Thunder       | TEX86_25      | VT2P       | Y   | 86 | F,I           |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

- 
- CK Identifies a check product included in early- and full-season tests.  
 GC Grower Comparison product included by FIRST when space permits.  
 ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Grain Technologies

- 
- 3110 Agrisure® Viptera® 3110 (Vip, CB,LL,GT)  
 AM Optimum® AcreMax®  
 D Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122  
 DV DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222  
 PCE PowerCore® Enlist®  
 RR2 Roundup Ready® 2 Corn  
 STXP SmartStax® Pro with RNAi Technology  
 V Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220  
 VT2P VT Double PRO®  
 NOTE: The refuge component genetics may vary in a refuge blend seed product.

### Corn Grain Seed Treatments\*

- 
- |               |  |
|---------------|--|
| AC,P2         | Acceleron® 250   |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| CM,C2         | CruiserMaxx® 250   |
| CM,C5         | Cruisermaxx® 500   |
| CM,Vi         | CruiserMaxx®, Vibrance   |
| F,I           | Fungicide, Insecticide   |
| Lum           | LumiGEN™ (Corteva Agriscience)                                   |
| Lum, L1       | LumiGEN, Lumisure 1250   |

\* Seed treatments may include unspecified plant health promoting components.