

2025 Corn Grain Top 30 Harvest Report

Wisconsin Central [WICE] PLOVER, WI

Matt Hintz, Portage County, WI 54406

Early-Season Test	93 - 98 Day CRM B2025WICE45a
Top 30 of 34	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Glufosinate, Glyphosate
SOIL DESCRIPTION:	Rosholt sandy loam, well drained, non-irrigated
SOIL CONDITION:	No-Till, 7.06 pH, 4.51% OM, 7.54 CEC, high P, medium K, low S, high B, high Zn
PEST MANAGEMENT:	Glyphosate, Metalachor, Mesotrione, Dicamba
FERTILITY - Applied N:	160 Fall
Applied N-P-K (units):	160-30-120
SEEDED - RATE - ROW:	May 27 32.4 /A 30" spacing
HARVESTED - STAND:	Oct 30 30.5 /A
PEST & DISEASE RISK:	Gibberella*

TEST COMMENTS:

This location was planted later on May 27th due to an abundance of rain in the area. The corn went into good moisture and emerged evenly. During stand counts, everything looked uniform and healthy. Rainfall stayed consistent through most of the season but tapered off toward the end of August. The dry conditions, combined with cool weather and later planting, slowed the dry-down process, leaving the corn on the wetter side at harvest. Despite these challenges, this plot still performed very well. Due to off-target herbicide damage on a portion of the plot, the early-season test has been rejected.

Company/Brand	Product/Brand	Tested	Rate	Yield Bu/a	Moisture %	Lodging %	Stand /a 2025	Gross Income \$/a	Rank
Channel	180-4200PMB #	STAP	90	226.7	23.7	1	29.8	802	1
Thunder	1800-PC #	PCB	90	225.6	23.6	1	30.7	799	2
Thunder	1800-PC #	PCB	90	224.7	24.4	1	29.8	790	3
Oxyblend	120-3000PCE #	PCB	90	227.7	22.4	1	30.5	779	4
Augusta	4200-PCB #	PCB	90	223.8	23.2	1	30.5	760	6
Mulling	4000-VTAP-900 #	VTAP	90	222.2	22.2	1	30.7	760	5
Channel	120-4000PMB #	VTAP	90	222.2	22.2	1	30.7	760	7
Rob-Son-Co	90-4000-PCB #	PCB	90	220.2	24.2	1	30.7	740	8
Rank	90-4200PMB #	VTAP	90	219.2	24.2	1	29.8	739	10
Thunder	1800-10P #	VTAP	90	217.7	23.4	1	29.8	730	11
Augusta	4200-00 #	VTAP	90	216.4	23.1	1	30.8	719	13
Augusta	4200-00 #	VTAP	90	216.4	24.0	1	30.7	704	12
Thunder	1800-10P #	VTAP	90	215.7	23.6	1	30.1	714	14
Oxyblend	120-3000PCE #	VTAP	90	210.8	24.3	1	29.8	707	15
Oxyblend	120-3000PCE #	VTAP	90	199.8	25.0	1	30.7	690	20
Integra	4000-VTAP-900 #	VTAP	90	199.2	23.8	1	30.7	704	16
Augusta	4200-00 #	VTAP	90	199.0	24.7	1	30.7	699	18
Channel	120-4200PMB #	STAP	90	207.8	24.3	1	30.7	697	19
Rank	90-4200PMB #	TRE	97	196.4	22.5	1	30.1	702	17
Integra	4000-PCB #	PCB	90	195.6	25.4	1	30.7	692	21
Tracy	100-00 #	PCB	97	190.0	24.1	1	29.8	690	24
LS Seeds	120-4200PMB UC #	STAP	90	192.3	23.8	1	27.8	690	25
Channel	120-4000PMB #	VTAP	90	192.0	22.8	1	30.1	690	22
Mulling	4000-TRE-900 #	TRE	90	190.9	22.4	1	30.5	697	23
Rank	90-4200PMB #	VTAP-900	90	190.5	23.3	1	30.7	679	26
Tracy	100-00 #	PCB	90	189.1	24.3	1	30.8	690	28
Thunder	1800-10P #	VTAP	90	188.9	22.4	1	30.7	679	27
Mulling	4000-00-900-900 #	STAP	90	188.8	25.5	1	30.7	659	30
Rank	90-4200PMB #	STX	90	186.1	23.0	1	29.8	690	29
Augusta	4200-00 #	STX	90	185.0	25.0	1	30.7	692	31

Matt Speers

Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Averages = **200.4** **24.0** **1** **30.5** **704**

LSD (0.10) = ns ns ns

LSD (0.25) = ns ns ns

C.V. = 13.8

Historic yield: 177.63 bu/a, 13 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.03

Prices: GMO = \$3.80

Report Date: 10/31/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceeded the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](http://Earthoptics.com) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Field Research Innovations Inc. Shannon, IL

2025 Corn Grain Top 30 Harvest Report

Wisconsin Central [WICE] PLOVER, WI

Matt Hintz, Portage County, WI 54406

Full-Season Test	99 - 102 Day CRM B2025WICE45b
Top 30 of 32	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Glufosinate, Glyphosate
SOIL DESCRIPTION:	Rosholt sandy loam, well drained, non-irrigated
SOIL CONDITION:	No-Till, 7.06 pH, 4.51% OM, 7.54 CEC, high P, medium K, low S, high B, high Zn
PEST MANAGEMENT:	Glyphosate, Metalachor, Mesotrione, Dicamba
FERTILITY - Applied N:	160 Fall
Applied N-P-K (units):	160-30-120
SEDED - RATE - ROW:	May 27 32.4 /A 30" spacing
HARVESTED - STAND:	Oct 30 30.0 /A
PEST & DISEASE RISK:	Gibberella*

TEST COMMENTS:

This location was planted later on May 27th due to an abundance of rain in the area. The corn went into good moisture and emerged evenly. During stand counts, everything looked uniform and healthy. Rainfall stayed consistent through most of the season but tapered off toward the end of August. The dry conditions, combined with cool weather and later planting, slowed the dry-down process, leaving the corn on the wetter side at harvest. Despite these challenges, this plot still performed very well. Due to off-target herbicide damage on a portion of the plot, the early-season test has been rejected.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Thunder	T6700 PC ↗	PCE	100	223.0	26.1	1	29.8	773	1
Channel	200-44VT4PRIB ↗	VT4P	100	213.0	26.7	1	30.7	735	2
Renk	RK583PCE ↗	PCE	99	205.4	26.7	1	31.6	709	5
Augusta	A3350-DV ↗	DV	100	204.5	26.0	1	29.8	710	4
Tracy	T100-26 ↗	DV	100	203.4	24.8	1	27.0	713	3
Channel	202-43VT4PRIB ↗	VT4P	102	201.2	27.6	1	28.8	688	8
Dairyland	DS-4219AM ↗	AM	102	200.7	28.3	1	30.7	682	9
Rob-See-Co	RC5263-PCE ↗	PCE	102	198.2	25.7	1	27.0	690	7
FS InVision	FS 5159PC RA ↗	PCE	101	197.2	24.5	1	30.7	693	6
Tracy	T100-36 ↗	PCE	100	196.2	25.8	1	31.6	682	10
Integra	5055 VT4PRIB ↗	VT4P	100	195.8	25.5	1	29.8	682	11
Thunder	T8502 DC ↗	D	102	194.7	26.1	1	30.7	675	12
Renk	RK6545PCE ↗	PCE	102	192.6	27.2	1	29.8	662	16
Tracy	T101-36 ↗	DV	101	191.8	26.6	1	30.7	662	17
Integra	5225 TRERIB ↗	TRE	102	191.2	25.9	1	30.7	664	13
FS InVision	FS 5158V RIB ↗	VT2P	101	190.7	25.6	1	30.7	664	14
Channel	201-07SSPRIB ↗	STXP	101	190.7	26.1	1	28.8	661	18
Dairyland	DS-4191PCE ↗	PCE	101	190.5	25.6	1	32.6	663	15
Dairyland	DS-3900AM ↗	AM	99	190.3	26.0	1	30.7	660	19
Thunder	T6501 AA ↗	AA	101	189.2	27.2	1	30.7	650	21
FS InVision	FS 5155P RIB ↗	STXP	101	186.6	25.1	1	26.0	652	20
Renk	RK6555VT4PRO ↗	VT4P	102	185.9	26.4	1	30.7	643	22
Augusta	A2252-D ↗	D	102	182.6	27.4	1	30.7	626	25
Augusta	A2351-AA-EZ ↗	AA	101	180.4	25.5	1	31.6	629	23
Thunder	T8602 VT4P ↗	VT4P	102	178.3	26.8	1	32.5	614	28
Thunder	T6602 TRE ↗	TRE	102	177.5	26.3	1	27.0	614	29
LG Seeds	LG52C90VT2RIB GC ↗	VT2P	102	177.1	25.1	1	27.9	619	26
Renk	RK630TRE ↗	TRE	102	176.9	25.5	1	28.8	616	27
Renk	RK586VT4PRO ↗	VT4P	99	176.7	25.9	1	29.8	614	30
Rob-See-Co	RC5209-D ↗	D	102	172.5	25.7	1	30.7	600	31
DEKALB	DKC101-33RIB CK	STXP	101	181.4	26.2	1	32.6	628	24



Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Averages = **190.8** **26.1** **1** **30.0** **661**

LSD (0.10) = 16.1 ns ns

LSD (0.25) = 8.4 ns ns

C.V. = 8.0 Historic yield: 177.63 bu/a, 13 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.03 Prices: GMO = \$3.80

Report Date: 10/31/2025


Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Wisconsin Central [WICE]


Weather Conditions Summary at PLOVER, WI




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Wisconsin Central [WICE]

Early-Season Test Products (34 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2244-DV	DV	Y	94	CM,C2
Augusta	A2246-PCE	PCE	N	96	CM,C5
Augusta	A3044-V-EZ	V	Y	94	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A4143-3110	3110	N	93	CM,C5
Channel	192-52SSPRIB	STXP	Y	92	AC,P5V,EDC-EL
Channel	193-40VT4PRIB	VT4P	Y	93	AC,P1V,EDC-EL
Channel	194-04VT2PRIB	VT2P	Y	94	AC,P5V,EDC-EL
Channel	195-29VT4PRIB	VT4P	Y	95	AC,P1V,EDC-EL
Channel	198-25SSPRIB	STXP	Y	98	AC,P5V,EDC-EL
Dairyland	DS-3548PCE	PCE	Y	95	Lum, L1
Dairyland	DS-3730PCE	PCE	Y	97	Lum, L1
Dairyland	DS-3881PCE	PCE	Y	98	Lum, L1
DeKalb	DKC101-33RIB	STXP	Y	101	AC,P5V,EDC-EL
Integra	4601 VT2PRIB	VT2P	Y*	96	Treated
Integra	4845 PCE	PCE	Y	98	AC,P5V,SU
Kentland	G5144	GLY	N	94	CM,C2,Vi5
LG Seeds	LG48C32SSPRIB	STXP	Y	98	AC,P5
Mustang	43T95 TRE RIB	TRE	N	96	F,I
Mustang	44G97 VT4P RIB	VT4P	Y	97	F,I
Mustang	49H98 SS PRO RIB	STXP	Y	98	F,I
Renk	RK5518TRE	TRE	N	97	AC,P2
Renk	RK5522SSPRO	STXP	N	96	AC,P5V,EDC-EL
Renk	RK561DGV2P	VT2PDG	Y*	95	AC,P2
Renk	RK582SSTX	STX	Y*	98	AC,P5V,EDC-EL
Rob-See-Co	RC4518-VT2P	VT2P	Y	95	CM,C2,Vi,Va
Rob-See-Co	RC4829-PCE	PCE	Y	98	CM,C2,Vi,Va
Thunder	T6294 VT2P	VT2PDG	Y	94	F,I
Thunder	T6498 PC	PCE	N	98	F,I
Thunder	T6693 PC	PCE	Y	93	F,I
Thunder	T6695 VT2P	VT2P	Y	95	F,I
Thunder	T8696 SSP	STXP	Y	96	F,I
Tracy	T097-36	PCE	Y	97	CM,Vi
Tracy	T098-36	PCE	Y	98	CM,Vi

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Wisconsin Central [WICE]

Full-Season Test Products (32 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2351-AA-EZ	AA	Y	101	CM,C2
Augusta	A3350-DV	DV	Y	100	CM,C5
Channel	200-44VT4PRIB	VT4P	Y	100	AC,P1V,EDC-EL
Channel	200-70TRERIB	TRE	Y	100	AC,P5V,EDC-B
Channel	201-07SSPRIB	STXP	Y	101	AC,P5V,EDC-EL
Channel	202-43VT4PRIB	VT4P	Y	102	AC,P1V,EDC-EL
Dairyland	DS-3900AM	AM	Y	99	Lum, L1
Dairyland	DS-4191PCE	PCE	Y	101	Lum, L1
Dairyland	DS-4219AM	AM	Y	102	Lum, L1
DeKalb	DKC101-33RIB	STXP	Y	101	AC,P5V,EDC-EL
FS InVision	FS 5155P RIB	STXP	Y	101	AC,P5V,EDC-EL
FS InVision	FS 5158V RIB	VT2P	Y	101	AC,P5V,EDC-EL
FS InVision	FS 5159PC RA	PCE	Y	101	CM,C2,Vi,Va
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,SU
LG Seeds	LG52C90VT2RIB	VT2P	Y	102	AC
Renk	RK583PCE	PCE	Y	99	Lum
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5V,EDC-EL
Rob-See-Co	RC5209-D	D	Y	102	CM,C2,Vi,Va
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Thunder	T6501 AA	AA	Y	101	F,I
Thunder	T6602 TRE	TRE	Y	102	F,I
Thunder	T6700 PC	PCE	Y	100	F,I
Thunder	T8502 DC	D	Y	102	F,I
Thunder	T8602 VT4P	VT4P	Y	102	F,I
Tracy	T100-26	DV	Y	100	CM,C2,Vi,Va
Tracy	T100-36	PCE	Y	100	CM,C2,Vi,Va
Tracy	T101-36	DV	Y	101	CM,Vi

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
GLY	Glyphosate tolerant
PCE	PowerCore® Enlist®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC	Acceleron® unspecified
AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5	Acceleron® 500
AC,P5V,EDC-B	Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
CM,C2	CruiserMaxx® 250
CM,C2,Vi5	CruiserMaxx® 250, Vibrance Cinco
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,Vi	CruiserMaxx®, Vibrance
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum, L1	LumiGEN, Lumisure 1250
Treated	Treated seed, unspecified

* Seed treatments may include unspecified plant health promoting components.