

2025 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] ARLINGTON, WI

Curtis Stibb, Columbia County, WI 53960

| | |
|---------------------------------|--|
| Early-Season Test | 99 - 104 Day CRM B2025WISO04a |
| Top 30 of 38 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Valor, Synchrony, Powermax (2), Enlist |
| SOIL DESCRIPTION: | Ripon silt loam, well drained, non-irrigated |
| SOIL CONDITION: | Strip-Till, 6.67 pH, 3.92% OM, 12.17 CEC, high P, high K, low S, high B, high Zn |
| PEST MANAGEMENT: | Powermax (2), Basis Blend, Simazine, Status |
| FERTILITY - Applied N: | 160 Fall, Sulfur |
| Applied N-P-K (units): | 160-108-131 |
| SEEDING - RATE - ROW: | May 13 32.4 /A 30" spacing |
| HARVESTED - STAND: | Nov 6 29.9 /A |
| PEST & DISEASE RISK: | Pythium* |

TEST COMMENTS:

This strip-till location was planted on May 13th in dry conditions. A decent amount of rain after planting helped kick off emergence. Some variation was seen during stand counts, but nothing major. At harvest, the plot showed a few green stems, mild tar spot, slight tip-back, and a small amount of fungus on a few hybrids, but none of it appeared to impact yield. The corn stood tall with huge ears and excellent root structure, resulting in high yields. Curtis did a wonderful job managing this farm!

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------------|-----------|-----|--------------|------------|-----------|----------------|----------------------|------|
| Channel | 204-54SSPRIB ↗ | STXP | 104 | 296.2 | 20.9 | 1 | 30.2 | 1073 | 1 |
| Wyffels | W3309RIB ↗ | STXP | 103 | 291.4 | 20.4 | 1 | 32.0 | 1060 | 2 |
| Dairyland | DS-4488PCE ↗ | PCE | 104 | 282.9 | 21.4 | 1 | 29.2 | 1021 | 3 |
| Burrus | 1R62 PCE ↗ | PCE | 103 | 280.4 | 21.1 | 1 | 31.1 | 1014 | 4 |
| Augusta | A2254-PWE ↗ | PCE | 104 | 278.9 | 20.5 | 1 | 30.1 | 1014 | 5 |
| Mustang | 55L02 PCE RA ↗ | PCE | 103 | 272.1 | 20.5 | 1 | 29.2 | 989 | 7 |
| Burrus | POWER PLUS 2A17 VE ↗ | VE | 104 | 271.9 | 19.9 | 1 | 30.2 | 993 | 6 |
| Wyffels | W2557 ↗ | VT4P | 101 | 270.9 | 20.2 | 1 | 29.2 | 987 | 8 |
| FS InVision | FS 5335P RIB ↗ | STXP | 103 | 269.3 | 20.4 | 1 | 29.7 | 980 | 9 |
| Renk | RK630TRE ↗ | TRE | 102 | 268.5 | 20.8 | 1 | 31.1 | 973 | 10 |
| Augusta | A3048-AA-EZ ↗ | AA | 98 | 266.3 | 20.4 | 1 | 30.2 | 969 | 12 |
| Renk | RK7577TRE ↗ | TRE | 104 | 266.2 | 19.9 | 1 | 31.1 | 972 | 11 |
| FS InVision | FS 5158V RIB ↗ | VT2P | 101 | 264.4 | 19.8 | 1 | 29.2 | 967 | 13 |
| Integra | 5055 VT4PRIB ↗ | VT4P | 100 | 264.0 | 19.9 | 1 | 32.0 | 965 | 14 |
| FS InVision | FS 5159PC RA ↗ | PCE | 101 | 262.3 | 20.2 | 1 | 29.2 | 956 | 15 |
| Renk | RK6555VT4PRO ↗ | VT4P | 102 | 255.4 | 21.3 | 1 | 31.1 | 922 | 20 |
| Tracy | T101-36 ↗ | DV | 101 | 254.6 | 19.6 | 1 | 27.3 | 933 | 16 |
| Integra | 5443 DGV2PRIB ↗ | VT2PDG | 104 | 254.5 | 20.5 | 1 | 30.2 | 925 | 18 |
| Augusta | A2351-AA-EZ ↗ | AA | 101 | 253.8 | 20.4 | 1 | 29.2 | 923 | 19 |
| Kentland | G7153 ↗ | GLY | 103 | 253.0 | 20.8 | 1 | 28.3 | 918 | 22 |
| Rob-See-Co | RC5209-D ↗ | D | 102 | 252.5 | 20.1 | 1 | 32.5 | 921 | 21 |
| Channel | 202-43VT4PRIB ↗ | VT4P | 102 | 251.9 | 20.5 | 1 | 31.1 | 916 | 23 |
| Integra | 5225 TRERIB ↗ | TRE | 102 | 251.1 | 20.4 | 1 | 31.1 | 914 | 24 |
| Augusta | A2252-D ↗ | D | 102 | 249.9 | 20.6 | 1 | 31.1 | 907 | 25 |
| Tracy | T100-26 ↗ | DV | 100 | 249.0 | 20.2 | 1 | 30.1 | 907 | 26 |
| FS InVision | FS 5155P RIB ↗ | STXP | 101 | 248.9 | 20.2 | 1 | 29.2 | 907 | 27 |
| Rob-See-Co | RC5263-PCE ↗ | PCE | 102 | 247.9 | 19.9 | 1 | 27.3 | 906 | 28 |
| Renk | RK6545PCE ↗ | PCE | 102 | 247.3 | 20.4 | 1 | 28.3 | 900 | 30 |
| Tracy | T100-36 ↗ | PCE | 100 | 246.6 | 19.7 | 1 | 30.2 | 902 | 29 |
| Wyffels | W3576RIB ↗ | VT2P | 103 | 245.4 | 20.6 | 1 | 30.2 | 891 | 31 |
| DEKALB | DKC106-98RIB CK | VT4P | 106 | 258.5 | 21.7 | 1 | 32.0 | 930 | 17 |



Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Averages = **255.8** **20.4** **1** **29.9** **930**

LSD (0.10) = 15.5 ns ns

LSD (0.25) = 8.1 ns ns

C.V. = 5.7

Historic yield: 201.85 bu/a, 25 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.03

Prices: GMO = \$3.80

Report Date: 11/07/2025

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Field Research Innovations Inc. Shannon, IL

2025 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] ARLINGTON, WI

Curtis Stibb, Columbia County, WI 53960

| | |
|---------------------------------|--|
| Full-Season Test | 105 - 109 Day CRM B2025WISO04b |
| Top 30 of 41 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Valor, Synchrony, Powermax (2), Enlist |
| SOIL DESCRIPTION: | Ripon silt loam, well drained, non-irrigated |
| SOIL CONDITION: | Strip-Till, 6.67 pH, 3.92% OM, 12.17 CEC, high P, high K, low S, high B, high Zn |
| PEST MANAGEMENT: | Powermax (2), Basis Blend, Simazine, Status |
| FERTILITY - Applied N: | 160 Fall, Sulfur |
| Applied N-P-K (units): | 160-108-131 |
| SEEDING - RATE - ROW: | May 13 32.4 /A 30" spacing |
| HARVESTED - STAND: | Nov 6 29.9 /A |
| PEST & DISEASE RISK: | Pythium* |

TEST COMMENTS:

This strip-till location was planted on May 13th in dry conditions. A decent amount of rain after planting helped kick off emergence. Some variation was seen during stand counts, but nothing major. At harvest, the plot showed a few green stems, mild tar spot, slight tip-back, and a small amount of fungus on a few hybrids, but none of it appeared to impact yield. The corn stood tall with huge ears and excellent root structure, resulting in high yields. Curtis did a wonderful job managing this farm!

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------------|-----------|-----|-----------------|---------------|--------------|-------------------|-------------------------|------|
| Dairyland | DS-4973V ↗ | VE | 109 | 309.4 | 23.0 | 1 | 28.3 | 1101 | 1 |
| Mustang | 69Z08 SS PRO RIB ↗ | STXP | 108 | 290.6 | 24.0 | 1 | 30.2 | 1026 | 2 |
| Augusta | A2357-V ↗ | V | 107 | 289.6 | 23.8 | 1 | 33.0 | 1024 | 3 |
| Dairyland | DS-4833AM ↗ | AM | 108 | 285.9 | 23.6 | 1 | 33.0 | 1012 | 5 |
| Dairyland | DS-4664PCE ↗ | PCE | 106 | 285.5 | 22.8 | 1 | 29.2 | 1018 | 4 |
| FS InVision | FS 5845P RIB ↗ | STXP | 108 | 284.3 | 23.2 | 1 | 29.2 | 1010 | 6 |
| Integra | 5802 VT2PRIB ↗ | VT2P | 108 | 282.7 | 23.1 | 1 | 29.2 | 1006 | 9 |
| Renk | RK785PCE ↗ | PCE | 109 | 282.7 | 22.8 | 1 | 29.2 | 1008 | 7 |
| FS InVision | FS 5947T RIB ↗ | TRE | 109 | 281.9 | 23.4 | 1 | 31.1 | 1000 | 11 |
| Renk | RK7590SSPRO ↗ | STXP | 109 | 280.9 | 23.3 | 1 | 31.1 | 998 | 13 |
| Tracy | T105-36 ↗ | PCE | 105 | 280.7 | 22.0 | 1 | 31.1 | 1007 | 8 |
| Integra | 5935 PCE ↗ | PCE | 109 | 280.2 | 22.9 | 1 | 25.4 | 998 | 14 |
| Dairyland | DS-4810PCE ↗ | PCE | 108 | 278.9 | 22.7 | 1 | 30.2 | 995 | 15 |
| Mustang | 55V04 PCE RA ↗ | PCE | 105 | 278.3 | 21.8 | 1 | 28.3 | 1001 | 10 |
| Augusta | A2355-PWE ↗ | PCE | 105 | 278.1 | 21.8 | 1 | 29.2 | 1000 | 12 |
| Wyffels | W5129 ↗ | STXP | 108 | 277.7 | 22.8 | 1 | 31.1 | 991 | 16 |
| Burrus | POWER PLUS 4P27 VE ↗ | VE | 108 | 277.3 | 23.0 | 1 | 30.2 | 987 | 17 |
| Tracy | T105-26 ↗ | DV | 105 | 275.0 | 22.3 | 1 | 25.4 | 985 | 18 |
| FS InVision | FS 5949PC RA ↗ | PCE | 109 | 272.3 | 22.4 | 1 | 29.2 | 974 | 19 |
| LG Seeds | LG58C48VT2PRIB GC ↗ | VT2P | 108 | 271.2 | 23.7 | 1 | 29.2 | 960 | 21 |
| Renk | RK773TRE ↗ | TRE | 109 | 270.7 | 24.0 | 1 | 31.1 | 956 | 22 |
| Augusta | A2058-PWE ↗ | PCE | 108 | 270.0 | 23.9 | 1 | 30.2 | 954 | 23 |
| Channel | 207-34SSPRIB ↗ | STXP | 107 | 269.3 | 24.8 | 1 | 29.7 | 944 | 28 |
| Wyffels | W4514 ↗ | PCE | 106 | 269.1 | 22.2 | 1 | 30.2 | 965 | 20 |
| Wyffels | W4487 ↗ | VT4P | 106 | 267.2 | 22.9 | 1 | 30.2 | 952 | 25 |
| Wyffels | W5684 ↗ | PCE | 108 | 267.1 | 23.1 | 1 | 31.1 | 950 | 26 |
| Channel | 205-08SSPRIB ↗ | STXP | 105 | 266.3 | 22.3 | 1 | 29.2 | 954 | 24 |
| Mustang | 65K06 PCE RA ↗ | PCE | 106 | 265.3 | 22.9 | 1 | 29.7 | 945 | 27 |
| Rob-See-Co | RC5768-VT2P ↗ | VT2P | 107 | 264.8 | 22.8 | 1 | 29.2 | 944 | 29 |
| Rob-See-Co | RC5509-PCE ↗ | PCE | 105 | 264.4 | 23.1 | 1 | 30.2 | 941 | 30 |
| DEKALB | DKC106-98RIB CK | VT4P | 106 | 241.7 | 22.5 | 1 | 32.0 | 864 | 39 |



Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Averages = **271.0** **23.0** **1** **29.9** **942**

LSD (0.10) = 18.1 ns ns

LSD (0.25) = 9.5 ns ns

C.V. = 6.3

Historic yield: 201.85 bu/a, 25 yr(s)

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.03

Prices: GMO = \$3.80

Report Date: 11/07/2025

Additional reports available at www.firstseedtests.com


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Wisconsin South [WISO]

Weather Conditions Summary at ARLINGTON, WI


Weather Data Retrieved: 11/07/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Wisconsin South [WISO]

Early-Season Test Products (38 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------|--------------------|------------|-----|-----|---------------|
| Augusta | A2252-D | D | Y* | 102 | CM,C2 |
| Augusta | A2254-PWE | PCE | N | 104 | CM,C2 |
| Augusta | A2351-AA-EZ | AA | Y | 101 | CM,C2 |
| Augusta | A3048-AA-EZ | AA | Y | 98 | CM,C5 |
| Augusta | A3350-DV | DV | Y | 100 | CM,C5 |
| Burrus | 1R62 PCE | PCE | Y | 103 | Lum, L1 |
| Burrus | POWER PLUS 2A17 VE | VE | Y | 104 | BPS |
| Channel | 202-43VT4PRIB | VT4P | Y | 102 | AC,P1V,EDC-EL |
| Channel | 204-54SSPRIB | STXP | Y | 104 | AC,P5V,EDC-B |
| Dairyland | DS-4488PCE | PCE | Y | 104 | Lum, L1 |
| DeKalb | DKC106-98RIB | VT4P | Y | 106 | AC,P1V,EDC-EL |
| FS InVision | FS 5155P RIB | STXP | Y | 101 | AC,P5V,EDC-EL |
| FS InVision | FS 5158V RIB | VT2P | Y | 101 | AC,P5V,EDC-EL |
| FS InVision | FS 5159PC RA | PCE | Y | 101 | CM,C2,Vi,Va |
| FS InVision | FS 5335P RIB | STXP | Y | 103 | P5V |
| Integra | 5055 VT4PRIB | VT4P | Y | 100 | AC,P5V,SU |
| Integra | 5225 TRERIB | TRE | Y | 102 | AC,P5V,SU |
| Integra | 5443 DGV2PRIB | VT2PDG | N | 104 | AC,P5V,SU |
| Kentland | G5149 | GLY | N | 99 | CM,C2,Vi5 |
| Kentland | G7151 | GLY | N | 101 | CM,C2,Vi5 |
| Kentland | G7153 | GLY | N | 103 | CM,C2,Vi5 |
| LG Seeds | LG52C90VT2RIB | VT2P | Y | 102 | AC |
| Mustang | 55L02 PCE RA | PCE | Y | 103 | F,I |
| Renk | RK625DGV2P | VT2PDG | Y* | 104 | AC,P2 |
| Renk | RK630TRE | TRE | N | 102 | AC,P2 |
| Renk | RK6545PCE | PCE | N | 102 | Lum |
| Renk | RK6555VT4PRO | VT4P | N | 102 | AC,P5V,EDC-EL |
| Renk | RK7577TRE | TRE | N | 104 | AC,P2 |
| Rob-See-Co | RC5209-D | D | Y | 102 | CM,C2,Vi,Va |
| Rob-See-Co | RC5263-PCE | PCE | Y | 102 | CM,C2,Vi,Va |
| Tracy | T100-26 | DV | Y | 100 | CM,C2,Vi,Va |
| Tracy | T100-36 | PCE | Y | 100 | CM,C2,Vi,Va |
| Tracy | T101-36 | DV | Y | 101 | CM,Vi |
| Wyffels | W2557 | VT4P | N | 101 | P5V |
| Wyffels | W2674 | PCE | N | 101 | CM,C2,Vi,Va |
| Wyffels | W3309RIB | STXP | Y* | 103 | CM,C2,Vi,Va |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Wyffels | W3576RIB | VT2P | Y* | 103 | CM,C2,Vi,Va |
| Wyffels | W3654 | PCE | N | 104 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Wisconsin South [WISO]

Full-Season Test Products (41 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------|--------------------|------------|-----|-----|---------------|
| Augusta | A2058-PWE | PCE | N | 108 | CM,C5 |
| Augusta | A2355-PWE | PCE | N | 105 | CM,C2 |
| Augusta | A2356-PCE | PCE | N | 106 | CM,C5 |
| Augusta | A2357-V | V | N | 107 | CM,C2 |
| Augusta | A3255-D-EZ | D | Y | 105 | CM,C5 |
| Burrus | POWER PLUS 3H48 VE | VE | Y | 106 | Lum, L1 |
| Burrus | POWER PLUS 4P27 VE | VE | Y | 108 | Lum, L1 |
| Channel | 205-08SSPRIB | STXP | Y | 105 | AC,P5V,EDC-EL |
| Channel | 206-47VT4PRIB | VT4P | Y | 106 | AC,P1V,EDC-EL |
| Channel | 207-34SSPRIB | STXP | Y | 107 | AC,P5V,EDC-EL |
| Channel | 207-70TRERIB | TRE | Y | 107 | AC,P5V,EDC-EL |
| Dairyland | DS-4664PCE | PCE | Y | 106 | Lum, L1 |
| Dairyland | DS-4810PCE | PCE | Y | 108 | Lum, L1 |
| Dairyland | DS-4833AM | AM | Y | 108 | Lum, L1 |
| Dairyland | DS-4973V | VE | Y | 109 | Lum, L1 |
| DeKalb | DKC106-98RIB | VT4P | Y | 106 | AC,P1V,EDC-EL |
| FS InVision | FS 5555P RIB | STXP | Y | 105 | AC,P5V,EDC-EL |
| FS InVision | FS 5559PC RA | PCE | Y | 105 | CM,C2,Vi,Va |
| FS InVision | FS 5845P RIB | STXP | Y | 108 | AC,P5V,Va |
| FS InVision | FS 5947T RIB | TRE | Y | 109 | AC,P5V,Va |
| FS InVision | FS 5949PC RA | PCE | Y | 109 | AC,P5V,Va |
| Integra | 5584 PCE | PCE | Y* | 105 | AC,P5V,SU+Zn |
| Integra | 5716 PCE | PCE | Y | 107 | AC,P5V,SU |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU |
| Integra | 5935 PCE | PCE | Y | 109 | AC,P5V,SU |
| LG Seeds | LG58C48VT2PRIB | VT2P | Y | 108 | AC,PV |
| Mustang | 55V04 PCE RA | PCE | N | 105 | F,I |
| Mustang | 65K06 PCE RA | PCE | Y | 106 | F,I |
| Mustang | 69Z08 SS PRO RIB | STXP | N | 108 | F,I |
| Renk | RK7590SSPRO | STXP | N | 109 | AC,P5V,EDC-EL |
| Renk | RK766SSPRO | STXP | Y* | 109 | AC,P5V,EDC-EL |
| Renk | RK773TRE | TRE | Y* | 109 | AC,P2 |
| Renk | RK785PCE | PCE | N | 109 | Lum |
| Rob-See-Co | RC5509-PCE | PCE | Y | 105 | CM,C2,Vi,Va |
| Rob-See-Co | RC5768-VT2P | VT2P | Y | 107 | CM,C2,Vi,Va |
| Tracy | T105-26 | DV | Y | 105 | CM,Vi |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Tracy | T105-36 | PCE | Y | 105 | CM,Vi |
| Wyffels | W4487 | VT4P | N | 106 | CM,C2,Vi,Va |
| Wyffels | W4514 | PCE | N | 106 | CM,C2,Vi,Va |
| Wyffels | W5129 | STXP | N | 108 | P5V |
| Wyffels | W5684 | PCE | N | 108 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

- AA Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
- AM Optimum® AcreMax®
- D Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
- DV DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
- GLY Glyphosate tolerant
- PCE PowerCore® Enlist®
- RR2 Roundup Ready® 2 Corn
- STXP SmartStax® Pro with RNAi Technology
- TRE Trecepta®
- V Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
- VE Vorceed™ Enlist®
- VT2P VT Double PRO®
- VT2PDG DroughtGard® with VT Double PRO®
- VT4P VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|---|
| AC | Acceleron® unspecified |
| AC,P1V,EDC-EL | Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control |
| AC,P2 | Acceleron® 250 |
| AC,P5V,EDC-B | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU | Acceleron® Poncho 500/Votivo, StepUp |
| AC,P5V,SU+Zn | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn |
| AC,P5V,Va | Acceleron® Poncho 500/Votivo, Vayantis® |
| AC,PV | Acceleron Unspecified, Poncho, Votivo |
| BPS | Burrus PowerShield |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi5 | CruiserMaxx® 250, Vibrance Cinco |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5 | Cruisermaxx® 500 |
| CM,Vi | CruiserMaxx®, Vibrance |
| F,I | Fungicide, Insecticide |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| P5V | Poncho 500/Votivo |
| Treated | Treated seed, unspecified |

* Seed treatments may include unspecified plant health promoting components.