

Test by: Bottomline Seed Solutions, LLC Effingham, IL

2025 Soybeans Top 30 Harvest Report

Indiana Central [INCE] WEST POINT, IN


Josh Freed, Wayne County, IN

| | |
|---------------------------------|---|
| All-Season Test | Maturity Group 2.8 - 3.8 S2025INCE01 |
| Top 30 of 54 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Corn / Roundup, Callisto, Metolachlor |
| SOIL DESCRIPTION: | Kalamazoo loam, well drained, non-irrigated |
| SOIL CONDITION: | 5.97 pH, 3.14% OM, 7.65 CEC, high P, low K, mod. S, mod. B, high Zn |
| TILLAGE/CULTIVATION: | Conventional W/ Fall Till |
| PEST MANAGEMENT: | Valor, Zidua, Metribuzin, Glyphosate, Prestige Plus, 2,4-D Lv6, Select, Liberty |
| FERTILITY - Other: | 28 Spring |
| Applied N-P-K (units): | 28-47-42 |
| SEEDED - RATE - ROW: | May 7 140.0 /A 30" spacing |
| HARVESTED - STAND: | Sep 30 124.6 /A |
| PEST & DISEASE RISK: | Stem Canker, Charcoal Rot* |

TEST COMMENTS:

This conventional tillage location was planted in early May. Emergence was good, and weed control was excellent. Adequate rainfall throughout the season promoted good yields. Several varieties had excessive vegetative growth, which led to severe lodging. Unfortunately, the lodging hurt the yield for most of the varieties. Great location with a great cooperator.

| Company/Brand | Product/Brand | Technol.† | RM | SCN Resist. | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------------|---------------|-----------|-----|-------------|--------------|------------|-----------|----------------|----------------------|------|
| Dyna-Gro | S35ES56 ↗ | E3,ST | 3.5 | M | 80.1 | 10.2 | 13 | 117.7 | 789 | 1 |
| ProHarvest | 35E52 ↗ | E3 | 3.3 | M | 79.2 | 10.2 | 43 | 122.0 | 780 | 2 |
| Apex | AE3550S ↗ | E3,ST | 3.5 | M | 78.1 | 10.2 | 0 | 124.0 | 769 | 3 |
| FS HISOY | HS 35E50 ↗ | E3 | 3.5 | M | 77.9 | 10.0 | 17 | 126.7 | 767 | 4 |
| Apex | AE3150 ↗ | E3 | 3.1 | M | 77.2 | 10.7 | 13 | 133.0 | 760 | 5 |
| Fortus | 3456ES ↗ | E3,ST | 3.4 | M | 76.6 | 10.4 | 0 | 122.7 | 755 | 6 |
| Ebberts | E3302 E3 ↗ | E3 | 3.3 | M | 76.4 | 10.3 | 10 | 133.3 | 753 | 7 |
| FS HISOY | HS 33E50 ↗ | E3 | 3.3 | M | 75.8 | 10.5 | 0 | 93.3 | 747 | 8 |
| Ebberts | E2800 E3 ↗ | E3 | 2.8 | M | 75.4 | 10.2 | 17 | 127.0 | 743 | 9 |
| Monier | ME350 ↗ | E3,ST | 3.5 | M | 74.7 | 9.9 | 0 | 122.3 | 736 | 10 |
| Fortus | 3394E ↗ | E3 | 3.3 | PK | 74.6 | 10.1 | 17 | 121.0 | 735 | 11 |
| Xitavo | XO 3375E ↗ | E3 | 3.3 | M | 74.5 | 10.3 | 7 | 100.7 | 734 | 12 |
| Ebberts | E3590 E3 ↗ | E3,ST | 3.4 | M | 73.8 | 10.2 | 0 | 114.7 | 727 | 13 |
| Ebberts | E3880 E3 ↗ | E3 | 3.8 | M | 73.0 | 10.2 | 0 | 139.3 | 719 | 14 |
| Xitavo | XO 3555E ↗ | E3 | 3.5 | M | 73.0 | 10.2 | 17 | 136.3 | 719 | 15 |
| Fortus | 3146E ↗ | E3 | 3.1 | M | 72.9 | 10.7 | 0 | 99.3 | 718 | 16 |
| Xitavo | XO 2926E ↗ | E3 | 2.9 | M | 72.9 | 10.3 | 0 | 97.7 | 718 | 17 |
| Pioneer | P37Z06E GC ↗ | E3 | 3.7 | R | 72.3 | 10.1 | 0 | 127.0 | 712 | 18 |
| DONMARIO | DM33E55 ↗ | E3 | 3.3 | M | 72.1 | 10.5 | 27 | 137.7 | 710 | 19 |
| FS HiSOY | HS 29E40 ↗ | E3 | 2.9 | PK | 72.1 | 10.9 | 0 | 141.0 | 710 | 20 |
| Dairyland | DSR-3612E ↗ | E3 | 3.6 | M | 70.7 | 9.9 | 20 | 123.7 | 696 | 21 |
| DONMARIO | DM36E94 ↗ | E3 | 3.6 | M | 70.7 | 10.3 | 27 | 128.3 | 696 | 22 |
| FS HiSOY | HS 34E40 ↗ | E3 | 3.4 | PK | 70.3 | 10.4 | 30 | 142.3 | 692 | 23 |
| Xitavo | XO 3014E ↗ | E3 | 3.0 | M | 70.3 | 10.6 | 33 | 141.0 | 692 | 24 |
| Apex | AE3850 ↗ | E3 | 3.8 | M | 69.9 | 10.3 | 30 | 138.0 | 689 | 25 |
| Seed Genetics Direct | ET-5735E3S ↗ | E3,ST | 3.5 | M | 69.8 | 10.5 | 27 | 136.3 | 688 | 26 |
| Asgrow | AG31XF2 GC ↗ | RXF | 3.1 | R | 69.5 | 10.6 | 0 | 127.0 | 685 | 27 |
| Dairyland | DSR-3178E ↗ | E3 | 3.1 | M | 68.2 | 10.2 | 20 | 121.0 | 672 | 28 |
| Seed Genetics Direct | ET-3729E3S ↗ | E3,ST | 2.9 | M | 67.8 | 10.5 | 7 | 125.3 | 668 | 29 |
| Dyna-Gro | S38EN75 ↗ | E3 | 3.8 | M | 67.8 | 10.6 | 7 | 127.0 | 668 | 30 |

| | | | | | | |
|--|--------------|------|-------------------------------------|----|-------|-----|
|  Klint Tucker klint@whatssmokin.net, (309) 712-1406 | Averages = | 69.6 | 10.3 | 24 | 124.6 | 686 |
| | LSD (0.10) = | 5.7 | 0.3 | 24 | | |
| | LSD (0.25) = | 3.0 | 0.1 | 12 | | |
| | C.V. = | 7.7 | Historic yield: 59.25 bu/a, 1 yr(s) | | | |

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.00 Prices: GMO = \$9.85

Report Date: Sept. 30, 2025

Revised: 10/02/2025 Corrected grain price, all gross income values

Additional reports available at www.firstseedtests.com

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. **EarthOptics** used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.


©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Soybeans - Indiana Central [INCE]

Weather Conditions Summary at WEST POINT, IN

Weather Data Retrieved: 10/02/2025


| Monthly Total | Apr* | May | Jun | Jul | Aug | Sep* | Total |
|-----------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Precip (in.) (Diff) | 0.5 1.2 (-0.7) | 3.1 4.0 (-0.9) | 4.6 4.2 (+0.4) | 6.2 4.6 (+1.6) | 2.8 3.4 (-0.6) | 1.5 2.6 (-1.0) | 18.7 19.9 (-1.2) |
| GDU Avg (Diff) | 94 54 (+39) | 370 431 (-61) | 674 671 (+2) | 824 751 (+72) | 648 704 (-56) | 527 552 (-25) | 3137 3165 (-28) |




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients




Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Soybeans



Above Ground Pest & Disease - Soybeans



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Soybeans - Indiana Central [INCE]

All-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technology | SCN | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|---------------|
| Apex | AE3150 | E3 | M | 3.1 | PU,Sa |
| Apex | AE3550S | E3,ST | M | 3.5 | PU,Sa |
| Apex | AE3850 | E3 | M | 3.8 | PU,Sa |
| Asgrow | AG31XF2 | RXF | R | 3.1 | Untreated |
| Asgrow | AG35XF5 | RXF | R | 3.5 | Untreated |
| Dairyland | DSR-3178E | E3 | M | 3.1 | Lum, LumT, IL |
| Dairyland | DSR-3421E | E3 | PK | 3.4 | Lum, LumT, IL |
| Dairyland | DSR-3612E | E3 | M | 3.6 | Lum, LumT, IL |
| Dairyland | DSR-3835E | E3 | M | 3.8 | Lum, LumT, IL |
| DONMARIO | DM33E55 | E3 | M | 3.3 | CMB-APX,SA |
| DONMARIO | DM36E94 | E3 | M | 3.6 | CMB-APX,SA |
| DONMARIO | DM38E54 | E3 | M | 3.8 | CMB-APX,SA |
| Dyna-Gro | S35E56 | E3,ST | M | 3.5 | PLTM |
| Dyna-Gro | S38EN75 | E3 | M | 3.8 | PLTM |
| Ebberts | E2800 E3 | E3 | M | 2.8 | Ebberts |
| Ebberts | E3000 E3 | E3 | PK | 3.0 | Ebberts |
| Ebberts | E3190 E3 | E3 | M | 3.1 | Ebberts |
| Ebberts | E3301 E3 | E3 | PK | 3.3 | Ebberts |
| Ebberts | E3302 E3 | E3 | M | 3.3 | Ebberts |
| Ebberts | E3590 E3 | E3,ST | M | 3.4 | Ebberts |
| Ebberts | E3690 E3 | E3 | M | 3.6 | Ebberts |
| Ebberts | E3880 E3 | E3 | M | 3.8 | Ebberts |
| Fortus | 3146E | E3 | M | 3.1 | ACi,SU |
| Fortus | 3394E | E3 | PK | 3.3 | ACi,SU |
| Fortus | 3456ES | E3,ST | M | 3.4 | ACi,SU |
| Fortus | 3665E | E3 | M | 3.6 | ACi,SU |
| Fortus | 3815E | E3 | M | 3.8 | ACi,SU |
| FS HiSOY | HS 29E40 | E3 | PK | 2.9 | ACi,SA |
| FS HiSOY | HS 30E40 | E3,ST | M | 3.0 | ACi,SA |
| FS HiSOY | HS 30F40 | RXF | M | 3.0 | ACi,SA |
| FS HiSOY | HS 33E50 | E3 | M | 3.3 | ACi,SA |
| FS HiSOY | HS 34E40 | E3 | PK | 3.4 | ACi,SA |
| FS HiSOY | HS 35E50 | E3 | M | 3.5 | ACi,SA |
| FS HiSOY | HS 37E40 | E3 | M | 3.7 | ACi,SA |
| FS HiSOY | HS 38E50 | E3 | M | 3.8 | ACi,SA |
| Monier | ME350 | E3,ST | M | 3.5 | D,Sa |

| Company/Brand | Brand/Product | Technology | SCN | RM | Seed Treat. |
|----------------------|---------------|------------|-----|-----|---------------|
| Pioneer | P37Z06E | E3 | R | 3.7 | Lum, LumT, IL |
| Pioneer | P38Z63E | E3 | R | 3.8 | Lum, LumT, IL |
| ProHarvest | 35E52 | E3 | M | 3.3 | PU |
| Seed Genetics Direct | ET-0733E3 | E3 | M | 3.3 | F,B,NE |
| Seed Genetics Direct | ET-3729E3S | E3,ST | M | 2.9 | F,B,NE |
| Seed Genetics Direct | ET-4732E3 | E3 | PK | 3.2 | F,B,NE |
| Seed Genetics Direct | ET-5734E3 | E3 | M | 3.4 | F,B,NE |
| Seed Genetics Direct | ET-5735E3S | E3,ST | M | 3.5 | F,B,NE |
| Xitavo | XO 2926E | E3 | M | 2.9 | PV,IL,OB,Rey |
| Xitavo | XO 3014E | E3 | M | 3.0 | PV,IL,OB,Rey |
| Xitavo | XO 3375E | E3 | M | 3.3 | PV,IL,OB,Rey |
| Xitavo | XO 3456E | E3 | M | 3.4 | PV,IL,OB,Rey |
| Xitavo | XO 3555E | E3 | M | 3.5 | PV,IL,OB,Rey |
| Xitavo | XO 3655E | E3 | M | 3.6 | PV,IL,OB,Rey |
| Xitavo | XO 3705E | E3 | M | 3.7 | PV,IL,OB,Rey |
| Xitavo | XO 3855E | E3 | M | 3.8 | PV,IL,OB,Rey |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

| | |
|----|--|
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| § | United Soybean Board sponsored entry |

Soybean Cyst Nematode (SCN) Resistance Rating

| | |
|-----|---------------------|
| S | susceptible |
| MR | moderate resistance |
| R | resistant |
| n/a | info unavailable |

Soybeans Technologies

| | |
|-----|-----------------------|
| E3 | Enlist E3® |
| RXF | XtendFlex® |
| ST | Sulfonylurea tolerant |

Soybeans Seed Treatments*

| | |
|---------------|--|
| NA | Not Available |
| ACi,SA | Acceleron® Standard Insecticide-Fungicide, Saltro® |
| ACi,SU | Acceleron® Standard Insecticide-Fungicide, StepUp |
| CMB-APX,SA | CruiserMaxx® APX with Saltro® |
| D,Sa | Duo, Saltro |
| Ebberts | Ebberts Complete Soybean (Ebberts Field Seeds) |
| F,B,NE | Fungicide, Biological, Nematicide |
| Lum, LumT, IL | LumiGEN™, LumiTreo, ILEVO |
| PLTM | DynaGro PLTM |
| PU | Protect Ultra |
| PU,Sa | Protect Ultra, Saltro |
| PV,IL,OB,Rey | Poncho®/Votivo®, ILeVO, Obvius Plus, Relenya® |
| Untreated | No seed treatment |

* Seed treatments may include unspecified plant health promoting components.